AN ALL CANADIAN COMPANY

Guelph Chemical Laboratories Ltd.

500 York Road, Guelph, Ontario, Canada. N1E 3J4. Tel. (519) 836-2313

REQ. NO. 2-9007

CONTRACT REPORT NO. OSQ82-00047

T.P. Lim
Department of Energy Mines & Resources
Mining Research Laboratories
CANMET
Elliot Lake

CHEMICAL ANALYSIS OF SOLID SAMPLES FROM URANIUM TAILINGS

by

Raj N. Pandey, PhD. Queen's
GUELPH CHEMICAL LABORATORIES
246 Silvercreek Pkwy N.
Guelph Ontario
N1H 1E7
Phone (519) 836-2313

NOV 9 1983

MICROMEDIA

272 pp

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 (mg/Litre)
512	U.W23 P1 19/08/82	2,753.55
513	U.W.19 P4 17/08/82	7,339.08
514	U.W5-P6 17/08/82	3,536.45
515	U.W.2 P2 16/08/82	3,983.81
516	U.W. 12 P4 18/08/82	3,312.76
517	U.W.7 P6 23-08-82	10,023.28
518	U.W10.P1 20-08-82	2,753.55
519	U.W2.P6 18.08.82	3,871.97
520	U.W.11.P5 17-08-82	516.71
521	U.W.10 P3 20-08-82	5,214.08
522	U.W.13 P4 20-08-82	8,681.18
523	U.W.6 P1 16-08-82	2,194.34
524	UW 25-P1 16/08/82	2,529.87
525	U.W.8 P5 20/08/82	5,325.92
526	U.W.18 P1 17-08-82	516.71
527	U.W.8 P6 20-08-82	12,260.13
528	U.W-1-P3 18/08/82	7,003.55
529	U.W12-P1 18/08/82	4,543.02
530	U.W-10-P2 20/08/82	4,431.18
531	U.W.S2 18-08-82	4,766.71
532	U.W.6P3 16-08-82	2,306.18

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 (mg/Litre)
490	UW1-P4 18/08/82	5,996.97
491	U W8 -P2 20/08/82	1,635.13
492	UW11-P1 17-08-82	2,641.71
493	U W7-P1 23/08/82	6,556.18
494	U W.15 P1 16-08-82	3,312.76
495	UW.15-P2 16/08/82	3,089.08
496	U-W.15 P3 16-08-82	8,681.18
497	U-W-16 P2 18-08-82	11,141.71
498	UW-1P1 18-08-82	6,108.81
499	U.W.18 P2 18/08/82	1,411.45
500	U.W.11 P2 17/08/82	4.319.34
501	UW5-P4 17/08/82	2,865.39
502	U.W.52 18-08-82	3,871.97
503	U.W.19 P1 17-08-82	5,437.76
504	U.W6-P7 16/08/82	4,095.66
505	UW5-P7 17/08/82	19.28
506	U.W12-P2 18/08/82	3,536.45
507	U.W6-P5 16/08/82	15,615.39
508	U.W.20-P2 17/08/82	10,023.29
509	U.W.8.P4 20/08/82	4,319.34
510	U.W-5 P3 17/08/82	3,312.76
511	U.W.6 P4 16-08-82	11,141.71

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 (mg/Litre)
468	UW23 P1 19.08.82	2,306.18
469	UW-7 Bundle #5 23-08-82	2,977.24
470	Bundle UW6 P2 16/08/82	1,635.13
471	U.W5 bundle centre 17/08/82	1,187.76
472	bundle UW6 P1 16/08/82	3,983.81
473	Bundle UW6 P5 16/08/82	3,424.60
474	Bundle UW23 P4 19.08.82	2,977.24
475	U.W.3 Bundle #1 18-08.82	6,668.02
476	U.W12 P3 (P-3) 18.08.82	3,536.45
477	U.W-9 P-3 23-08-82	5,773.29
478	U.W17 P1 19.08.82	3,536.45
479	Bundle UW6-P3 16/08/82	3,871.97
480	UW23 Bundle P2 19.08	1,075.92
481	U.W-7 Bundle #2 23-08-82	2,641.71
482	Bundle UW6 P4 16/08/82	3,536.45
483	Bundle U.W23 centre 19.08.82	2,306.18
484	U.W8 P7 20-08-82	13,378.55
485	U.W.1 P6 18-08-82	3,760.13
486	U.W.17 P3 19/08/82	12,260.13
487	UW3P3 18/08/82	14,496.97
488	U.W.1 P2 18-08-82	7,674.60
489	U W19.P2 17.08.82	4,878.55

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre)
446	U-W.7.P5 23/08/82	9,016.71
447	UW 20.P1 17/08/82	2,529.87
448	U W3 - P2 18/08/82	18,970.00
449	UW21-P4 23-08-82	4,207.50
450	U.W15-P4 16/08/82	4,431.18
451	U.W.26 P2 17/08/82	2,418.03
452	U.W.14 P5 19/08/82	15,615.38
453	U.W15-P6 16/08/82	6,108.81
454	U.W.7 P3 23/08/82	4,990.39
455	U.W-9 P2 23.08.82	17,852.23
456	U.W10-P5 20/08/82	4,766.71
457	U W 14.P4 19.08.82	25,681.17
458	.W.14 P1 19-08-82	29,036.44
459	U.W.51 18-08-82	2,865.39
460	U.W.24 P2 20-08-82	4,319.34
461	UW9-P1 23/08/82	14496.97
462	UW21-P5 23/08/82	308,907.77
463	UW11-P4 17/08/82	3,760.13
464	Bundle UW6 P6 16/08/82	3,200.92
465	UW-23 bundle P3 19.08	3,983.81
466	UW13 P1 20/08/82	4,878.55
467	UW-7 Bundle #1 23-08-82	2,641.71

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
120	U. W. 26 P1 17/08/82	2,306.18
119	U W-7 P2 23/08/82	3,089.08
426	UW-7 Bundle ¢ 23-08-82	2,004.66
427	UW-S3 23/08/82	4,017.81
428	UW3 P5 18.08.82	9,352.23
429	UW 24 P3 20.08.82	12,260.13
430	UW 21-P3 23/08/82	8,904.87
431	UW7-P4 23/08/82	5,214.06
432	UW3 P6 18.08.82	2,641.71
433	UW4	14,496.97
434	UW 22-P1 24/08/82	4,095.66
435	UW 24-P1 20/08/82	2,865.39
436	UW 15.P4 16/08/82	5,996.97
437	U.W.16 P5 18-08-82	10,023.29
438	U.W2.P4 18-08-82	6,444.34
439	U.W.6 P2 16.08.82	2,082.50
440	U.W.3P1 18-08-82	13,378.55
441	U.W.2P1 18-08-82	4,766.71
442	U.W.22-P2 24/08/82	5,885.13
443	U.W.21-P2	3,312.76
444	U.W.13 P3 20-08-82	12,260.13
445	UW21-P1 23/08/82	1,411.45

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 (mg/Litre)
533	U.W.10 P4 20/08/82	20,089.07
534	U.W.2 P3 18/08/82	3,424.60
535	U.W 5-P2 17/08/82	2,977.24
536	UW8-P3 20/08/82	3,760.13
537	U.W.16 P1 20/08/82	11,141.70
538	U.W13-P2 20/08/82	3,536.45
539	U.W.8-P1 20/08/82	2,306.18
540	U.W5-P5 17/08/82	2,977.24

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
425	T4 -P12 24-08-82	2,846.16
424	T4-P8 24-08-82	2,577.74
423	T6-P2 25/08/82	11,167.20
422	T5 -P8 24/08/82	38,456.67
421	T2-P3 26/08/82	15,193.52
420	T3-2 13-05-82	3,401.48
419	T5-P4 24-08-82	43,217.26
418	T1-P4 26-08-82	8,173.42
417	T5-P7 24-08-32	29,796.22
416	T4-P7 24-08-32	4,296.23
415	T2-P1 26-08-82	3,103.24
414	T3-P4 26-08-82	5,116.40
413	T4-P2 24-08-82	3,252.37
412	T2-P2 13-05-82	6,309.38
411	T6-P6 25-08-82	2,655.88
410	T1P4 12-05-82	9,664.64
409	T6-P8 25-08-82	5,787.45
408	T3-P5 13-05-82	6,309.38
407	T1-P2 26 08-82	11,901.48
406	T1P1 12-05-82	3,252.37
405	T5-P-12 24-08-82	21,594.47

Result of Analyses for Sulphate in Water Sample cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
404	T5-P3 24-08-82	22,340.08
403	T2 P6 13-05-82	3,699.74
402	T5-P-10 24-08-82	11,155.87
401	T6-P4 25-08-82	13,392.71
400	T4-P10 24-08-82	5,214.05
399	T2-P2 26-08-82	6,220.65
398	T1-P1 26-08-82	3,536.45
397	T4 P11 24-08-82	2,026.60
396	T6-P7 25-08-82	6,220.65
395	T4-P3 24-08-82	7,674.60
394	T2-P4 26-08-82	4,095.65
393	T1-P3 26-08-82	11,141.70
392	T3-P5 26-08-82	6,891.70
391	T4-P1 24-08-82	3,424.60
390	T5-P11 24-08-82	25,681.15
389	T4-P4 24-08-82	3,089.05
388	T6-P3 25-08-82	8,010.15
387	T5-P2 24-08-82	21,207.50
386	T4-P6 24-08-82	11,141.70
385	T1P6 12-05-82	5,102.25
384	T3-1 13-05-82	3,983.80
383	T1-Main 12-05-82	4,431.20

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
375	T4 - P5 25-08-82	3,089.08
374	Bundle T-4 P-5 24-08-82	2,529.87
373	T-3 Bundle P-4 26-08	4,207.50
372	T-4 Bundle ¢ 25-08-82	2,641.71
371	T1 Bundle P1 26-08	4,990.39
370	T-8 Bundle P1 02-09-82	15,615.39
369	T-3 Bundle P-6 26-08	6,891.71
368	T-8 West Bundle P-3 27-08	10,023.29
367	T-9 P-2 26-08	3,648.29
366	T8 - P4 02-09-82	7,786.44
365	T8 - P2 02-09-82	11,141.71
364	Bundle T-4 P-6 24-08-82	2,641.71
363	T1 - P5 26-08	3,536.45
362	T10 - P1 02-09-82	4,207.50
361	T-4 Bundle #2 24-08-82	2,306.18
360	Bundle T-4 P3 25-08	2,865.39
359	T - 3 Bundle P-5 26-08	7,786.44
358	T-7 Bundle P1 26-08	4,431.18
357	T-3 Bundle P-3 26-08	4,654.87
356	T-7 Bundle P-7 27-08	4,878.55
355	T2-P4 13-05-82	5,325.92
354	Bundle T-4 P-7 24-08-82	2,194.34
353	T-5 Bundle ¢ 24-08-82	7,339.08

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
352	T-3 Bundle #2 26-08	4,207.50
351	T8 - East Bundle Centre 27-08-82	3,536.45
350	Bundle T-4 P1 25-08	2,082.50
349	T-8 East Bundle E 27-08	6,444.34
348	T-1 Bundle centre 26-08	5,549.60
347	T-4 P-9 24-08-82	2,641.71
346	T-9 P-3 26-08	3,648.29
345	T-3 Bundle #1 26-08	4,207.50
344	Bundle T4 P4 25-08	2,865.39
343	T9-P1 26-08	3,312.76
342	T3 P3 13-05-82	7.786.44
341	T3-3 13-05-82	3,536.45
340	T3-5 13-05-82	6.668.02
339	T1-P7 12-05-82	5,549.60
338	T3-P? 13-05-82	7,786.44
337	T3-4 13-05-82	3,312.76
336	T7 - P5 14-05-82	17,852.23
335	T7-P3 14-05-82	15,615.39
334	T1-P1 12-05-82	3,760.13
333	T1-P3 12-05-82	10,023.29
332	T8-P3 14-05-82	7,786.44
331	T8-P1 14-05-82	14,496.97
330	T1-P5 12-05-82	3,760.13

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
329	T3- Main 13-05-82	3,760.13
328	T7-P2 14-05-82	5,996.97
152	T3 P4 12-05-82	10,023.29
148	T2 P7 13-05-82	4,878.55
142	T1-P2 12-05-82	12,260.13
139	T8 - P4 14-05-82	11,141.71
133	T8-P2 14-05-82	12,260.13
131	T2 -P3 13-05-82	10,023.29
121	T7 - P1 13-05-82	12,260.12
382	T5-P1 24-08-82	17,852.25
381	T2-P5 13 05-82	3,312.75
380	T6-P5 25 08 82	10,023.29
379	T7-P1 27-08-82	6,444.35
378	T2-P1 13-05-82	3,089.07
377	T5-P9 24-08-82	25,681.17
376	T4-P13 24-08-82	4,431.18
542	T-8 East D 27/08	6,668.02

Result fo Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
305	M8 P6 31.08	11,141.71
304	M1-P2 31.08	7,786.44
303	M8-9 17-05-82	8,904.87
302	M16.P3.5 31.08	7,115.39
301	M12.P3 02-09-82	8,904.87
300	M10.P6 01-09-82	6,220.66
299	M10.P2 01/09/82	5,102.24
298	M27.P2 01.09.82	2,641.10
297	M11 P8 01.09.82	6,891.71
296	M12.P2 02.09	3,536.45
295	M14-P5 07.09	1,523.29
294	M11 - ¢ 01.09.82	4,654.87
293	M10-P1 01/09/82	5,325.92
292	M27-P3 01-09-82	5,773.29
291	M-9 P-1 31-08	5,996.97
290	M8 P1 31.08	6,668.02
289	M-18 P-2 31-08	6,891.71
288	M13.P5 07/09	5,549.60
287	M17-3 17-05-82	7,786.44
286	M16-4 17-05-82	7,115.39
285	M1 - P5 31-08	13,378.55
284	M/3 07/09	3,089.34
541	M12-9 20/05/82	12,260.13

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
146	M-9 #3 May 18,82.	5,996.97
145	M9-Main 18-05-82	3,760.13
144	M20-2 14-05-82	6,891.71
143	M1-2 14-05-82	9,352.23
141	M-27 #7 May 18, 81	3,760.13
140	M12-#3 May 19,82	5,773.29
138	M1#6 14-05-82	14,496.97
137	M-27 #4 May18, 82	7,898.29
136	M11-#2 May 19, 82	2,865.39
135	M12-#6 May 19, 82	4,990.39
134	M20-Main 14-05-82	6,444.34
132	M12-Main 20-05-82	2,529.87
130	M-10 #1 May 18/82	4,766.71
129	M 16-3.5 17/05/82	8,345.65
128	M 11 #5 19/05/82	5,437.76
127	M 16-5 17-05-82	7,339.07
126	M 16-Main 17-05-82	7,115.39
125	M-10#2 May 18/82	3,983.81
124	M -10#6 May 18/82	6,668.02
123	M -10 #7 May 18/82	5,325.92
122	M 20-4 14-05-82	11,141.70
118	M 17-8 17-05-82	5,437.76

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
171	M-10 MAIN May 18/82	3,760.13
170	M-9-6 18-05-82	7,562.76
169	M-27 May 18/82	6,444.34
168	M9-8 18-05-82	7,786.44
167	M17-5 17-05-82	7,115.39
166	M-9 P-5 31-08	5,996.97
165	M18-3 17-05-82	7,227.23
164	M18 -2 17-05-82	7,339.08
163	M12 - #2 May 19/82	2,865.39
162	M13.P8 07/09	3,312.76
161	M16-2-5 17-05-82	31,273.27
160	M8-8 17-05-82	32,391.70
159	M12-#4 May 19/82	5,549.60
158	M-10#4 May 18/82	6,668.02
157	M-27#2 May 18,82	2,641.71
156	M 11 Main 19.05.82	4,319.34
155	M 11-#3 May 19,82	3,424.60
154	M8-1 17-05-82	6,779.87
153	M18-5 17-05-82	7,115.39
151	M11 #7 19-05-82	6,779.87
150	M-27#5 May 18,82	6,220.00
149	M11 #6 19-05-82	5,773.29
147	M16-2 17-05-82	10,023.29

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
193	M-10 #8 May 18/82	109.72
192	M-19#3 May 18/82	7,450.92
191	M-10 P-4 01-09	6,668.03
190	M11#4 19/05/82	5,549.60
189	M27-P1 01-09-82	4,207.50
188	M8-7 17-05-82	10,023.29
187	M12-#7 19-82	5,661.45
186	M17-7 17-05-82	5,773.29
185	M-27#8 May 18/82	2,306.18
184	M17-6 17-05-82	8,010.13
183	M20-3 14-05-82	7,786.44
182	M-11#9 19/05/82	2,865.39
181	M-27 #6 May 18/82	7,115.39
180	M8-4 17-05-82	8,233.81
179	M11-#1 May 19/82	3,089.08
178	M-16-1 17-05-82	10,023.29
177	M16-1-5 17-05-82	8,904.87
176	M12 - #5 May 19/82	3,648.29
175	M10-#3 May 18/82	2,641.71
174	M16-3 17-05-82	8,010.13
173	M9-4 18-05-82	6,891.71
172	M8-2 17-05-82	7,562.76

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
216	M - 9#2 May 18/82	5,102.24
215	M27 Main May18/82	3,312.76
214	M13-P4 07/09	182.41
213	M18 P-5 31-08	6,556.18
212	M12 ¢ 02.09	2,306.18
211	M12-#8 May 19/82	6,444.34
210	M20.P6 31.08	4,207.50
209	M9-5 18-05-82	6,444.34
208	M-10#5 May 18/82	6,444.34
207	M8-3 17-05-82	7,450.92
206	M1-3-14-05-82	11,141.71
205	M-17-31-08	6,220.66
204	M14-P8 07.09	841.50
203	M9-7 18-05-82	7,786.44
202	M20.P4 31-08	12,260.13
201	M-17 P-4 31-08	6,668.02
200	M13.P1 07/09	752.03
199	M11-P5 01-09-82	5,549.60
198	M1-7 14-05-82	7,115.39
197	M16# 4.5 17-05-82	11,141.71
196	M27#1 May 18/82	4,431.18
195	M20 #1 14-05-82	6,779.87
194	M8 - Main 17-05-82	5,325.92

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
239	M20-P5 31-08	11,546.57
238	M-14 P7 07/09	975.71
237	M-17 P-8 31-08	6,891.71
236	M1-P1 31-08-82	6,779.87
235	M-9 P-4 31-08	5,549.60
234	M-1 Bundle ¢ 31-08	6,444.34
233	M-19 P-2 31-08	5,102.24
232	M-1 P-3 31-08	12,260.13
231	M-19 P-3 31-08	6,779.87
230	M-17 P-g 31-08	6,444.34
229	M8 P4 31.08.82	8,904.87
228	M1 - Main 14-05-82	5,885.13
227	M17-9 17-05-82	3,760.13
226	M1-9 14-05-82	617.82
225	M1-8 14-05-82	2,753.55
224	M20 - 6 14-05-82	4,431.18
223	M17-Main 17-05-82	7,115.39
222	M18-1 17-05-82	930.97
221	M16-P45 31-08-82	8,010.13
220	M- 19#2 May 18/82	4,654.87
219	M8-5 17-05-82	9,128.55
218	M14.P1 07/09	841.50
217	M13 ¢ 07/09/82	1,042.82

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
261	M11.P3 01.09.82	5,437.76
260	M13 - P3 07/09	1,299.60
259	M-17 P-3 31-08	6,891.71
258	M20.P1 31.08	7,115.39
257	M16.P4 31.08.82	7,227.23
256	M/6 P2.5 31.08	8,010.13
255	M14.P3 07/09	573.08
254	M1.P8 31.08.82	4,431.18
253	M11.P2 01.09.82	3,760.13
252	02.09 M12.P7	6,332.50
251	M14.P4 07/09	247.13
250	M-18 P-4 31-08	6,668.02
249	M-17 P-2 31-08	6,220.66
248	M-27 ¢ 01.09.82	4,431.18
247	M-18 P-3 31-08	6,444.34
246	M-1 P-7 31-08	13.378.55
245	M12.P5 02.09	4,543.02
244	M8 P3 31.08	7,674.60
243	M14 P6 07/09	1,378.34
242	M12.P4 02.09.82	4,207.50
241	M16.P1.5 31.08	10,023.29
240	M11-P7 01.09.82	6,332.50

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 Mg/Litre
283	M -6 ℄ 31.08	6,444.34
282	M-10 P-3 01-09	2,418.03
281	M-20 Bundle ℄ 31-08	7,339.08
280	M-9 P-6 31-08	6,220.66
279	M-17 P-5 31-08	7,115.39
278	M-1 P-6 31-08	12,260.13
277	M9 -1 17-05-82	3,983.81
276	M20-5 14-05-82	13,378.55
275	M17-2 17-05-82	7,339.08
274	M11 #8 19/05/82	6,444.34
273	M8 P5 31.08.82	11,141.71
272	M16.P3 31.08	7,115.39
271	M12.P1 02-09	4,431.18
270	M-9 P-2 31-08	4,878.55
269	M16-P5 31.08.82	6,668.02
268	M16.P1 31.08.82	8,010.13
267	M14.P2 07/09	404.87
266	M13.P6 07/09	1,970.66
265	M20.P3 31.08.82	8,121.97
264	M1-P4 31.08	13,378.55
263	M17 P-7 31.08	6,668.02
262	M27.P4 01.09.82	5,549.60

Result of Analyses for Sulphate in Water Samples cont'd

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
327	M 17-1 17-05-82	1,635.13
326	M 18-4 17-05-82	6,680.02
325	M-1 #4 14-05-82	16,733.81
324	M-1 #5 14-05-82	16,733.81
323	M 17-4 17-05-82	7,786.44
322	M 8-P2 17-05	6,668.02
321	M-10 P-5 01-09	6,220.66
320	M-17 P-6 31-08	6,668.02
319	M-12 P-6 02-09	6,444.34
318	M-11 P-4 01-09-82	5,325.92
317	M-16 P2 31.08	7,786.44
316	M27-P6 01-09-82	5,102.24
315	M11-P6 01-09-82	5,549.60
314	M14-¢ 07-09	964.08
313	M8 centre 31-08-82	6,444.34
312	M 10. ¢ 01.09.82	4,878.55
311	M11.P1 01.09.82	2,977.24
310	M13.P2 07/09	1,746.97
309	M-9 ¢ 31-08	6,668.02
308	M27-P5 01-09-82	5,325.92
307	M20-P2 31-08-82	7,786.44
306	M-9 P-7 31-08	6,891.71

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
117	50% 02-09/03/82	1,858.81
116	50% 09-03-82 to 06-04-82	1,746.97
115	50% 26-01-82 to 02-02-82	1,746.97
114	50% 05-12/01/82	1,635.13
113	50% 09-16/02/82	1,635.13
112	50% 15-22/12/81	1,858.81
111	50% 29-12-81 to 05-01-82	1,858.81
110	50% 16-23/02/82	1,635.13
109	50% 13-04-82	1,635.13
108	50% 08-15/12/81	2,082.50
107	50% 02-08/12/81	1,490.18
106	50% 19-26/01/82	1,490.18
105	50% 12-19/01/82	1,557.29
104	50% 23-29/12/81	1,624.39
103	50% 02-09/02/82	1,512.55
83	0% 19-01-82 to 26-01-82	19.28
82	20% 05-12/01/82	879.30
81	10% 16-23/02/82	420.75
80	30% 09-16/02/82	979.96
79	20% 23-29/12/81	1,002.33
78	0% 16-23/02/82	17.05
77	30% 02-09/03/82	834.56
76	10% 02-02-82 to 09-02 -82	376.01

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 Mg/Litre
75	0% 23-02-82 to 01-03-82	14.81
74	30% 15-22/12/81	2,008.91
73	10% 02/12/81 to 8/12/81	3,089.08
72	0% 13-20/04/82	3.85
71	20% 16-23/02/82	609.32
70	20% 19-26/01/82	796.76
69	10% 09-02-82 to 16-02-82	465.49
68	20% 15-22/12/81	420.75
67	30% 09-03-82 to 06-04-82	967.21
66	20% 26/01/82 to 02/02/82	644.43
65	10% 09-03-82	286.54
64	30% 05-12/01/82	1,561.54
63	0% 23-29/12/81	30.47
62	0% 17-18/12/81	34.94
61	10% 19/01/82 to 26/01/82	476.67
60	30% 12-19/01/82	1,337.85
59	20% 08-15/12/81	1,785.22
58	20% 12-19/01/82	841.50
57	30% 19-26/01/82	1,177.03
56	20% 02-08/12/81	3,794.13
55	0% 18-21/12/81	32.70
54	30% 16-23/02/82	1,020.45

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO4 mg/Litre
53	0% 20-04-82 to 27-04-82	106.52
52	30% 08-15/12/81	2,004.66
51	0% 02-09/02/82	57.31
50	20% 08-15/12/81	1,467.81
49	20% 02-09/02/82	707.29
48	10% 29-12-81 to 05-01-82	617.82
47	20% 29-12-81 to 05-01-82	953.34
46	10% 08-15/12/81	1,109.92
45	10% 13-04-82	171.39
44	10% 08-15/12/81	1,114.17
43	20% 09-03-82 to 06-04-82	461.24
42	20% 02-09/03/82	510.22
41	30% 23-29/12/81	1,785.22
40	0% 09-16/08/82	133.36
39	0% 21-22/12/81	30.47
38	20% 13-04-82	334.68
37	10% 05-12/08/82	573.08
36	0% 15-16/12/81	666.80
35	30% 13-04-82	886.24
34	30% 02/12/81 to 08/12/81	3,346.76
33	30% 29/12/81 to 05-01-82	1,467.82

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 (mg/Litre)
32	0% 06-04-82 to 13-04-82	5.19
31	10% 23-29/12/82	662.55
30	10% 15-22/12/81	819.13
29	20% 23/02/82 to 02-03-82	528.34
28	0% 12-19/01/82	19.28
27	20% 09-16/02/82	617.82
26	30% 23/02/82 to 02-03-82	863.87
25	30% 26-01-82 to 02-02-82	1,109.92
24	10% 23-02-82 to 02-03-82	438.87
23	30% 02-09/02/82	1,043.71
22	0% 09-16/02/82	19.28
21	10% 12-19/01/82	550.71
20	10% 02-09/02/82	505.97
19	10% 26-01-82 to 02-02-82	505.97
18	0% 26-01-82	19.28
17	0% 08-09/12/81	59.54
16	0% 10-11/12/81	52.83
15	0% 14-15/12/81	41.65
14	0% 16-17/12/81	41.65
13	0% 09-10/12/81	59.54
12	0% 29-12-81 to 05-01-82	25.99
11	0% 04-07/12/81	77.44

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 (mg/Litre)
10	0% 27-04-82 to 04-05-82	17.04
9	0% 16-23/03/82	14.81
8	0% 12-04-82	140.07
7	0% 31-03-82 to 06-04-82	14.81
6	0% 06-12/01/82	19.28
5	0% 11-14/12/81	50.60
4	0% 03-12-81	312.31
3	0% 24-31/03/82	178.10
2	0% 07-08/12/81	66.26
1	0% 02-09/03/82	178.10

Result of Analyses for Sulphate in Water Samples

Our Serial #	Your Sample #	Sulphate as SO_4 mg/Litre
102	D -11	25.84
101	D - 13	80.97
100	D - 12	80.97
99	D - 4	80.97
98	D - 2	19.73
97	D - 5	41.65
96	D - 8	5.41
95	D - 9	34.94
94	D - 14	15.70
93	D - 7	9.89
92	D - 16	1,561.54
91	D - 18	1,561.54
90	D - 3	30.47
89	D - 10	30.47
88	D - 6	30.47
87	D - 1	12.57
86	D - 17	2,344.43
85	D - 19	454.30
84	D - 15	1,897.06

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/ g)
551 & 602	K-25	.126
552 & 589	K-17	.148
553 & 594	K-11	.109
554 & 555	K-16	.118
556 & 561	K-23	.243
557 & 601	K-37	.216
558 & 559	K-10	.252
560 & 563	K-15	.080
562 & 567	K-35	.216
564 & 566	K-21	.082
565 & 573	K-14	.270
568 & 577	K-31	.386
569 & 570	K-33	.144
571 & 572	K-20	.180
574 & 576	K-19	.136
575 & 580	K-13	.162
578 & 585	K-29	.252
579 & 583	K-18	.681
582 & 590	K-12	.592
586	K-39	.221
587 & 599	K-38	.022
588 & 596	K-27	.207

Results of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/ g)
543	K-22	.384
544	K-34	1.122
545	K-30	.630
546	K-24	.351
547	K-36	.228
548	K-32	0.351
549	K-28	.317
550	K-26	.854
581	K-9	10.290
591	K-8	.194
592	K-6	4.713
593	K-2	52.230
595	K-5	43.775
597	K-3	.178
598	K-4	25.880
600	K-1	6.196

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/g)
603	T1K	133.785
604	T1E	133.785
605	T1.M.	111.417
606	T1.V.	117.009
607	T1B.	57.733
608	T1Q	139.377
609	T2. 25'6" - 26'	122.601
610	T2J	102.469
611	T2. 32'2" - 32'3"(-48)	206.482
612	T2 2;'7" - 31'8"	234.443
613	T2 31'11" - 32'	200.890
614	T2 - P.(S)	111.417
615	T2.L	48.785
616	T2-C	39.838
617	T2-A	25.298
618	T2.H	80.101
619	T2. 27'6" - 28'	100.232
620	T2. 22'6" - 23' (-48)	1393.777
621	T2. 24' - 24'6"	100.233
622	T3-R	18.588
623	T3-A	5.614
624	T3 26'2" - 26'3"	1.319

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/g)
625	T3 26'6" - 26'7"	.693
626	T3 - 25'-25'6"	111.417
627	T5 42'6" - 43'(-48)	97.996
628	UW 8B	61.088
629	T7 25'10" 25'11"	80.101
630	T5 18' - 18'6"	78.982
631	T2 19'6" 20' (-48)	109.180
632	T5A	0.582
633	T1.P	111.417
634	T 5-C	122.601
635	T5 14'6" - 15'(Dry Sandy)	85.693

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/g)
636	T5. 27' - 27'6"	84.57
637	T8-C	8.75
638	T2 21'6" - 22'	75.63
639	T7F (-48)	57.73
640	T8 37'8" - 37'9" (-48)	93.52
641	T5 23' - 236"	101.35
642	T8 Q	102.47
643	T8 37'6" - 37'7" (-48)	122.60
644	T8W	97.99
645	T3P	95.76
646	T7M	100.23
647	T8 35'-35'6"	133.79
648	T7P	94.64
649	T74	156.15
650	T7A	16.35
651	T8N	104.71
652	T5 16' - 16'6"	122.60
653	UW-16 6'6" - 7'	91.28
654	T8-Y	97.99
655	T8-U	133.79
656	T8 33' - 33'6"	144.97
657	T7C	54.38

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/g)
658	T8-L	122.60
659	T8 - AA	133.79
660	T8-S	64.44
661	T8 34' - 34'6"	133.79
662	T8 36' - 36'6"	133.79
663	T7Y	35.36
664	T8-A	6.50
665	T8J	82.34
666	T8 31' - 31'- 6"	97.99
667	T8-G	122.60
668	T5-E	144.97
669	T8 37' - 37'6"	117.01
670	T8 38'4" - 38'8"	106.94
671	UW-3 18'-18'6"	150.56
672	T7A 25' - 25'6"	117.01
673	UW-8 SLOUGH 29'6"-31'-6"	1.03
674	T8-E	82.34
675	T7 - D1	1.92
676	T-3-H-48	111.42
677	T-3-N	95.75
678	T8 28' - 28'6"	93.52
679	T2F	86.81

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/g)
679	T2F	86.81
680	T3 26'3" - 26'4" (48)	2.93
681	T7 25'8" - 25'9"	82.34
682	T5 20'6" - 21'	200.89
683	T3 24' - 24'6"	200.89
684	T3 23' - 23'-6"	169.57
685	T3-B	1.25
686	UW-16 A	6.29
687	T3 21' - 21'6"	144.97
688	UW3-A	20.82
689	T7 25'6" - 25'7"	150.56
690	UW 14-A	1.47
691	T7-K	144.97
692	UW-8 13' - 13'6"	133.79
693	T7T	156.15
694	T5 17' - 17'6"	161.75
695	U.W-3 14' - 14'6"	184.11
696	UW-14E	91.29
697	UW.8 17' - 17'6"	195.30
698	T3-20'6" - 21'	133.79
699	T8 27'6" - 28'	139.38
700	T5 19' - 19'6"	106.94

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/g)
701	T7-R	133.79
702	T8 38'-38'1"	68.92
703	T5 26'6" - 27'	267.57
704	T8 37' 10" - 37'11"	77.86
705	UW3 - 5'6" - 6'	87.93
706	T8 32' - 32'6"	93.52
707	UW.3 29' - 29'3"	128.19
708	UW-16 17' - 17'-6"	203.13
709	UW-14 9'-6" - 10'	133.79
710	UW-8-A	20.27
711	UW-14 7'6" - 8'	104.71
712	UW-16 15' - 15'6"	139.38
713	UW-16 11' - 11'6"	100.23
714	UW-14 19'6"-20' A	103.59
715	UW-14 12' - 12'6"	84.57
716	UW-14 11' - 11'6"	89.05
717	UW-16 22' 1" - 22'2"(-48)	23.44
718	UW-14 13'-13'6"	85.69
719	UW.14 17'6" - 18'	103.59
720	UW-16 8' - 8'6"	89.05
721	UW.3 14'6" - 15'	113.65

Result of Analyses for Total Sulphate in Solid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/g)
722	UW-3 15'6" - 16'	167.34
723	U-W-16 5' - 5'6"	86.81
724	UW-16 9'6" - 10'	104.71
725	UW-16 21' - 21'6"	184.11
726	UW-14-C	97.99
727	U-W.14 15' - 15'6"	77.86
728	UW-16 13' - 13' 6"	139.38
729	UW-3 35'.1" - 35' 3"	3.38
730	Solid Diffusion (31-05-82)	104.71

Result of Analyses for Total Sulphate in Liquid Samples

Our Serial #	Your Sample #	Total Sulphate as SO_4 (mg/Litre)
731	Westnor Lake Line 5 Center Surface 29.10.82	159.35
732	Westnor Lake Line 16 Center Surface 29.10.82	168.30
733	Flow End of Tank 22.10.82	63.17
734	Flow Middle of Tank 22.10.82	60.93
735	Low Head Diffusion Test Middle of Tank 14.10.82	51.98
736	Low Head Diffusion Test End of Tank 14.10.82	43.04
737	Diffusion Test Middle of Tank 19.10.82.	94.48

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
12	0% 29-12-81 to 05-01-82	7.26
11	0% 04-07/12/81	8.02
10	0% 27-04-82 to 04-05-82	18.32
9	0% 16-23/03/82	9.16
8	0% 12-04-82	9.92
7	0% 31-03-82 to 06-04-82	11.84
6	0% 06-12/01/82	8.78
5	0% 11-14/12/81	7.26
4	0% 03-12-81	11.46
3	0% 24-31/03/82	11.08
2	0% 07-08/12/81	6.88
1	0% 02-09/03/82	7.64

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
34	30% 02/12/81 to 08/12/81	7.26
33	30 % 29/12/81 to 05-01-82	3.06
32	0% 06-04-82 to 13-04-82	10.30
31	10% 23-29/12/82	13.36
30	10% 15-22/12/81	14.12
29	20% 23/02/82 to 02-03-82	3.06
28	0% 12-19/01/82	7.26
27	20% 09-16/02/82	2.68
26	30% 23/02/82 to 02-03-82	1.90
25	30% 26-01-82 to 02-02-82	2.68
24	10% 23-02-82 to 02-0--82	14.12
23	30% 02-09/02/82	1.52
22	0% 09-16/02/82	7.64
21	10% 12-19/01/82	14.12
20	10% 02-09/02/82	12.98
19	10% 26-01-82 to 02-02-82	14.88
18	0% 26-01-82	7.26
17	0% 08-09/12/81	8.02
16	0% 10-11/12/81	8.40
15	0% 14-15/12/81	6.10
14	0% 16-17/12/81	7.26
13	0% 09-10/12/81	8.02

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
56	20% 02-08/12/81	8.78
55	0% 18-21/12/81	6.88
54	30% 16-23/02/82	1.14
53	0% 20-04-82 to 27-04-82	23.68
52	30% 08-15/12/81	7.64
51	0% 02-09/02/82	6.50
50	20% 08-15/12/81	8.40
49	20% 02-09/02/82	2.68
48	10% 29-12-81 to 05-01-82	12.98
47	20% 29-12-81 to 05-01-82	3.06
46	10% 08-15/12/81	13.36
45	10% 13-04-82	13.74
44	10% 08-15/12/81	13.74
43	20% 09-03-82 to 06-04-82	3.44
42	20% 02-09/03/82	3.06
41	30% 23-29/12/81	3.82
40	0% 09-16/08/82	10.68
39	0% 21-22/12/81	8.40
38	20% 13-04-82	3.82
37	10% 05-12/08/82	13.74
36	0% 15-16/12/81	8.02
35	30% 13-04-82	0.76

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
77	30% 02-09/03/82	1.91
76	10% 02-02-82 to 09-02-82	13.36
75	0% 23-02-82 to 01-03-82	7.26
74	30% 15-22/12/81	4.20
73	10% 02/12/82 to 8/12/81	17.56
72	0% 13-20/04/82	11.46
71	20% 16-23/02/82	2.30
70	20% 19-26/01/82	2.68
69	10% 09-02-82 to 16-02-82	14.88
68	20% 15-22/12/81	2.68
67	30% 09-03-82 to 06-04-82	2.68
66	20% 26/01/82 to 02/02/82	2.68
65	10% 09-0--82	15.28
64	30% 05-12/01/82	3.44
63	0% 23-29/12/81	8.02
62	0% 17-18/12/81	8.78
61	10% 19/01/82 to 26/01/82	14.88
60	30% 12-19/01/82	4.96
59	20% 08-15/12/81	6.88
58	20% 12-19/01/82	6.10
57	30% 19-26/01/82	2.68

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
102	D - 11	0.114
101	D - 13	0.268
100	D - 12	0.152
99	D - 4	0.496
98	D - 2	0.268
97	D - 5	0.114
96	D - 8	0.268
95	D - 9	0.306
94	D - 14	0.534
93	D - 7	0.344
92	D - 16	0.572
91	D - 18	1.986
90	D - 3	0.00
89	D - 10	0.534
88	D - 6	0.114
87	D - 1	0.00
86	D - 17	3.63
85	D - 19	6.11
84	D - 15	0.344

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
117	50% 02-09-03-82	1.90
116	50% 09-03-82 to 06-04-82	5.70
115	50% 26-01-82to 02-02-82	5.70
114	50% 05-12/01/82	5.70
113	50% 09-16/02/82	1.90
112	50% 15-22/12/81	5.70
111	50% 29-12-81 to 05-01-82	7.60
110	50% 16-23/02/82	3.80
109	50% 13-04-82	13.40
108	50% 08-15-12-81	5.70
107	50% 02-08/12/81	5.70
106	50% 19-26/01/82	15.30
105	50% 12-19/01/82	5.70
104	50% 23-29/12/81	4.49
103	50% 02-09/02/82	4.01
83	0% 19-01-82 to 26-01-82	7.06
82	20% 05-12/01/82	2.29
81	10% 16-23/02/82	13.36
80	30% 09-16/02/82	1.72
79	20% 23-29/12/81	2.67
78	0% 16-23/02/82	7.64

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
149	M11 #6 19-05-82	17.20
147	M16-2 17-05-82	43.90
146	M-9 #3 May 18,82	17.20
145	M9-Main 18-05-82	13.40
144	M20-2 14-05-82	21.00
143	M1-2 14-05-82	34.40
141	M-27#7 May 18,82	15.30
140	M12-#3 May 19,82	17.20
138	M1 #6 14-05-82	57.30
137	M-27 #4 May 18,82	32.50
136	M11-#2 May 19,82	19.10
135	M12-#6 May 19,82	13.40
134	M20-Main 14-05-82	24.80
132	M12-Main 20-05-82	24.80
130	M-10 #1 May 18,82	26.70
129	M16-3.5 17/05/82	26.70
128	M11 #5 19/05/82	21.00
127	M16-5 17-05-82	24.80
126	M16-Main 17-05-82	24.80
125	M-10 #2 May 18/82	21.00
124	M-10 #4 May 18/82	28.60
123	M-10 #7 May 18/82	19.10

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
172	M8-2 17-05-82	34.40
171	M-10 Main May 18/82	24.80
170	M-9-6 18-05-82	24.80
169	M-27 May 18/82	32.50
168	M9-8 18-05-82	28.60
167	M17-5 17-05-82	32.50
166	M-9 P-5 31-08	21.00
165	M18-3 17-05-82	21.00
164	M18-2 17-05-82	24.80
163	M12 - #2 May 19/82	13.40
162	M13.P8 07-09	13.40
161	M16-2-5 17-05-82	40.10
160	M8-8 17-05-82	40.10
159	M12-#4 May 19/82	9.50
158	M-10 #4 May 18,82	26.70
157	M-27#2 May 18,82	17.20
156	M11 Main 19.05.82	24.80
155	M11-#3 May 19,82	21.00
154	M8-1 17-05-82	26.70
153	M18-5 17-05-82	24.80
151	M11 #7 19-05-82	19.10
150	M-27#5 May 18,82	15.30

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
194	M8-Main 17-05-82	28.60
193	M-10 #8 May 18/82	13.40
192	M-19 #3 May 18/82	17.20
191	M-10 P-4 01-09	28.60
190	M11 #4 19/05/82	32.50
189	M27-P1 01-09-82	24.80
188	M8-7 17-05-82	38.20
187	M12-#7 19-82	21.00
186	M17-7 17-05-82	28.60
185	M-27 #8 May 18/82	24.80
184	M17-6 17-05-82	19.10
183	M20-3 14-05-82	24.80
182	M-11 #9 19/05/82	17.20
181	M-27 #6 May 18/82	17.20
180	M8-4 17-05-82	24.80
179	M11-#1 May 19/82	21.00
178	M-16-1 17-05-82	38.20
177	M16-1-5 17-05-82	47.70
176	M12-#5 May 19/82	9.50
175	M10-#3 May 18/82	17.20
174	M16-3 17-05-82	24.80
173	M9-4 18-05-82	17.20

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
216	M-9#2 18-05-82	32.50
215	M27 Main 18-05-82	32.50
214	M13 - P4 07-09	32.50
213	M18 P-5 31-08	40.10
212	M12 ¢ 02-09	36.30
211	M12 - #8 19-05-82	43.90
210	M20-P6 31-08	51.50
209	M9-5 18-05-82	24.80
208	M-10#5 May 18/82	21.00
207	M8-3 17-05-82	21.00
206	M1-3 -14 05-82	36.30
205	M-17-31-08	19.10
204	M14-P8 07/09	17.20
203	M9-7 18-05-32	24.80
202	M20.P4 31-08	36.30
201	M-17 P-4 31-08	24.80
200	M13.P1 07/09	17.20
199	M11-P5 01-09-82	26.70
198	M1-7 14-05-82	32.50
197	M16 # 4.5 17-05-82	24.80
196	M-27#1 May 18/82	21.00
195	M20 #1 14-05-82	21.00

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
238	M-14 P7 07-09	32.50
237	M-17 P-8 31-08	74.50
236	M1-P1 31-08-82	43.90
235	M-9 P-4 31-08	32.50
234	M-1 Bundle ¢ 31-08	43.90
233	M-19 P-2 31-08	40.10
232	M-1 P-3 31-08	26.70
231	M-19 P-3 31-08	17.20
230	M-17 P-g 31-08	85.90
229	M8 P4 31-08-82	24.80
228	M1-Main 14-05-82	21.00
227	M17-9 17-05-82	43.90
226	M1-9 14-05-82	42.00
225	M1-8 14-05-82	32.50
224	M20-6 14-05-82	24.80
223	M17-Main 17-05-82	21.00
222	M18-1 17-05-82	32.50
221	M16 - P45 31-08-82	19.10
220	M-19#2 18-05-82	30.50
219	M8-5 17-05-82	40.10
218	M14 P1 07-09	22.90
217	M13 ¢ 07-09-82	26.70

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
261	M11 - P3 01-09-82	24.80
260	M13-P3 07-09	19.10
259	M-17 P-3 31-08	13.40
258	M20-P1 31-08	28.60
257	M16-P4 31-08-82	24.80
256	M/6 P2-5 31-08	24.80
255	M14-P3 07-09	24.80
254	M1-P8 31-08-82	55.40
253	M11-P2 01-09-82	21.00
252	M12-P7 02-09	21.00
251	M14-P4 07-09	21.00
250	M-18 P-4 31-08	17.20
249	M-17 P-2 31-08	17.20
248	M-27 ¢ 01-09-82	32.50
247	M-18 P-3 31-08	47.70
246	M-1 P-7 31-08	40.10
245	M12-P5 02-09	21.00
244	M8 P3 31-08	17.20
243	M14-P6 07-09	24.80
242	M12-P4 02-09-82	17.20
241	M16 P1.5 31-08	40.10
240	M11-P7 01-09-82	34.40
239	M20-P5 31-08	47.70

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
283	M-6 ¢ 31-08	21.00
282	M-10 P-3 01-09	17.20
281	M-20 Bundle ¢ 31-08	28.60
280	M-9 P-6 31-08	21.00
279	M-17 P-5 31-08	21.00
278	M-1 P-6 31-08	36.30
277	M9-1 17-05-82	24.80
276	M20-5 14-05-82	59.20
275	M17-2 17-05-82	24.80
274	M11 #8 19-05-82	24.80
273	M8-P5 31-08-82	30.50
272	M16-P3 31-08	17.20
271	M12-P1 02-09	21.00
270	M-9 P-2 31-08	24.80
269	M16-P5 31-08-82	17.20
268	M16-P1 31-08-82	36.30
267	M14-P2 07-09	24.80
266	M13-P6 07-09	21.00
265	M20-P3 31-08-82	24.80
264	M1-P4 31-08	32.50
263	M17-P-7 31-08	24.80
262	M27-P4 01-09-82	24.80

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
305	M8 P6 31-08	38.20
304	M1 -P2 31-08	30.50
303	M8-9 17-05-82	42.00
302	M16-P3.5 31-08	28.60
301	M12-P3 02-09-82	28.60
300	M10-P6 01-09-82	32.50
299	M10-P2 01-09-82	34.40
298	M27-P2 01-09-82	26.70
297	M11-P8 01-09-82	38.20
296	M12-P2 02-09	22.90
295	M14-P5 07-09	30.50
294	M11-4 01-09-82	24.80
293	M10-P1 01-09-82	24.80
292	M27-P3 01-09-82	21.00
291	M-9 P-1 31-08	24.80
290	M8-P1 31-08	19.10
289	M-18 P-2 31-08	28.60
288	M13,-P5 07-09	11.50
287	M17-3 17-05-82	21.00
286	M16-4 17-05-82	21.00
285	M1-P5 31-08	28.60
284	M/3 07-09	13.40

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
327	M17 - 1 17-05-82	63.00
326	M18 - 4 17-05-82	26.70
325	M - 1 #4 14-05-82	61.10
324	M - 1 #5 14-05-82	68.70
323	M17 - 4 17-05-82	28.60
322	M8 - P2 31-08	26.70
321	M-10 P-5 01-09	34.40
320	M-17 P-6 31-08	28.60
319	M12- P6 02-09	26.70
318	M11- P4 01-09-82	34.40
317	M16- P2 31-08	42.00
316	M27-P6 01-09-82	34.40
315	M11-P6 01-09-82	34.40
314	M14 - ¢ 07-09	26.70
313	M8 centre 31-08-82	34.40
312	M10 ¢ 01-09-82	32.50
311	M11-P1 01-09-82	30.50
310	M13-P2 07-09	32.50
309	M-9 ¢ 31-08	32.50
308	M27-P5 01-09-82	34.40
307	M20-P2 31-08-82	28.60
306	M-9 P-7 31-08	22.90

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO2 mg/Litre
335	T7 - P3 14-05-82	164.20
334	T1 - P1 12-05-82	34.40
333	T1 - P3 12-05-82	49.60
332	T8 - P3 14-05-82	57.30
331	T8 - P1 14-05-82	57.30
330	T1 - P5 12-05-82	42.00
329	T3 - Main 13-05-82	26.70
328	T7 - P2 14-05-82	99.30
152	T3 P4 12-05-82	51.50
148	T2 P7 13-05-82	95.50
142	T1-P2 12-05-82	51.50
139	T8-P4 14-05-82	55.40
133	T8-P2 14-05-82	47.70
131	T2-P3 13-05-82	59.20
121	T7-P1 13-05-82	49.60
542	T - 8 East D 27/08	49.60

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
336	T7 - P5 14-05-82	95.50
337	T3 - 4 13-05-82	22.90
338	T3 - P2 13-05-82	108.80
339	T1 - P7 12-05-82	206.00
340	T3 - 5 13-05-82	22.90
341	T3 - 3 13-05-82	22.90
342	T3 - P3 13-05-82	64.90
343	T9 - P1 26-08	26.70
344	Bundle T4 - P4 25-08	22.90
345	T - 3 Bundle #1 26-08	28.60
346	T - 9 P-3 26-08	49.60
347	T - 4 P-9 24-08-82	110.70
348	T - 1 Bundle centre 26-08	53.50
349	T - 8 East Bundle E 27-08	68.70
350	Bundle T - 4 P1 25-08	47.70
351	T8 - East Bundle centre 27-08-82	55.40
352	T - 3 Bundle #2 26-08	40.10
353	T - 5 Bundle 24-08-82	55.40
354	Bundle T - 4 P-7 24-08-82	34.40
355	T2 - P4 13-05-82	43.90

Result of Analyses for Silica in Water Samples cont'd

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
356	T - 7 Bundle P-7 27-08	38.20
357	T - 3 Bundle P-3 26-08	24.80
358	T - 7 Bundle P-1 26-08	30.50
359	T - 3 Bundle P-5 26-08	21.00
360	Bundle T-4 P3 25-08	26.70
361	T - 4 Bundle #2 24-08-82	30.50
362	T10 - P1 02-09-82	30.50
363	T1 - P5 26-08	36.30
364	Bundle T-4 P-6 24-08-82	34.40
365	T8 - P2 02-09-82	34.40
366	T8 - P4 02-09-82	47.70
367	T - 9 P-2 26-08	32.50
368	T - 8 West Bundle P-3 27-08	47.70
369	T - 3 Bundle P-6 26-08	26.70
370	T - 8 P1 02-09-82	45.80
371	T1 Bundle P1 26-08	34.40
372	T - 4 Bundle 25-08-82	22.90
373	T - 3 Bundle P-4 26-08	26.70
374	Bundle T-4 P-5 24-08-82	19.10
375	T4 - P5 25-08-82	21.00
376	T4 - P13 24-08-82	17.20

Result of Analyses for Silica in Water Samples cont'd

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
377	T5 - P9 24-08-82	82.10
378	T2 - P1 13-05-82	21.00
379	T7 - P1 27-08-82	34.50
380	T6 - P5 25-08-82	557.60
381	T2 - P5 13-05-82	43.90
382	T5 - P1 24-08-82	87.80
383	T1 - Main 12-05-82	34.50
384	T3 - 1 13-05-82	26.70
385	T1 - P6 12-05-82	108.80
386	T4 - P6 24-08-82	68.70
387	T5 - P2 24-08-82	105.00
388	T6 - P3 25-08-82	106.90
389	T4 - P4 24-08-82	28.60
390	T5 - P11 24-08-82	106.90
391	T4 - P1 24-08-82	105.00
392	T3 - P5 26-08-82	24.80
393	T1 - P3 26-08-82	55.40
394	T2 - P4 26-08-82	38.20
395	T4 - P3 24-08-82	131.70
396	T6 - P7 25-08-82	85.90
397	T4 - P11 24-08-82	43.90
398	T1 - P1 26-08-82	34.50
399	T2 - P2 26-08-82	28.60

Result of Analyses for Silica in Water Samples cont'd

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
400	T4 - P10 24-08-82	343.60
401	T6 - P4 25-08-82	61.10
402	T5 - P - 10 24-08-82	43.90
403	T2 - P6 13-05-82	72.50
404	T5 - P3 24-08-82	116.50
405	T5 - P - 12 24-08-82	78.30
406	T1 - P1 12-05-82	34.40
407	T1 - P2 26-08-82	47.70
408	T3 - P5 13-05-82	34.40
409	T6 - P8 25-08-82	63.00
410	T1 - P4 12-05-82	55.40
411	T6 - P6 25-08-82	28.60
412	T2 - P2 13-05-82	26.70
413	T4 - P2 24-08-82	38.20
414	T3 - P4 26-08-82	43.90
415	T2 - P1 26-08-82	24.80
416	T4 - P7 24-08-82	45.80
417	T5 - P7 24-08-82	145.00
418	T1 - P4 26-08-82	43.90
419	T5 - P4 24-08-82	141.20
420	T3 - 2 13-05-82	24.80

Result of Analyses for Silica in Water Samples cont'd

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
421	T2 - P3 26-08-82	49.60
422	T5 - P8 24-08-82	137.40
423	T6 - P2 25-08-82	126.00
424	T4 - P8 24-08-82	72.50
425	T4 - P12 24-08-82	24.80

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
426	UW-7 Bundle ¢ 23-08-82	28.60
427	UW-S3 23/08/82	61.00
428	UW-3 P5 18.08.82	198.40
429	UW 24 P3 20.08.82	80.20
430	UW 21-P3 23/08/82	22.90
431	UW7 - P4 23/08/82	24.80
432	UW3 P6 18.08.82	30.50
433	UW4	93.50
434	UW 22-P1 24/08/82	34.40
435	UW 24-P1 20/08/82	61.10
436	UW 15.P4 16/08/82	76.40
437	U.W.16 P5 18-08-82	59.20
438	U.W2.P4 18-08-82	30.50
439	U.W.6 P2 16.08.82	9.50
440	U.W.3P1 18-08-82	8.21
441	U.W.2P1 18-08-82	13.40
442	U.W.22-P2 24/08/82	30.50
443	U.W.21-P2	34.40
444	U.W.13 P3 20-08-82	152.80
445	U.W 21-P1 23/08/82	21.00
446	U-W.7.P5 23/08/82	95.40
447	UW 20.P1 17/08/82	17.20

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
448	UW3 -P2 18/08/82	76.40
449	UW 21-P4 23-08-82	13.40
450	U.W 15.P4 16/08/82	32.50
451	U.W.26 P2 17/08/82	36.30
452	U.W.14P5 19/08/82	164.20
453	U.W 15-P6 16/08/82	28.60
454	U.W.7 P3 23/08/82	13.40
455	U.W-9 P2 23.08.82	74.40
456	U.W10-P5 20/08/82	34.40
457	U W 14.P4 19.08.82	202.4
458	U.W.14 P1 19-08-82	210.0
459	U.W.51 18-08-82	51.50
460	U.W.24 P2 20-08-82	24.80
461	U W9-P1 23/08/82	156.60
462	U W 21-P5 23/08/82	21.00
463	U W 11-P4 17/08/82	5.70
464	Bundle UW6 P6 16/08/82	19.10
465	UW -23 bundle P3 19.08	21.00
466	UW 13 P1 20/08/82	148.80
467	UW-7 Bundle #1 23-08-82	32.50
468	UW 23 P1 19.08.82	11.50

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
469	UW-7 Bundle #5 23-08-82	28.60
470	Bundle UW6 P2 16/08/82	11.50
471	U.W5 bundle centre 17/08/82	11.50
472	bundle UW6 P1 16/08/82	22.90
473	Bundle UW6 P5 16/08/82	19.10
474	Bundle UW23 P4 19.08.82	13.40
475	U.W.3 Bundle #1 18-08-82	13.40
476	U.W 12 P3 (P-3) 18.08.82	76.40
477	U.W-9 P-3 23-08-82	160.40
478	U.W 17 P1 19.08.82	9.50
479	Bundle UW6-P3 16/08/82	19.10
480	UW 23 Bundle P2 19.08	7.60
481	U.W-7 Bundle #2 23-08-82	24.80
482	Bundle UW6 P4 16/08/82	15.30
483	Bundle U.W.23 centre 19.08.82	15.30
484	U.W8 P7 20-08-82	110.80
485	U.W-1 P6 18-08-82	21.00
486	U.W.17 P3 19/08/82	9.50
487	UW3P3 18/08/82	141.20
488	U.W.1 P2 18-08-82	28.60
489	UW19.P2 17.08.82	141.20

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
490	UW1-P4 18/08/82	24.80
491	UW8-P2 20/08/82	24.80
492	UW11-P1 17-08-82	17.20
493	UW7-P1 23/08/82	21.00
494	U.W,15 P1 16-08-82	11.50
495	UW.15-P2 16/08/82	7.60
496	U-W.15 P3 16-08-82	26.70
497	U-W-16 P2 18-08-82	40.10
498	UW-1 P1 18 08-82	34.40
499	U.W.18 P2 18/08/82	7.60
500	U.W.11 P2 17/08/82	7.60
501	U W 5-P4 17/08/82	13.40
502	U.W.52 18-08-82	36.30
503	U.W.19 P1 16/08/82	9.50
504	U.W6-P7 16/08/82	43.90
505	UW5-P7 17/08/82	21.00
506	U.W12-P2 18/08/82	82.10
507	U.W6 - P5 16/08/82	91.60
508	U.W.20-P2 17/08/82	17.20
509	U.W.8.P4 20/08/82	11.50
510	U.W.8.P4 20/08/82	38.20
511	U.W-6 P4 16-08-82	53.40
512	U.W 23 P1 19/08/82	38.20
513	U.W. 19 P4 17/08/82	38.20

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
514	U.W5-P6 17/08/82	13.40
515	U.W.2P2 16/08/82	3.80
516	U.W. 12 P4 18/08/82	11.50
517	U.W.7 P6 23-08-82	105.00
518	U.W10.P1 20-08-82	26.70
519	U.W2.P6 18.08.82	19.10
520	U.W.11.P5 17-08-82	28.60
521	U.W.10 P3 20.08.82	15.30
522	U.W.13 P4 20-08-82	137.40
523	U.W.6P1 16-08-82	13.40
524	U.W. 25-P1 16/08/82	17.20
525	U.W.8 P5 20/08/82	7.60
526	U.W.18 P1 17-08-82	13.40
527	U.W.8 P6 20-08-82	68.70
528	U.W-1-P3 18/08/82	99.20
529	U.W12-P1 18/08/82	36.30
530	U.W-10-P2 20/08/82	11.50
531	U.W.S2 18-08-82	59.20
532	U.W. 6P3 16-08-82	13.40
533	U.W.10 P4 20/08/82	72.50
534	U.W. 2P3 18/08/82	13.40

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
122	M20-4 14-05-82	47.70
118	M17-8 17-05-82	36.30
541	M12 - 9 20/05/82	19.10

Result of Analyses for Silica in Water Samples

Our Serial #	Your Sample #	Silica as SiO_2 mg/Litre
120	U.W.26 P1 17/08/82	19.10
119	U W-7 P2 23/08/82	24.80
535	UW 5-P2 17/08/82	17.20
536	U W8- P3 20/08/82	21.00
537	U.W.16 P1 18/08/82	59.20
538	U.W13-P2 20/08/82	152.80
540	U.W5-P5 17/08/82	19.10
539	U.W.8-P1 20/08/82	76.40

Results of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
543	K-22	2.72
544	K-34	2.72
545	K-30	174.80
546	K-24	1.16
547	K-36	1.94
548	K-32	3.10
549	K-28	2.32
550	K-26	3.10
551 & 602	K-25	15.20
552 & 589	K-17	0.76
553 & 594	K-11	0.76
554 & 555	K-16	42.00
556 & 561	K-23	2.29
557 & 601	K-37	1.38
558 & 559	K-10	1.38
560 & 563	K-15	57.20
562 & 567	K-35	19.00
564 & 566	K-21	80.20
565 & 573	K-14	0.61
568 & 577	K-31	1.68
569 & 570	K-33	1.38
571 & 572	K-20	0.30
574 & 576	K-19	84.00

Result of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
575 & 580	K-13	26.80
578 & 585	K-29	1.83
579 & 583	K-18	1.52
581	K-9	764.00
582 & 590	K-12	0.92
584	K-7	572.00
586	K-39	1.22
587 & 599	K-38	23.00
588 & 596	K-27	295.20
591	K-8	26.80
592	K-6	264.00
593	K-2	272.00
595	K-5	310.00
597	K-3	466.00
598	K-4	272.00
600	K-1	466.00

Result of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
603	T1K	260.12
604	T1E	267.80
605	T1M	295.06
606	T1V.	283.42
607	T1B	236.83
608	T1Q	279.53
609	T2 25'6" - 26'	256.24
610	T2.J	287.30
611	T2 32'2" -32'3" (-48)	275.65
612	T2 31'7" - 31'8"	283.41
613	T2 31'11" - 32'	295.06
614	T2 - P (S)	256.20
615	T2.L	248.40
616	T2-C	236.83
617	T2-A	221.30
618	T2.H	248.40
619	T2. 27'6" - 28'	264.0
620	T2 22'6" - 23' (-48)	252.36
621	T2 24' - 24'6"	264.0
622	T2-R	268.0
623	T3-A	244.59
624	T3 26'2" - 26'3"	256.24

Result of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
625	T3 26'6" - 26'7"	275.65
626	T3 - 25'- 25'6"	283.41
627	T5 42'6" - 43' (-48)	261.21
628	UW 8B	291.18
629	T7 25'10" 25' 11"	298.94
630	T5 18' - 18'6"	244.59
631	T2 19'6" 20' (-48)	256.24
632	T5.A	268.0
633	T1.P	232.94
634	T5-C	244.58
635	T5 14'6" - 15' (Dry Sandy)	283.41
636	T5 27' - 27'6"	252.36
637	T8-C	271.77
638	T2 21'6" - 22'	275.65
639	T7F (-48)	261.21
640	T8 37'8" - 37'9" (-48)	279.53
641	T5 23' - 23'6"	240.71
642	T8Q	287.30
643	T8 37'6" - 37'7" (-48)	302.83
644	T8W	260.12
645	T3P	275.65
646	T7M	264.0
647	T8 35'-35'6"	295.06

Result of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
648	T7P	279.53
649	T7H	248.47
650	T7A	271.77
651	T8N	229.06
652	T5 16' - 16'6"	264.0
653	UW - 16 6'6" - 7'	244.58
654	T8-Y	232.94
655	T8-U	267.88
656	T8 33' - 33'6"	283.41
657	T7C	279.53
658	T8-L	252.34
659	T8-AA	275.64
660	T8-S	271.77
661	T8 34' - 34'6"	271.77
662	T8 36' - 36'6"	275.64
663	T7Y	267.86
664	T8-A	264.10
665	T8J	283.4
666	T8 31' - 31'-6"	279.52
667	T8-G	287.30
668	T5-E	271.76

Result of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
669	T8 37' - 37'6"	283.4
670	T8 38'4" - 38'8"	287.30
671	UW-3 18' - 18'6"	267.88
672	T7A. 25' - 25'6"	275.04
673	UW-8 SLOUGH 29'6" - 31'-6"	256.22
674	T8-E	264.0
675	T7-D1	267.88
676	T-3-H-48	271.76
677	T-3-N	279.52
678	T8 28' - 28'6"	264.0
679	T2F	283.4
680	T3 26'3" - 26'4" (28)	275.64
681	T7 25'8" - 25'9"	283.4
682	T5 20'6" - 21'	279.52
683	T3 24' - 24'6"	291.18
684	T3 23'-23'-6"	287.30
685	T3-B	295.06
686	UW-16 A	248.46
687	T3 21'-21'6"	279.52
688	UW 3-A	271.76
689	T7 25'6" - 25'7"	267.86
690	UW 14-A	275.64

Result of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
691	T7-K	275.64
692	UW-8 13'-13'6"	287.29
693	T7T	295.06
694	T5 17' - 17'6"	291.18
695	U.W -3 14' - 14'6"	295.06
696	UW-14E	279.52
697	U.W.8. 17' - 17'6"	283.40
698	T3- 20'6" - 21'	275.64
699	T8 27'6" - 28'	271.76
700	T5 19' - 19'6"	279.52
701	T7-R	244.60
702	T8 - 38' - 38'1"	264.00
703	T5 26'6" - 27'	256.24
704	T8 37' 10" - 37'11"	260.12
705	UW3- 5'6" - 6'	267.86
706	T8 32' - 32'6"	256.24
707	UW-3 29'-29'3"	271.77
708	UW-16 17'-17'-6"	252.40
709	UW - 14 9'-6" - 10'	260.12
710	UW-8-A	271.77
711	UW-14 7'6" - 8'	248.47
712	UW-16 15' - 15'6"	256.24

Result of Analysis for Silica in Solid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/g)
713	UW-16 11'-11'6"	252.36
714	UW-14 19'6" - 20' A	260.12
715	UW-14 12' - 12'6"	240.7
716	UW-14 11'-11'6"	248.47
717	UW-16 22'1" - 22'2" (-48)	264.0
718	UW-14 13' - 13'6"	264.0
719	UW-14 17'6" - 18'	267.88
720	UW-16 8' - 8'6"	248.4
721	UW.3 14'6" - 15'	287.30
722	UW-3 15'6" - 16'	256.24
723	UW-16 5'-5'6"	310.59
724	UW-16 9'6" - 10'	279.53
725	UW-16 21'-21'6"	396.00
726	UW-14-C	318.36
727	U.W.14 15' - 15'6"	364.95
728	UW-16 13' - 13'6"	341.65
729	UW-3 35'1" - 35'3"	364.95
730	Solid Diffusion (31-05-82)	349.42

Result of Analysis for Silica in Liquid Samples

Our Serial #	Your Sample #	Silica as SiO_2 (mg/Litre)
731	Westnor Lake Line 5 Center Surface 29.10.82	8.54
732	Westnor Lake Line 16 Center 29.10.82	8.15
733	Flow End of Tank 22.10.82	1.01
734	Flow Middle of Tank 22.10.82	0.97
735	Low Head Diffusion Test Middle of Tank 14.10.82	0.582
736	Low Head Diffusion End of Tank 14.10.82	0.582
737	Diffusion Test Middle of Tank	1.436

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
43	20% 09-03-82 to 06-04-82	200.0
54	30% 16-23/02/82	300.0
42	20% 02-09/03/82	231.25
41	30% 23-29/12/81	600.00
40	0% 09-16/08/82	2.50
30	10% 15-22/12/81	275.0
44	10% 08-15/12/81	350.0
32	0% 06-04-82 to 13-04-82	2.50
34	30% 021/12/81 to 08/12/81	422.2
38	20% 13-04-82	241.3
39	0% 21-22/12/81	7.00
29	20% 23/02/82 to 02-03-82	361.9
31	10% 23-29/12/82	250.0
35	30% 13-04-82	675.5
33	30% 29/12/81 to 05-01-82	625.0
37	10% 05-12/08/82	337.7
36	0% 15-16/12/81	48.3
71	20% 16-23/02/82	150.0
70	20% 19-26/01/82	530.7
69	10% 09-02-82 to 16-02-82	125.0
72	0% 13-20/04/82	2.0
65	10% 09-03-82	105.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
67	30% 09-03-82 to 06-04-82	312.5
68	20% 15-22/12/81	262.5
62	0% 17-18/12/81	48.3
58	20% 12-19/01/82	212.5
59	20% 08-15/12/81	287.5
63	0% 23-29/12/81	3.5
53	0% 20-04-82 to 27-04-82	96.5
60	30% 12-19/01/82	444.4
66	20% 26/01/82 to 02/02/82	187.5
61	10% 19/01/82 to 26/01/82	137.5
57	30% 19-26/01/82	434.5
50	20% 08-15/12/81	375.0
52	30% 08-15/12/81	425.0
51	0% 02-09/02/82	2.50
47	20% 29-12-81 to 05-01-82	337.5
55	0% 18-21/12/81	4.5
49	20% 02-09/02/82	225.0
48	10% 29-12-81 to 05-01-82	200.0
46	10% 08-15/12/81	506.6
45	10% 13-04-82	96.5
64	30% 05-12/01/82	375.0
56	20% 02-08/12/81	287.5

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
73	10% 02/12/81 to 8/12/81	237.5
74	30% 15-22/12/81	709.4
75	0% 23-02-82 to 01-03-82	2.00
76	10% 02-02-82 to 09-02-82	150.00
77	30% 02-09/03/82	337.50
78	0% 16-23/02/82	2.00
79	20% 23-29/12/81	243.75
80	30% 09-16/02/82	400.00
81	10% 16-23/02/82	155.0
82	20% 05-12/01/82	225.0
83	0% 19-01-82 to 26-01-82	2.50
103	50% 02-09/02/82	600.00
104	50% 23-29/12/81	600.00
105	50% 12-19/01/82	612.5
106	50% 19-26/01/82	612.5
107	50% 02-08/12/81	500.0
108	50% 08-15/12/81	575.0
109	50% 13-04-82	600.0
110	50% 16-23/02/82	625.0
111	50% 29-12-81 to 05-01-82	625.0
112	50% 15-22/12/81	600.00
113	50% 09-16/02/82	600.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
114	50% 05-12/01/82	600.0
115	50% 26-01-82 to 02-02-82	575.0
116	50% 08-03-82 to 06-04-82	625.0
117	50% 02-09/03/82	625.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
84	D-15	500.0
85	D-19	162.5
86	D-17	462.5
87	D-1	2.0
88	D-6	7.5
89	D-10	6.0
90	D-3	7.5
91	D-18	475.0
92	D-16	550.0
93	D-7	5.50
94	D-14	7.0
95	D-9	8.0
96	D-8	96.5
97	D-5	10.0
98	D-2	8.0
99	D-4	2.5
100	D-12	3.5
101	D-13	8.5
102	D-11	4.5

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
118	M17-8 17-05-82	200.0
122	M20-4 14-05-82	450.0
123	M-10 #7 May 18/82	425.0
124	M-10 #6 May 18/82	500.0
125	M-10 #2 May 18/82	600.0
126	M16-Main 17-05-82	462.5
127	M16-5 17-05-82	500.0
128	M11 #5 19/05/82	575.0
129	M16-3.5 17/05/82	500.0
130	M-10#1 May 18,82	650.0
132	M12-Main 20-05-82	575.0
134	M20-Main 14-05-82	575.0
135	M12-#6 May 19,82	537.5
136	M11-#2 May 19,82	525.0
137	M-27 #4 May 18,82	500.0
138	M1#6 14-05-82	400.0
140	M12-#3 May 19,82	550.0
141	M-27 #7 May 18.82	312.5
143	M1-2 14-05-82	500.0
144	M20-2 14-05-82	500.0
145	M9-Main 18-05-82	575.0
146	M-9 #3 May 18,82	625.0
147	M16-2 17-05-82	312.5

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
149	M11 #6 19-05-82	625.0
150	M-27 #5 May 18,82	550.0
151	M11 #7 19-05-82	575.0
153	M18-5 17-05-82	525.0
154	M8-1 17-05-82	575.0
155	M11-#3 May 19,82	575.0
156	M11 Main 19,05,82	625.0
157	M-27#2 May 18,82	475.0
158	M-10 #4 May 18,82	575.0
159	M12-#4 May 19/82	612.0
160	M8-8 17-05-82	437.5
161	M16-2-5 17-05-82	475.0
162	M13.P8 07/09	537.5
163	M12-#2 May 19/82	500.0
164	M18-2 17-05-82	450.0
165	M18-3 17-05-82	500.0
166	M-9 P-5 31-08	820.5
167	M17-5 17-05-82	500.0
168	M9-8 18-05-82	475.0
169	M-27 May 18/82	550.0
170	M-9-6 18-05-82	450.0
171	M-10 Main May 18/82	575.0
172	M8-2 17-05-82	500.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
173	M9-4 18-05-82	500.0
174	M16-3 17-05-82	537.5
176	M12-#5 May 19/82	575.0
177	M16-1-5 17-05-82	412.5
178	M-16-1 17-05-82	387.5
179	M11-#1 May 19/82	487.5
180	M8-4 17-05-82	525.0
181	M-27 #6 May 18/82	475.0

Result of Analyses for Calcium in Water Sample

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
188	M8-7 17-05-82	437.5
189	M27-P1 01-09-82	700.0
190	M11#4 19/05/82	550.0
191	M-10 P-4 01-09	500.0
192	M-19#3 May 18/82	462.5
193	M-10 #8 May 18/82	26.0
194	M8-Main 17-05-82	525.0
175	M10-#3 May 18/82	437.5
270	M-9 P-2 31.08.82	725.0
271	M12.P1 02.09	725.0
272	M16.P3 31.08	500.0
273	M8P5 31.08.82	450.0
274	M11#8 19/05/82	550.0
275	M17-2 17-05-82	487.5
276	M20-5 14-05-82	412.5
277	M9-1 17-05-82	500.0
278	M-1 P-6 31-08	374.0
279	M-17 P-5 31-08	475.0
280	M-9 P-6 31-08	475.0
281	M-20 Bundle ¢ 31-08	494.5
282	M-10 P-3 01-09	425.0
283	M-6 ¢ 31.08	475.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
200	M13.P1 07/09	250.0
201	M-17 P-4 31-08	550.0
202	M20.P4 31-08	437.5
204	M14-P8 07/09	175.0
212	M12 ℄ 02.09	600.0
213	M18 P-5 31-08	475.0
214	M13 - P4 07/09	50.0
215	M27-Main May 18/82	332.5
220	M19#2 May 18/82	275.0
218	M14 ℄ 07/09/82	262.5
221	M16-P45 31-08-82	437.5
224	M20-6 14-05-82	200.0
226	M1-9 14-05-82	92.5
227	M17-9 17-05-82	135.0
228	M1-Main 14-05-82	700.0
229	M8P4 31.08.82	462.5
230	M-17 P-g 31-08	287.5
231	M-19 P-3 31-08	450.0
232	M-1 P-3 31-08	425.0
234	M-1 Bundle ℄ 31-08	575.0
235	M-9 P-4 31-08	445.0
236	M1-P1 31-08-82	512.5

Results of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
195	M20 #1 14-05-82	500.0
196	M-27 #1 May 18/82	600.0
197	M16 # 4.5 17-05-82	500.0
198	M1-7 14-05-82	287.5
199	M11- P5 01-09-82	575.0
203	M9-7 18-05-82	487.5
205	M-17 -31-08	262.5
211	M12- #8 May 19/82	550.0
216	M-9 #2 May 18/82	675.0
217	M13 ¢ 07/09/82	627.2
219	M8-5 17-05-82	412.5
222	M18 -1 17-05-82	85.0
223	M17-Main 17-05-82	487.5
225	M1-8 14-05-82	225.0
233	M-19 P-2 31-08	425.0
247	M-18 P-3 31-08	450.0
253	M11.P2 01.09.82	475.0
255	M14.P3 07/09	175.0
256	M16 P2.5 31.08	775.0
257	M16.P4 31.08.82	450.0
258	M20.P1 31.08	475.0
259	M-17 P-3 31-08	437.5
260	M13-P3 07/09	250.0

Results of Analysis for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
541	M12-9 20/05/82	475.0
284	M/3 07/09	412.5
285	M1-P5 31-08	462.5
286	M16-4 17-05-82	450.0
287	M17-3 17-05-82	80.0
288	M13.P5 07/09	375.0
289	M-18 P-2 31-08	500.0
290	M8 P1 31.08	470.0
291	M-9 P-1 31-08	475.0
292	M27-P3 01-09-82	575.0
293	M10-P1 01/09/82	612.5
294	M11-¢ 01.09.82	265.4
295	M14-P5 07/09	475.0
296	M12.P2 02.09	500.0
297	M11 P8 01.09.82	450.0
298	M27.P2 01.09.82	506.2
299	M10.P2 01/09/82	225.0
182	M-11 #9 19/05/82	425.0
183	M20-3 14-05-82	525.0
184	M17-6 17-05-82	262.5
185	M-27 #8 May 18/82	450.0
186	M17-7 17-05-82	575.0
187	M12- #7 19-82	

Results of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Caclcium as Ca (mg/Litre)
261	M11.P3 01.09.82	475.0
262	M27.P4 01.09.82	475.0
263	M17 P-7 31.08	325.0
264	M1-P4 31.08	375.0
265	M20.P3 31.08.82	450.0
266	M13.P6 07/09	350.0
267	M14.P2 07/09	200.0
268	M16.P1 31.08.82	350.0
269	M16-P5 31.08.82	450.0
206	M1-3-14-05-82	450.0
207	M8-3 17-05-82	237.5
208	M-10#5 May 18/82	525.0
209	M9-5 18-05-82	458.2
210	M20.P6 31.08	185.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca mg/Litre
237	M-17 P-8 31-08	325.0
238	M-14 P7 07/09	235.0
239	M20-P5 31-08	212.5
240	M11-P7 01.09.82	525.0
241	M16.P1.5 31.08	337.5
242	M12.P4 02.09.82	625.0
243	M14 P6 07/09	275.0
244	M8 P3 31.08	450.0
245	M12.P5 02.09	575.0
246	M-1-P-7 31.08	362.5
248	M-27 ∅ 01.09.82	475.0
249	M-17 P-2 31-08	450.0
250	M-18 P-4 31-08	450.0
251	M14.P4 07/09	82.5
252	02.09 M12.P7	462.5
300	M10.P6 01-09.82	500.0
301	M12.P3 02.09.82	525.0
302	M16.P3.5 31.08	415.0
303	M8-9 17-05-82	425.0
304	M1-P2 31.08	480.0
305	M8P6 31.08	375.0
306	M-9 P-7 31-08	475.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
307	M20-P2 31.08.82	500.0
308	M27-P5 01-09-82	525.0
309	M-9 ℄ 31-08	600.0
310	M13.P2 07/09	300.0
311	M11.P1 01.09.82	475.0
312	M10.℄ 01.09.82	575.0
313	M8 centre 31.08.82	550.0
314	M14-℄ 07/09	237.5
315	M11.P6 01.09.82	475.0
316	M27-P6 01.09.82	462.5
317	M16-P2 31.08	362.5
318	M11.P4 01.09.82	500.0
319	M12.P6 02.09	550.0
320	M-17 P-6 31-08	472.5
321	M-10 P-5 01-09	440.0
322	M8.P2 31.08	455.0
323	M17-4 17-05-82	477.5
324	M-1 #5 14/05/82	587.5
325	M-1 #4 14/05/82	435.0
326	M18-4 17-05-82	445.0
327	M17-1 17-05-82	112.5

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
328	T7-P2 14-05-82	382.5
329	T3-Main 13-05-82	515.0
330	T1P5 12-05-82	402.5
331	T8-P1 14-05-82	380.
332	T8-P3 14-05-82	382.5
333	T1P3 12-05-82	370.0
334	T1-P1 12-05-82	457.5
335	T7-P3 14-05-82	355.0
336	T7-P5 14-05-82	402.5
337	T3-4 13-05-82	447.5
338	T3P2 13-05-82	397.5
339	T1-P7 12-05-82	457.5
340	T3-5 13-05-82	495.0
341	T3-3 13-05-82	465.0
342	T3P3 13-05-82	362.5
343	T9.P1 26-08	385.0
344	Bundle T4 P4 25.08	760.
345	T-3 Bundle #1 26-08	840.
346	T-9 P-3 26-08	422.5
347	T-4 P-9 24-08-82	422.5

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
348	T-1 bundle centre 26-08	417.5
349	T-8 East Bundle E 27/08	375.
350	Bundle T-4 P1 25.08	518.
351	T8-East Bundle centre 27.08.82	365.
352	T-3 Bundle #2 26-08	457.5
353	T-5 Bundle ℄ 24-08-82	387.5
354	Bundle T-4 P-7 24-08-82	417.5
355	T2-P4 13-05-82	430.5
356	T-7 Bundle P-7 27-08	432.5
357	T-3 Bundle P-3 26-08	457.5
358	T-7 Bundle P1 26.08	470.
359	T-3 Bundle P-5 26-08	527.5
360	T-4 Bundle #2 24-08-82	430.
361	T-4 Bundle #2 24-08-82	496.
362	T10-P1 02.09.82	370.
363	T1-P5 26.08	435.
364	Bundle T-4 P-6 24-08-82	467.5
365	T8-P2 02-09-82	407.5
366	T8.P4 02.09.82	390.
367	T-9 P-2 26-08	395.
368	T-8 West Bundle P-3 27/08	345.
369	T-3 Bundle P-6 26-08	487.5

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca mg/Litre
370	T-8 P1 02.09.82	340.
371	T1 bundle P1 26.08	442.5
372	T-4 Bundle Ø 25-08-82	492.5
373	T-3 Bundle P-4 26-08	427.5
374	Bundle T-4 P-5 24-08-82	407.5
375	T4-P5 25-08-82	452.5
376	T4-P13 24/08/82	385.
377	T5-P9 24/08/82	417.5
378	T2-P1 13-05-82	417.5
379	T7 - P1 27-08-82	387.5
380	T6-P5 25/08/82	382.5
381	T2-P5 13-05-82	417.5
382	T5-P1 24/08/82	407.5
383	T1-Main 12-05-82	432.5
384	T3-1 13-05-82	495.
385	T1P6 12-05-82	417.5
386	T4-P6 24-08-82	392.5
387	T5-P2 24-08-82	412.5
388	T6-P3 25/08/82	410.
389	T4-P4 24.08.82	415.
390	T5-P11 24/08/82	442.5
391	T4-P1 24/08/82	435.
392	T3-P5 26/08/82	465.

Results of Analyses for Calcium in Water Samples

Our Serial #	Your Sample # -	Calcium as Ca (mg/Litre)
393	T1-P3 26/08/82	385.
394	T2-P4 26-08-82	412.5
395	T4-P3 24/08/82	375.
396	T6-P7 25/08/82	402.5
397	T4-P1 26-08-82	625.
398	T1P1 26-08-82	427.5
399	T2-P2 26-08-82	417.5
400	T4-P10 24/08/82	367.5
401	T6-P4 25/08/82	402.5
402	T5-P-10 24/08/82	402.5
403	T2 P6 13-05-82	407.5
404	T5-P3 24-08-82	440.
405	T5-P-12 24/08/82	377.5
406	T1P1 12-05-82	420.
407	T1-P2 26/08/82	407.5
408	T3-P5 13-05-82	495.
409	T6-P8 25/08/82	425.
410	T1P4 12-05-82	382.5
411	T6-P6 25/08/82	477.5
412	T2-P2 13-05-82	417.5

Results of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
413	T4-P2 24/08/82	455.0
414	T3-P4 26/08/82	382.5
415	T2-P1 26/08/82	420.
416	T4-P7 24/08/82	397.5
417	T5-P7 24/08/82	412.5
418	T1-P4 26/08/82	415.
419	T5-P4 24/08/82	435.5
420	T3-2 13-05-82	495.
421	T2-P3 26/08/82	400
422	T5-P8 24/08/82	405.
423	T6-P2 25/08/82	402.5
424	T4-P8 24-08-82	467.5
425	T4-P12 24-08-82	447.5
121	T7-P1 13-05-82	462.5
131	T2-P3 13-05-82	437.5
133	T8-P2 14-05-82	437.5
139	T8-P4 14-05-82	425.0
142	T1-P2 12-05-82	437.5
148	T2P7 13-05-82	400.0
152	T3P4 12-05-82	475.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
426	UW-7 Bundle ¢ 23-08-82	670.0
427	UW-S3 23/08/82	650.0
428	UW3 P5 18.08.82	702.0
429	UW 24 P3 20.08.82	702.0
430	UW21-P3 23/08/82	707.0
431	UW7-P4 23/08/82	508.0
432	UW3 P6 18.08.82	606.0
433	UW4	602.0
434	UW22-P1 24/08/82	642.0
435	UW24-P1 20/08/82	582.0
436	UW15.P4 16/08/82	720.0
437	U.W.16 P5 18-08-82	815.0
438	U.W2.P4 18-08-82	640.0
439	U.W.6 P2 16.08.82	717.0
440	U.W.3P1 18-08-82	707.5
441	U.W.2P1 18-08-82	617.5
442	U.W-22-P2 24/08/82	795.0
443	U.W.21-P2	905.0
444	U.W.13 P3 20-08-82	665.0
445	UW21-P1 23/08/82	710.0
446	U-W.7.P5 23/08/82	635.0
447	UW20.P1 17/08/82	805.0

Result of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
448	UW3-P2 18/08/82	990.0
449	UW21-P4 23-08-82	660.0
450	U.W15-P4 16/08/82	720.0
451	U.W.26 P2 17/08/82	875.0
452	U.W.14 P5 19/08/82	505.0
453	U.W15-P6 16/08/82	802.0
454	U.W.7 P3 23/08/82	645.0
455	U.W-9 P2 23-08-82	617.5
456	U.W10-P5 20/08/82	655.0
457	UW14.P4 19.08.82	615.0
458	U.W.14 P1 19.08.82	670.0
459	U.W.51 18-08-82	615.0
460	U.W.24 P2 20-08-82	750.0
461	UW9-P1 23/08/82	682.0
462	UW21-P5 23/08/82	725.0
463	UW11-P4 17/08/82	710.0
464	Bundle UW6 P6 16/08/82	592.5
465	UW-23 bundle P3 19.08	702.5
466	UW13 P1 20/08/82	720.0
467	UW-7 Bundle #1 23-08-82	692.5
468	UW23 P1 19.08.82	635.5
469	UW-7 Bundle #5 23-08-82	765.0

Result of Analyses for Calcium in Water-Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
470	Bundle UW6 P2 16/08/82	607.5
471	U.W5 bundle centre 17/08/82	682.5
472	bundle UW6 P1 16/08/82	797.0
473	Bundle UW6 P5 16/08/82	752.0
474	Bundle UW23 P4 19.08.82	802.0
475	U.W.3 Bundle #1 18.08.82	445.0
476	U.W12 P3 (p-3) 18.08.82	742.5
477	U.W-9 P-3 23-08-82	412.0
478	U.W17 P1 19.08.82	722.0
479	Bundle UW6-P3 16/08/82	842.0
480	UW23 Bundle P2 19.08	702.5
481	U.W-7 Bundle #2 23-08-82	632.5
482	Bundle UW6 P4 16/08/82	810.0
483	Bundle U.W 23 centre 19.08.82	520.0
484	U.W8 P7 20-08-82	725.0
485	U.W-1 P6 18-08-82	775.0
486	U.W.17 P3 19/08/82	622.5
487	UW3P3 18/08/82	800.0
488	U.W.1P2 18 08-82	732.0
489	UW19.P2 17.08.82	670.0

Results of Analysis for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
503	U.W.19 P1 17-08-82	699.6
516	U.W. 12 P4 18/08/82	747.9
501	U.W. 5 -P4 17/08/82	772.0
515	U.W.2 P2 16/08/82	723.7
512	U.W.23 P1 19/08/82	965.0
504	U.W6-P7 16/08/82	844.4
513	U.W.19 P4 17/08/82	651.4
506	U.W12-P2 18/08/82	772.0
505	UW5 - P7 17/08/82	72.4
510	U.W-5 P3 17/08/82	772.0
502	U.W.52 18-08-82	796.2
514	U.W5-P6 17/08/82	723.7
511	U.W-6 P4 16-08-82	675.5
507	U.W6-P5 16/08/82	651.4
520	U.W.11.P5 17-08-82	193.0
525	U.W.8 P5 20/08/82	651.4
528	U.W.-1-P3 18/08/82	699.6
540	U.W5-P5 17/08/82	747.9
538	U.W13-P2 20/08/82	772.0
529	U.W.12-P1 18/08/82	747.9
526	U.W.18 P1 17/08/82	120.6
519	U.W2.P6 18.08.82	747.9

Results of Analysis for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
531	U.W. 52 18-08-82	723.7
532	U.W. 6 P3 16-08-82	945.7
534	U.W.2 P3 18/08/82	651.4
537	U.W.16 P1 18/08/82	627.2
535	UW 5- P2 17/08/82	772.0
508	U.W.20-P2 17/08/82	651.4
522	U.W. 13 P4 20-08-82	627.2
523	U.W. 6 P1 16-08-82	940.9
542	T-8 East D 27/08	554.9

Results of Analyses for Calcium in Water Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
119	UW-7 P2 23/08/82	525.0
120	U.W.26 P1 17/08/82	550.0

Result of Analyses for Calcium in Solid Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)
543	K-22	0.579
544	K-34	0.917
545	K-30	0.289
546	K-24	1.833
547	K-36	1.496
548	K-32	1.254
549	K-28	0.917
550	K-26	0.965
551 & 602	K-25	10.132
578 & 585	K-29	2.412
581	K-9	0
595	K-5	0
582 & 590	K-12	1.399
593	K-2	0.193
587	K-38	0.386
588	K-27	0.096
597	K-3	0
579 & 583	K-18	1.737
591	K-8	1.689
598	K-4	0
592	K-6	0
586	K-39	0.434
600	K-37	0

Result of Analyses for Calcium in Solid Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)
584	K-7	0
574 & 576	K-19	15.681
565 & 573	K-14	39.806
560 & 563	K-15	9.65
558 & 559	K-10	33.775
557 & 601	K-37	48.25
562 & 567	K-35	48.25
569 & 570	K-33	67.55
564 & 566	K-21	12.062
552 & 589	K-17	39.806
568 & 577	K-31	51.869
554 & 555	K-16	12.062

Results of Analysis for Calcium in Solid Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)
603	T1K	63.69
604	T1E	100.36
605	T1.M	35.80
606	T1.V.	60.79
607	T1B	63.69
608	T1Q	48.64
609	T2 25' 6" - 26'	54.04
610	T2. J	9.17
611	T2 32' 2" - 32' 3" (-48)	164.05
612	T2 31' 7" - 31' 8"	178.52
613	T2 31' 11" - 32'	171.29
614	T2 - P. (S)	31.75
615	T2 L	3.38
616	T2 - C	8.11
617	T2-A	37.83
618	T2.H	26.34
619	T2 27' 6" - 28'	51.34
620	T2. 22' 6" - 23' (-48)	47.96
621	T2 24' - 24' 6"	41.88
622	T3-R	5.07
623	T3-A	3.14
624	T3 26' 2" - 26' 3"	6.75
625	T3 26' 6" - 26' 7"	4.05

Result of Analysis for Calcium in Solid Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)
626	T3 - 25' - 25' 6"	7.48
627	T5 42' 6" - 43' (-48)	12.83
628	UW 8B	8,24
629	T7 25' 10" 25' 11"	67.55
630	T5 18' - 18' 6"	3.62
631	T2 19' 6" 20' (-48)	52.11
632	T5.A	10.81
633	T1.P	93.6
634	T5-C	6.99
635	T5 14' 6" - 15' (Dry Sandy)	4.58
636	T5 27' - 27' 6"	2.41
637	T8-C	5.07
638	T2 21' 6" - 22	31.75
639	T7F (-48)	13.03
640	T8 37' 8" - 37' 9" (-48)	58.86
641	T5 23' - 23' 6"	9.41
642	T8Q	10.61
643	T8 37' 6" - 37' 7" (-48)	154.4
644	T8W	8.44
645	T3P	12.30
646	T7M	22.19
647	T8 35' - 35' 6"	92.64
648	T7P	74.30

Results of Analyses for Calcium in Solid samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)
649	T7H	33.77
650	T7A	8.93
651	T8N	5.55
652	T5 16' - 16'6"	4.10
653	UW-16 6'6" - 7'	12.16
654	T8-Y	44.58
655	T8-U	3.62
656	T8 33' - 33'6"	111.94
657	T7C	74.79
658	T8-L	5.79
659	T8-AA	45.93
660	T8-S	48.25
661	T8 34' - 34' 6"	86.85
662	T8 36' - 36' 6"	46.32
663	T7Y	5.07
664	T8-A	6.51
665	T8J	7.72
666	T8 31' - 31' - 6"	37.83
667	T8-G	6.99
668	T5-E	3.38
669	T8. 37' - 37' 6"	38.6
670	T8 38' 4" - 38' 8"	17.85

Result of Analyses for Calcium in Solid samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)
671	UW-3 18' - 18' 6"	91.67
672	T7 A. 25' - 25' 6"	57.9
673	UW-8 SLOUGH 29' 6"- 31' -6"	1.35
674	T8-E	6.75
675	T7-D1	28.37
676	T-3-H-48	13.03
677	T-3-N	14.47
678	T8 28' - 28' 6"	9.41
679	T2F	6.99
680	T3 26' 3" - 26' 4" (48)	13.51
681	T7 25' 8" - 25' 9"	10.13
682	T5 20' 6" - 21'	96.5
683	T3 24' - 24' 6"	126.66
684	T3 23' - 23' - 6"	135.1
685	T3-B	3.62
686	UW-16A	6.03
687	T3 21' - 21' 6"	6.03
688	UW 3-A	2.65
689	T7 25' 6" - 25' 7"	60.80
690	UW 14-A	4.73
691	T7K	80.82
692	UW-8 13'-13'6"	27.02

Result of Analysis for Calcium in Solid samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)
693	T7T	26.06
694	T5 17' - 17' 6"	13.27
695	U.W.3. 14' - 14' 6"	49.21
696	UW-14E	18.82
697	UW.8 17' - 17' 6"	89.26
698	T3 - 20' 6" - 21'	77.2
699	T8 27' 6" - 28'	55.97
700	T5 19' - 19' 6"	5.07
701	T7-R	32.81
702	T8- 38' - 38' 1"	10.81
703	T5 26' 6" - 27'	6.27
704	T8 37' 10" - 37' 11"	20.27
705	UW3 - 5' 6" - 6'	18.58
706	T8 32' - 32' 6"	22.20
707	UW-3 29'-29'3"	54.04
708	UW-16 17' - 17' - 6"	99.39
709	UW-14 9'-6"-10'	7.72
710	UW-8-A	17.61
711	UW-14 7' 6"-8'	18.34
712	UW-16 15' - 15' 6"	71.41
713	UW-16 11' - 11' 6"	20.75
714	UW-14 19' 6" - 20' A.	16.89

Result of Analyses for Calcium in Solid samples

Our Serial #	Your Sample #	Calcium as Ca (mg/g)	
715	UW-14 12' - 12' 6"	5.55	
716	UW-14 11' - 11' 6"	4.34	
717	UW-16 22' 1" - 22' 2" (-48)	161.64	
718	UW-14 13'- 13' 6"	5.79	
719	UW.14 17' 6" - 18'	4.83	
720	UW-16 8' - 8' 6"	6.47	
721	UW.3 14' 6" - 15'	46.32	
722	UW-3 15' 6" - 16'	101.33	
723	U.W. - 16 5' - 5' 6"	17.37	
724	UW-16 9' 6" - 10'	22.68	
725	UW-16. 21' - 21' 6"	106.15	
726	UW-14 C	8.20	
727	U.W. 14 15' - 15' 6"	5.07	
728	UW-16 13' - 13' 6"	77.2	
729	UW-3 35' 1" - 35' 3"	5.79	
730	Solid Diffusion (31-05-82)	61.76	
731	Westnor Lake Line 5 Center Surface 29.10.82	8.78	(Liquid Samples mg/Litre
732	Westnor Lake Line 16 Center Surface 29.10.82	9.46	
733	Flow End of Tank 22.10.82	5.54	
734	Flow Middle of Tank 22.10.82	5.79	
735	Low Head Diffusion Test. Middle of Tank 14.10.82	5.79	

Result of Analyses for Calcium in Liquid Samples

Our Serial #	Your Sample #	Calcium as Ca (mg/Litre)
736	Low Head Diffusion End of Tank 14.10.82	4.34
737	Diffusion Test. Middle of Tank. 19.10.82.	10.86

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
203	M9-7 18-05-82	2870.0
205	M-17-31-08	1870.0
207	M8-3 17-05-82	2155.0
208	M-10 #5 May 18/82	1900.0
209	M9-5 18-05-82	1540.0
211	M12-#8 May 19/82	1165.0
216	M-9#2 May 18/82	760.0
217	M13 ¢ 07/09/82	0.75
219	M8-5 17-05-82	2980.0
222	M18-1 17-05-82	290.0
223	M17-Main 17-05-82	2015.0
225	M1-8 14-05-82	710.0
233	M-19 P-2 31-08	1665.0
247	M-18 P-3 31-08	1925.0
253	M11.P2 01.09.82	355.0
254	M1-P8 31.08.82	800.0
255	M14.P3 07/09	43.0
256	M16 P2.5 31.08	2960.0
257	M16.P4 31.08.82	2265.0
258	M20.P1 31.08	2095.0
259	M-17 P-3 31-08	1985.0
261	M11.P3 01.09.82	1335.0
262	M27.P4 01.09.82	1655.0

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
263	M17 P-7 31.08	2460.0
264	M1-P4 31.08	4110.0
265	M20.P3 31.08.82	2835.0
266	M13.P6 07/09	165.0
267	M14.P2 07/09	41.0
268	M16.P1 31.08.82	
269	M16-P5 31.08.82	1940.0
271	M12.P1 02.09	615.0
272	M16.P3 31.08	2240.0
273	M8 P5 31.08.82	3845.0
274	M11 #8 19/05/82	1880.0
275	M17-2 17-05-82	2135.0
276	M20-5 14-05-82	4480.0
277	M9-1 17-05-82	1000.0
278	M-1 P-6 31-08	4455.0
279	M-17 P-5 31-08	1995.0
281	M-20 Bundle ¢ 31.08	1910.0
282	M-10 P-3 01-09	97.6
283	M-6 ¢ 31.08	1925.0
284	M/3 07/09	160.0
285	M1-P5 31.08	3845.0
286	M16-4 17-05-82	1980.0

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
287	M17-3 17-05-82	2110.0
288	M13.P5 07/09	33.0
289	M-18 P-2 31.08	2080.0
291	M-9 P-1 31-08	1215.0
292	M27-P3 01-09-82	1370.0
293	M10-P1 01/09/82	890.0
294	M11-C 01.09.82	670.0
295	M14-P5 07/09	80.0
296	M12.P2 02.09	255.0
297	M11 P8 01.09.82	1430.0
298	M27.P2 01.09.82	140.0
299	M10.P2 01/09/82	570.0

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
491	UW1-P4 18/08/82	21.00
492	UW11-P1 17-08-82	203.00
493	UW7-P1 23/08/82	290.50
494	U.W15 P1 16-08-82	14.00
495	UW.15-P2 16/08/82	77.00
496	U-W.15 P3 16-08-82	3899.00
497	U-W-16 P2 18-08-82	4515.00
498	UW-1P1 18-08-82	1792.00
499	U.W.18 P2 18/08/82	84.00
500	U.W.11 P2 17/08/82	280.00

Result of Analysis for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
470	Bundle UW6 P2 16/08/82	322.00
471	U.W5 bundle centre 17/08/82	0.51
472	bundle UW6 P1 16/08/82	917.00
473	Bundle UW6 P5 16/08/82	749.00
474	Bundle UW23 P4 19.08.82	399.00
475	U.W.3 Bundle #1 18-08-82	30.5
476	U.W12 P3 (p-3) 18.08.82	805.00
477	U.W-9 P-3 23-08-82	1246.00
478	U.W17 P1 19.08.82	8.08
479	Bundle UW6-P3 16/08/82	721.00
480	UW 23 Bundle P2 19.08	182.00
481	U.W-7 Bundle #2 23-08-82	583.00
482	Bundle UW6 P4 16/08/82	770.00
483	Bundle U.W.23 centre 19.08.82	91.00
484	U.W.8 P7 20-08-82	6020.00
485	U.W.1 P6 18-08-82	651.00
486	U.W.17 P3 19/08/82	84.00
487	UW3P3 18/08/82	4900.00
488	U.W.1 P2 18-08-82	2212.00
489	UW19.P2 17.08.82	1344.00
490	UW1-P4 18/08/82	2016.00

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
426	UW-7 Bundle ¢ 23-08-82	467.50
427	UW-S3 23/08/82	735.00
428	UW3 P5 18-08-82	3875.00
429	UW24 P3 20.08.82	4046.00
430	UW21-P3 23/08/82	322.00
431	UW7-P4 23/08/82	685.00
432	UW3 P6 18.08.82	241.00
433	UW4	8020.00
434	UW22-P1 24/08/82	707.00
435	UW 24 P1 20/08/82	917.00
436	UW15 P4 16/08/82	2583.00
437	U.W.16 P5 18-08-82	4046.00
438	U.W2.P4 18-08-82	1232.00
439	U.W.6 P2 16.08.82	28.00
440	U.W.3P1 18-08-82	4140.00
441	U.W.2P1 18-08-82	7.00
442	U.W.22-P2 24/08/82	2177.00
443	U.W.21-P2	378.00
444	U.W.13 P3 20-08-82	3311.00
445	UW21-P1 23/08/82	133.00
446	U-W.7.P5 23/08/82	3905.00
447	UW20.P1 17/08/82	224.00

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
448	UW3-P2 18/08/82	11270.00
449	UW 21-P4 23-08-82	98.00
450	U.W15-P4 16/08/82	1596.00
451	U.W.26 P2 17/08/82	217.00
452	U.W.14 P5 19/08/82	3262.00
453	U.W 15-P6 16/08/82	2590.00
454	U.W.7 P3 23/08/82	262.00
455	U.W-9 P2 23/08/82	4725.00
456	U.W10-P5 20/08/82	2085.00
457	UW14.P4 19.08.82	5117.00
458	U.W.14 P1 19-08-82	7250.00
459	U.W.51 18-08-82	616.00
460	U.W.24 P2 20-08-82	105.00
461	UW9- P1 23/08/82	5376.00
462	UW 21-P5 23/08/82	945.00
463	UW11-P4 17/08/82	42.00
464	Bundle UW6 P6 16/08/82	553.00
465	UW-23 bundle P3 19.08	798.00
466	UW13 P1 20/08/82	973.00
467	UW-7 Bundle #1 23-08-82	470.50
468	UW 23 P1 19.08.82	595.00
469	UW-7 Bundle #5 23-08 82	920.00

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
413	T4-P2 24/08/82	1250.
414	T3-P4 26/08/82	2188.
415	T2-P1 26/08/82	200.
416	T4-P7 24/08/82	1750.
417	T5-P7 24/08/82	8125.
418	T1-P4 26/08/82	3612.
419	T5-P4 24/08/82	9475.
420	T3-2 13-05-82	450.
421	T2-P3 26/08/82	5550.
422	T5-P8 24/08/82	92500.
423	T6-P2 25/08/82	3338.
424	T4-P8 24-08-82	750.
425	T4-P12 24-08-82	200.

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
391	T4-P1 24/08/82	550.
392	T3-P5 26/08/82	1825.
393	T1-P3 26/08/82	3975.
394	T2-P4 26-08-82	1425.
395	T4-P3 24/08/82	1312.
396	T6-P7 25/08/82	800.
397	T4 P11 24-08-82	118.
398	T1-P1 26-08-82	700.
399	T2-P2 26-08-82	750.
400	T4-P10 24/08/82	2700.
401	T6-P4 25/08/82	5625
402	T5 P-10 24/08/82	3188.
403	T2P6 13-05-82	1260.
404	T5-P3 24-08-82	5763.
405	T5-P-12 24/08/82	6275.
406	T1P1 12-05-82	750.
407	T1-P2 26/08/82	4625.
408	T3-P5 13-05-82	1500.
409	T6-P8 25/08/82	1000.
410	T1P4 12-05-82	4663.
411	T6-P6 25/08/82	107.
412	T2-P2 13-05-82	500.

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
370	T-8 P1 02.09.82	6930.
371	T1 bundle P1 26.08	1190.
372	T-4 Bundle ¢ 25-08-82	370.
373	T-3 Bundle P-4 26-08	900.
374	Bundle T-4 P-5 24-08-82	1220.
375	T4-P5 25-08-82	786.
376	T4-P13 24/08/82	5.02
377	T5-P9 24/08/82	11750.
378	T2-P1 13-05-82	175.
379	T7-P1 27.08.82	2838.
380	T6-P5 25/08/82	3300.
381	T2-P5 13-05-82	925.
382	T5-P1 24/08/82	9000.
383	T1-Main 12-05-82	437.5
384	T3-1 13-05-82	175.
385	T1P6 12-05-82	1950.
386	T4-P6 24-08-82	5400.
387	T5-P2 24-08-82	9250.
388	T6-P3 25/08/82	3375.
389	T4-P4 24.08.82	58.5
390	T5-P11 24/08/82	10950.

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
349	T-8 East Bundle E 27/08	2440.
350	Bundle T-4 P1 25.08	107.
351	T8 - East Bundle centre 27.08.82	770.
352	T-3 Bundle #2 26-08	200.
353	T-5 Bundle ¢ 24-08-82	3000.
354	Bundle T-4 P-7 24-08-82	16.2
355	T2-P4 13-05-82	2100.
356	T-7 Bundle P-7 27-08	1480.
357	T-3 Bundle P-3 26·08	890.
358	T-7 Bundle P1 26.08	150.
359	T-3 Bundle P-5 26-08	2200.
360	Bundle T-4 P3 25-08	6.10
361	T-4 Bundle #2 24-08-82	33.
362	T10-P1 02.09.82	500.
363	T1-P5 26.08	630.
364	Bundle T-4 P-6 24-08-82	2.56
365	T8-P2 02.09.82	4990.
366	T8.P4 02.09.82	4300.
367	T-9 P-2 26-08	300.
368	T-8 West Bundle P-3 27/08	4420.
369	T-3 Bundle P-6 26-08	2400.

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
328	T7-P2 14-05-82	1975.
329	T3- Main 13-05-82	440.
330	T1Ps 12-05-82	1035.
331	T8-P1 14-05-82	5200.
332	T8-P3 14-05-82	2840.
333	T1P3 12-05-82	2320.
334	T1-P1 12-05-82	295.
335	T7-P3 14-05-82	6870.
336	T7-P5 14-05-82	8040.
337	T3-4 13-05-82	305.
338	T3P2 13-05-82	1355.
339	T1-P7 12-05-82	1700.
340	T3-5 13-05-82	1475.
341	T3-3 13-05-82	385.
342	T3P3 13-05-82	2895.
343	T9.P1 26-08	330.
344	Bundle T4 P4 25.08	19.50
345	T-3 Bundle #1 26-08	525.
346	T-9 P-3 26-08	82.
347	T-4 P-9 24-08-82	428.
348	T-1 bundle centre 26.08	920.

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
1	0% 02-09/03/82	0.23
2	0% 07-08/12/81	1.19
3	0% 24-31/03/82	0.13
4	0% 03-12-81	7.21
5	0% 11-14/12/81	0.52
6	0% 06-12/01/82	0.16
7	0% 31-03-82 to 06-04-82	0.11
8	0% 12-04-82	4.49
9	0% 16-23/03/82	0.11
10	0% 27-04-82 to 04-05-82	0.27
11	o% 04-07/12/81	2.02
12	0% 29-12-81 to 05-01-82	0.24
13	0% 09-10/12/81	0.76
14	0% 16-17/12/81	0.46
15	0% 14-15/12/81	0.02
16	0% 10-11/12/81	0.78
17	0% 08-09/12/81	0.95
18	0% 26-01-82	0.15
19	10% 26-01-82 to 02-02-82	0.33
20	10% 02-09/02/82	0.27
21	10% 12-19/01/82	0.36
22	0% 09-16/02/82	0.08

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
23	30% 02-09/02/82	0.03
24	10% 23-02-82 to 02-03-82	0.21
25	30% 26-01-82 to 02-02-82	0.13
26	30% 23/02/82 to 02-03-82	0.04
27	20% 09-16/02/82	0.06
28	0% 12-19/01/82	0.18
29	20% 23/02/82 to 02-03-82	0.04
30	10% 15-22/12/81	1.93
31	10% 23-29/12/82	0.68
32	0% 06-04-82 to 13-04-82	0.09
33	30% 29/12/81 to 05-01-82	0.01
34	30% 02/12/81 to 08/12/81	0.03
35	30% 13-04-82	0.02
36	0% 15-16/12/81	0.43
37	10% 05-12/08/82	0.00
38	20% 13-04-82	0.01
39	0% 21-22/12/81	0.33
40	0% 09-16/08/82	0.04
41	30% 23-29/12/81	0.03
42	20% 02-09/03/82	0.06
43	20% 09-03-82 to 06-04-82	0.03
44	10% 08-15/12/81	7.27
45	10% 13-04-82	0.02

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
46	10% 08-15/12/81	5.99
47	20% 29-12-81 to 05-01-82	0.04
48	10% 29-12-81 to 05-01-82	1.04
49	20% 02-09/02/82	0.06
50	20% 08-15/12/81	37.87
51	0% 02-09/02/82	0.16
52	30% 08-15/12/81	70.00
53	0% 20-04-82 to 27-04-82	0.10
54	30% 16-23/02/82	0.04
55	0% 18-21/81	0.21
56	20% 02-08/12/81	0.04
57	30% 19-26/01/82	0.03
58	20% 12-19/01/82	0.02
59	20% 08-15/12/81	0.05
60	30% 12-19/01/82	0.03
61	10% 19/01/82 to 26/01/82	0.53
62	0% 17-18/12/81	0.33
63	0% 23-29/12/81	0.27
64	30% 05-12/01/82	0.09
65	10% 09-03-82	0.15
66	20% 26/01/82 to 02/02/82	0.01
67	30% 09-03-82 to 06-04-82	0.00

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
68	20% 15-22/12/81	0.05
69	10% 09-02-82 to 16-02-82	0.20
70	20% 19-26/01/82	0.21
71	20% 16-23/02/82	0.01
72	0% 13-20/04/82	0.95
73	10% 02/12/81 to 8/12/81	90.00
74	30% 15-22/12/81	0.05
75	0% 23-02-82 to 01-03-82	0.11
76	10% 02-02 82 to 09-02-82	0.17
77	30% 02-09/03/82	0.09
78	0% 16-23/02/82	0.12
79	20% 23-29/12/81	0.02
80	30% 09-16/02/82	0.01
81	10% 16-23/02/82	0.24
82	20% 05-12/01/82	0.00
83	0% 19-01-82 to 26-01-82	0.11
103	50% 02-09/02/82	0.02
104	50% 23-29/12/81	0.00
105	50% 12-19/01/82	0.02
106	50% 19-26/01/82	0.01
107	50% 02-08/12/81	0.04
108	50% 08-15/12/81	0.01

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
109	50% 13-04-82	0.00
110	50% 16-23/02/82	0.02
111	50% 29-12-81 to 05-01-82	0.01
112	50% 15-22/12/81	0.02
113	50% 09-16/02/82	0.02
114	50% 05-12/01/82	0.02
115	50% 26-01-82 to 02-02-82	0.00
116	50% 09-03-82 to 06-04-82	0.00
117	50% 02-09-03-82	0.28

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
118	M17-8 17-05-82	1650.0
122	M20-4 14-05-82	4565.00
123	M-10 #7 May 18/82	1950.00
124	M-10 #6 May 18/82	2350.00
125	M-10 #2 May 18/82	640.00
126	M16-Main 17-05-82	2695.00
127	M16-5 17-05-82	2950.00
128	M11#5 19/05/82	1435.00
129	M16-3.5 17/05/82	2890.00
130	M-10 #1 May 18,82	1065.00
132	M12-Main 20-05-82	225.00
134	M20-Main 14-05-82	1800.00
135	M12-#6 May 19,82	1175.00
136	M11-#2 May 19,82	155.00
137	M-27 #4 May 18,82	2355.00
138	M1 #6 14-05-82	5180.00
140	M12-#3 May 19,82	1495.00
141	M-27 #7 May 18/81	1225.00
143	M1-2 14-05-82	3590.00
144	M20-2 14-05-82	2580.00
145	M9-Main 18-05-82	490.00
146	M-9 #3 May 18,82	1615.00
147	M16-2 17-05-82	4160.00

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
149	M11#6 19-05-82	1405.00
151	M11 #7 19-05-82	2190.00
150	M-27 #5 May 18,82	1975.00
153	M18-5 17-05-82	2385.00
154	M8-1 17-05-82	2110.00
155	M11-#3 May 19,82	220.00
156	M11 Main 19,05,82	605.00
157	M-27 #2 May 18,82	40.00
158	M-10#4 May 18,82	1685.00
159	M12-#4 May 19/82	990.00
160	M8-8 17-05-82	3950.00
161	M16-2-5 17-05-82	3505.00
162	M13/P8 07/09	240.00
163	M12-#2 May 19/82	195.00
164	M18-2 17-05-82	2660.00
165	M18-3 17-05-82	2635.00
166	M-9 P-5 31-08	2065.00
167	M17-5 17-05-82	2640.00
168	M9-8 18-05-82	2710.00
169	M-27 May 18/82	1860.00
170	M-9-6 18-05-82	2230.00
171	M-10 Main May 18/82	435.00

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
172	M8-2 17-05-82	2965.00
173	M9-4 18-05-82	1935.00
174	M16-3 17-05-82	2910.00
175	M10-#3 May 18/82	80.00
176	M12-#5 May 19/82	235.00
177	M16-1-5 17-05-82	3775.00
178	M-16-1 17-05-82	3785.00
179	M11-#1 May 19/82	110.00
180	M8-4 17-05-82	2820.00
181	M-27 #6 May 18/82	1970.00
182	M-11 #9 19/05/82	990.00
183	M20-3 14-05-82	2850.00
184	M17-6 17-05-82	2410.00
185	M-27 #8 May 18/82	410.00
186	M17-7 17-05-82	2590.00
187	M12-#7 19-82	1125.00
188	M8-7 17-05-82	3915.00
189	M27-P1 01-09-82	570.00
190	M11 #4 19/05/82	1105.00
191	M-10 P-4 01-09	1685.00
192	M-19 #3 May 18/82	2275.00
193	M-10 #8 May 18/82	7.76

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
194	M8-Main 17-05-82	1200.00
195	M20 #1 14-05-82	1930.00
196	M-27 #1 May 18/82	360.00
197	M16 #4.5 17-05-82	2370.00
198	M1-7 14-05-82	2430.00
199	M11-P5 01-09-82	1310.00

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
200	M13.P1 07/09	41.6
201	M-17 P-4 31-08	1975.
202	M20.P4 31-08	4725.
204	M14-P8 07/09	72.0
212	M12 ¢ 02.09	120.0
213	M18 P-5 31-08	1740.
214	M13-P4 07/09	32.0
215	M27-Main May 18/82	435.
218	M-14.P1 07/09	42.4
220	M-19#2 May-18/82	1365.
221	M16-P45 31-08-82	2200.
224	M20-6 14-05-82	1435.
226	M1-9 14-05-82	56.6
227	M17-9 17-05-82	775.
228	M1-Main 14-05-82	1280.
229	M8 P4 31.08.82	2930.
230	M-17 P-g 31-08	1985.
231	M-19 P-3 31-08	1785.
232	M-1 P-3 31-08	4300.
234	M-1 Bundle ¢ 31-08	1625.
235	M-9 P-4 31-08	1675.

Result of Analyses for Iron in Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
236	M1-P1 31-08-82	1875.
237	M-17 P-8 31-08	2350
238	M-14 P7 07/09	65.0
239	M20-P5 31-08	4520.
240	M11-P7 01.09.82	1550.
241	M16.P1.5 31.08	3365
242	M12.P4 02.09.82	400.
243	M14 P6 07/09	45.0
244	M8 P3 31.08	2090.
245	M12.P5 02.09	575.
246	M-1-P-7 31.08	3750.
248	M-27 ¢ 01.09.82	835.
249	M-17 P-2 31-08	1770.
250	M-18 P-4 31-08	1050.
251	M14.P4 07/09	55.
252	02.09 M12.P7	1370.
300	M10.P6 01.09.82	1330.
301	M12.P3 02.09.82	1140
302	M16.P3.5 31.08	1825.
303	M8-9 17-05-82	3650.
304	M1-P2 31.08	2550.

Result of Analyses for Iron In Water Samples

Our Serial #	Your Sample #	Iron as Fe (mg/Litre)
305	M8P6 31.08	4085.
306	M-9 P-7 31-08	1965.
307	M20 -P2 31.08.82	2545.
308	M27-P5 01.09.82	1150.
309	M-9 ¢ 31-08	1225.
310	M13.P2 07/09	171.2
311	M11.P1 01.09.82	219.6
312	M10. ¢ 01.09.82	765.
313	M8 centre 31-08-82	1540.
314	M14-¢ 07/09	40.5
315	M11-P6 01.09.82	1350
316	M27-P6 01.09.82	1350.
317	M16-P2 31.08	3450.
318	M11.P4 01.09.82	1180.
319	M12.P6 02.09	1250.
320	M-17 P-6 31-08	2050.
321	M-10 P-5 01-09	1510.
322	M8.P2 31.08	2095.
323	M17-4 17-05-82	2245.
325	M-1 #4 14/05//82	5150.
326	M18-4 17-05-82	1900.
327	M17-1 17-05-82	325.

Result of Analyses for Your Samples

Your Sample #	Iron (mg/g)
T8-S	
T8	22.615
T8	18.577
T7	8.885
T8-A	2.423
T8J	16.962
T8	15.348
T8- G	21.808
T5-E	2 .423
T8	14.538
T8	17.769
UW-3	18.577
T7A	16.962
UW-8	3.231
T8-E	14.538
T7-D1	6.462
T-3-H-48	20.192
T-3-N	18.577
T8	19.385
T2 F	16.962
T3	15.346
T7	16.154
T5	26.654
T3	18.577
T3	15.346

Result of Analyses for Your Samples

Your Sample #	Iron (mg/g)
T3-B	5.654
UW-16-A	4.038
T3	16.962
UW3-A	5.654
T7	21.000
UW 14-A	3.231
T7-K	161.533
UW -8	20.192
T7T	21.000
T5	22.615
UW-3	21.000
UW-14E	16.154
UW 8	21.000
T3	16.962
T8	18.577
T5	19.385
T7-R	21.808
T8	16.162
T5	383-654
T8	16.162
UW3	15.346
T8	20.192
UW-3	171-635
UW-16	17.769
UW-14	22.615

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
1	0% 02-09/03/82	0.00*
2	0% 07-08/12/81	0.00*
3	0% 24-31/03/82	0.22
4	0% 03-12-81	0.13
5	0% 11-14/12/81	0.06
6	0% 06-12/01/82	0.11
7	0% 31-03-82 to 06-04-82	0.04
8	0% 12-04-82	0.07
9	0% 16-23/03/82	0.00*
10	0% 27-04-82 to 04-05-82	0.20
11	0% 04-07/12/81	0.00*
12	0% 29-12-81 to 05-01-82	0.00*
13	0% 09-10/12/81	0.11
14	0% 16-17/12/81	0.10
15	0% 14-15/12/81	0.10
16	0% 10-11/12/81	0.20
17	0% 08-09/12/81	0.05
18	0% 26-01-82	0.00*
19	10% 26-01-82 to 02-02-82	0.00*
20	10% 02-09-02-82	0.07
21	10% 12-19/01/82	0.00*
22	0% 09 16/02/82	0.02

*The value 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
23	30% 02-09/02/82	0.03
24	10% 23-02-82 to 02-03-82	0.10
25	30% 26-01-82 to 02-02-82	0.00*
26	30% 23/02/82 to 02-03-82	0.00*
27	20% 09-16/02/82	0.05
28	0% 12-19/01/82	0.00*
29	20% 23/02/82 to 02-03-82	0.00*
30	10% 15-22/12/81	0.13
31	10% 23-29/12/82	0.16
32	0% 06-04-82 to 13-04-82	0.07
33	30% 29/12/81 to 05-01-82	0.00*
34	30% 02/12/81 to 08/12/81	0.00*
35	30% 13-04-82	0.07
36	0% 15-16/12/81	0.08
37	10% 05-12/08/82	0.00*
38	20% 13-04-82	0.00*
39	0% 21-22/12/81	0.26
40	0% 09-16/08/82	0.05
41	30% 23-29/12/81	0.05
42	20% 02-09/03/82	0.00*
43	20% 09-03-82 to 06-04-82	0.00*
44	10% 08-15/12/81	0.00*
45	10% 13-04-82	0.09

*The Value 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
46	10% 08-15/12/81	0.00*
47	20% 29-12-81 to 05-01-82	0.00*
48	10% 29-12-81 to 05-01-82	0.00*
49	20% 02-09/02/82	0.00*
50	20% 08-15/12/81	0.00*
51	0% 02-09/02/82	0.18
52	30% 08-15/12/81	0.00*
53	0% 20-04-82 to 27-04-82	0.80
54	30% 16-23/02/82	0.09
55	0% 18-21/12/81	0.29
56	20% 02-08/12/81	0.00*
57	30% 19-26/01/82	0.00*
58	20% 12-19/01/82	0.00*
59	20% 08-15/12/81	0.00*
60	30% 12-19/01/82	0.00*
61	10% 19/01/82 to 26/01/82	0.00*
62	0% 17-18/12/81	0.16
63	0% 23-29/12/81	0.05
64	30% 05-12/01/82	0.00*
65	10% 09-03-82	0.08
66	20% 26/01/82 to 02/02/82	0.02

*The value 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
67	30% 09-03-82 to 06-04 82	0.16
68	20% 15-22/12/81	0.24
69	10% 09-02-82 to 16-02-82	0.00*
70	20% 19-26/01/82	0.00*
71	20% 16-23/02/82	0.00*
72	0% 13-20/04/82	0.50
73	10% 02/12/81/ to 8/12/81	0.15
74	30% 15-22/12/81	0.00*
75	0% 23-02-82 to 01-03-82	0.15
76	10% 02-02-82 to 09-02-82	0.00*
77	30% 02-09-03-82	0.08
78	0% 16-23/02/82	0.06
79	20% 23-29/12/81	0.07
80	30% 09-16/02/82	0.00*
81	10% 16-23/02/82	0.00*
82	20% 05-12/01/82	0.00*
83	0% 19-01-82 to 26-01-82	0.10
103	50% 02 09/02/82	0.06
104	50% 23-29/12/81	0.09
105	50% 12-19/01/82	0.06
106	50% 19-26/01/82	0.02
107	50% 02-08/12/81	0.06

* The value 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
84	D-15	0.00*
85	D-19	0.00*
86	D-17	0.00*
87	D-1	0.00*
88	D-6	0.16
89	D-10	0.00*
90	D-3	0.00*
91	D-18	0.00*
92	D-16	0.00*
93	D 7	0.09
94	D-14	0.00*
95	D-9	0.05
96	D-8	0.00*
97	D-5	0.06
98	D-2	0.00*
99	D-4	0.00*
100	D-12	0.04
101	D-13	0.00*
102	D-11	0.02

*The value 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
108	50% 08-15/12/81	0.00*
109	50% 13-04-82	0.00*
110	50% 16-23/02/82	0.00*
111	50% 29-12-81 to 05-01-82	0.02
112	50% 15-22/12/81	0.00*
113	50% 09-16/02/82	0.00*
114	50% 05-12/01/82	0.13
115	50% 26-01-82 to 02-02-82	0.00*
116	50% 09-03-82 to 06-04-82	0.00*
117	50% 02-09/03/82	0.02

*The value 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples.

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
122	M20-4 14-05-82	0.00*
123	M-10 #7 May 18/82	0.00*
124	M-10 #6 May 18/82	0.00*
125	M-10 #2 May 18/82	0.00*
126	M16-Main 17-05-82	0.00*
127	M16-5 17-05-82	0.00*
128	M11 #5 19/05/82	0.00*
129	M16-3.5 17/05/82	0.00*
130	M-10 #1 May 18/82	0.00*
132	M12-Main 20-05-82	0.02
134	M20-Main 14-05-82	0.00*
135	M12-#6 May 19,82	0.00*
136	M11-#2 May 19,82	0.00*
137	M-27 #4 May 18, 82	0.00*
138	M1 #6 14-05-82	0.00*
140	M12-#3 May 19,82	0.00*
141	M-27 #7 May 18,81	0.00*
143	M1-2 14-05-82	0.00*
144	M20-2 14-05-82	0.00*
145	M9-main 18-05-82	0.00*
146	M-? #3 May 18,82	0.00*

*The values 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
147	M16-2 17-05-82	0.00*
149	M11 #6 19-05-82	0.00*
150	M-27 #5 May 18,82	0.00*
151	M11-#7 19-05-82	0.00*
153	M18-5 17-05-82	0.00*
154	M8-1 17-05-82	0.30
155	M11-#3 May 19,82	0.00*
156	M11 Main 19,05,82	0.00*
157	M-27#2 May 18,82	0.00*
158	M 10 #4 May 18,82	0.32
159	M12-#4 May 19/82	0.00*
160	M8-8 17-05-82	0.00*
161	M16-2-5 17-05-82	0.00*
162	M13.P8 07/09	0.00*
163	M12-#2 May 19/82	0.87
164	M18-2 17-05-82	0.00*
165	M18-3 17-05-82	0.00*
166	M-9 P-5 31-08	0.31
167	M17-5 17-05-82	0.39
168	M9-8 18-05-82	0.00*
169	M-27 May 18/82	0.00*

*The values 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
170	M-9-6 18-05-82	0.30
171	M-10 Main May 18/82	0.00*
172	M8-2 17-05-82	0.00*
173	M9-4 18-05-82	0.29
174	M16-3 17-05-82	0.00*
175	M10-#3 May 18/82	0.00*
176	M12-#5 May 19/82	0.00*
177	M16-1-5 17-05-82	0.00*
178	M-16-1 17-05-82	0.00*
179	M11-#1 May 19/82	0.59
180	M8-4 17-05-82	0.00*
181	M-27 #6 May 18/82	0.25
182	M-11#9 19/05/82	1.13
183	M20-3 14-05-82	6.00
184	M17-6 17-05-82	0.00*
185	M-27#8 May 18/82	0.55
186	M17-7 17-05-82	0.00*
187	M12 #7 19-82	0.00*
188	M8-7 17-05-82	0.00*
189	M27-P1 01-09-82	0.00*
190	M11#4 19/05/82	0.85
191	M-10 P-4 01-09	0.00*

*The value 0.00 indicate less than 0.001 ppm.

Result of Analysés for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
192	M-19#3 May 18/82	0.00*
193	M-10 #8 May 18/82	1.24
194	M8-Main 17-05-82	0.00*
195	M20 #1 14-05-82	0.00*
196	M-27 #1 May 18/82	0.39
197	M16 #4.5 17-05-82	0.00*
198	M1-7 14-05-82	0.00*
199	M11-P5 01-09-82	0.76

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
200	M13.P1 07/09	0.00
201	M-17 P-4 31-08	0.00
202	M20.P4 31-08	0.00
204	M14-P8 07/09	0.00
212	M12 ¢ 02.09	0.00
213	M18 P-5 31-08	0.00
214	M13-P4 07/09	0.00
215	M27-Main May 18/82	0.00
218	M14.P1 07/09	0.00
220	M-19#2 May 18/82	0.00
221	M16-P45 31-08-82	0.00
224	M20-6 14-05-82	0.00
226	M1-9 14-05-82	0.00
227	M17-9 17-05-82	0.00
228	M1-Main 14-05-82	0.00
229	M8 P4 31.08.82	0.00
230	M-17 P-g 31-08	0.00
231	M-19 P-3 31-08	0.00
232	M-1 P-3 31-08	0.00
234	M-1 Bundle ¢ 31-08	0.00
233	M-19 P-2 31-08	0.00
235	M-9 P-4 31-08	0.00

*The value 0.00 indicate less than 0.01 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
203	M9-7 18-05-82	0.00
205	M-17-31-08	0.00
207	M8-3 17-05-82	0.36
209	M9-5 18-05-82	0.00
211	M12-#8 May 19/82	0.00
216	M-9#2 May 18/82	0.00
217	M13 ¢ 07/09/82	0.12
219	M8-5 17-05-82	0.00
222	M18-1 17-05-82	0.00
223	M17-Main 17-05-82	0.00
225	M1-8 14-05-82	0.12
233	M-19 P-2 31-08	0.00
247	M-18 P-3 31-08	0.00
253	M11.P2 01.09.82	0.08
254	M1.P8 31.08.82	0.00
255	M14.P3 07/09	0.00
256	M16 P2.5 31.08	0.00
257	M16.P4 31.08.82	0.00
258	M20.P1 31.08	0.00
259	M-17 P-3 31-08	0.02
261	M11.P3 01.09.82	0.00

*The value 0.00 indicate less than 0.01 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
262	M27.P4 01.09.82	0.00
263	M17 P-7 31.08	0.00
264	M1-P4 31-08	0.11
265	M20.P3 31.08.82	0.00
266	M13.P6 07/09	0.00
267	M14.P2 07/09	0.00
268	M16.P1 31.08.82	0.00
269	M16-P5 31.08.82	0.00
271	M12.P1 02.09	0.09
272	M16.P3 31.08	0.00
273	M8P5 31.08.82	0.00
274	M11 #8 19/05/82	0.00
275	M17-2 17-05-82	0.11
276	M20-5 14-05-82	0.06
277	M9-1 17-05-82	0.19
278	M-1 P-6 31.08	0.00
279	M-17 P-5 31-08	0.00
281	M-20 Bundle ℄ 31-08	0.00
282	M-10 P-3 01-09	0.11
283	M-6 ℄ 31.08	0.00
284	M13 07/09	0.00
285	M1-P5 31-08	0.00

*The value 0.00 indicate less than 0.01 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
286	M16-4 17-05-82	0.00
287	M17-3 17-05-82	0.00
288	M13.P5 07/09	0.41
289	M-18 P-2 31.08	0.00
291	M-9 P-1 31-08	0.00
292	M27-P3 01-09-82	0.00
293	M10-P1 01/09/82	0.00
294	M11-[illegible] 01.09.82	0.02
295	M14-P5 07/09	0.00
296	M12.P2 02.09	0.00
297	M11 P8 01.09.82	0.21
298	M27.P2 01.09.82	0.00
299	M10.P2 01/09/82	0.00

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
236	M1-P1 31-08-82	0.00
237	M-17 P-8 31-08	0.00
238	M-14 P7 07/09	0.00
239	M20-P5 31-08	0.00
240	M11-P7 01.09.82	0.00
241	M16.P1.5 31.08	0.00
242	M12.P4 02.09.82	0.00
243	M14 P6 07/09	0.00
244	M8 P3 31.08	0.00
245	M12.P5 02.09	0.00
246	M-1-P-7 31.08	0.00
252	02.09 M 12.P7	0.00
248	M-27 ¢ 01.09.82	0.00
249	M-17 P-2 31-08	0.00
250	M-18 P-4 31-08	0.00
251	M14.P4 07/09	0.00
300	M10.P6 01.09.82	0.00
301	M12.P3 02.09.82	0.00
302	M16.P3.5 31.08	0.00
303	M8-9 17-05-82	0.00
304	M1-P2 31.08	0.00
305	M8P6 31.08	0.00
306	M-9 P-7 31-08	0.00

* The value 0.00 indicate less than 0.01 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
307	M20-P2 31.08.82	0.00
308	M27-P5 01.09.82	0.00
309	M-9 ¢ 31-08	0.00
310	M13.P2 07/09	0.00
311	M11.P1 01.09.82	0.00
312	M10.¢ 01.09.82	0.00
313	M8 centre 31.08.82	0.00
314	M14-¢ 07/09	0.00
315	M11.P6 01.09.82	0.00
316	M27-P6 01.09.82	0.00
317	M16-P2 31.08	0.00
318	M11.P4 01.09.82	0.00
319	M12.P6 02.09	0.00
320	M-17 P-6 02.09	0.00
321	M-10 P-5 01-09	0.00
322	M8.P2 31.08	0.00
323	M17-4 17-05-82	0.00
325	M-1 #4 14/05/82	0.00
326	M18-4 17-05-82	0.00
327	M17-1 17-05-82	0.00
118	M17-8 17-05-82	0.00

* The value 0.00 indicate less than 0.01 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
328	T7-P2 14-05-82	*0.00
329	T3-Main 13-05-82	*0.00
330	T1P5 12-05-82	*0.00
331	T8-P1 14-05-82	*0.00
332	T8-P3 14-05-82	*0.00
333	T1P3 12-05-82	*0.00
334	T1-P1 12 05-82	*0.00
335	T7-P3 14-05-82	*0.00
336	T7-P5 14-05-82	*0.00
337	T3-4 13-05-82	*0.00
338	T3P2 13-05-82	*0.00
339	T1-P7 12-05-82	*0.00
340	T3-5 13-05-82	*0.00
341	T3-3 13-05-82	*0.00
342	T3P3 13-05-82	*0.00
343	T9.P1 26-08	*0.00
344	Bundle T4 P4 25.08	*0.00
345	T-3 Bundle #1 26-08	*0.00
346	T-9 P-3 26-08	*0.00
347	T-4 P-9 24-08-82	0.25
348	T 1 bundle centre 26.08	*0.00
349	T-8 East Bundle E 27/08	0.16

*The values 0.00 indicate less than 0.01 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
350	Bundle T-4 P1 25.08	0.16
351	T8-East Bundle centre 27.08.82	*0.00
352	T-3 Bundle #2 26-08	*0.00
353	T-5 Bundle ¢ 24-08-82	0.40
354	Bundle T-4 P-7 24-08-82	*0.00
355	T2-P4 13-05-82	*0.00
356	T-7 Bundle P-7 27-08	*0.00
357	T-3 Bundle P-3 26-08	*0.00
358	T-7 Bundle P1 26.08	*0.00
359	T-3 Bundle P-5 26-08	*0.00
360	Bundle T-4 P3 25-08	*0.00
361	T-4 Bundle #2 24-08-82	*0.00
362	T10-P1 02.09.82	*0.00
363	T1-P5 26.08	*0.00
364	Bundle T-4 P-6 24-08-82	*0.00
365	T8-P2 02.09.82	*0.00
366	T8.P4 02.09.82	*0.00
367	T-9 P-2 26-08	*0.00
368	T-8 West Bundle P-3 27/08	*0.00
369	T-3 Bundle P-6 26-08	*0.00
370	T-8 P1 02.09.82	*0.00
371	T1 bundle P1 26.08	*0.00

*The values 0.00 indicate less than 0.001 ppm.

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
372	T-4 Bundle ¢ 25-08-82	0.00
373	T-3 Bundle P-4 26-08	0.00
374	Bundle T-4 P-5 24-08-82	0.06
375	T4-P5 25-08-82	0.00
376	T4-P13 24/08/82	0.03
377	T5-P9 24/08/82	0.70
378	T2-P1 13-05-82	0.00
379	T7-P1 27-08-82	0.00
380	T6-P5 25/08/82	0.00
381	T2-P5 13-05-82	0.00
382	T5-P1 24/08/82	0.00
383	T1-main 12-05-82	0.00
384	T3-1 13-05-82	0.00
385	T1P6 12-05-82	0.08
386	T4-P6 24-08-82	0.00
387	T5-P6 24-08-82	0.00
388	T6-P3 25/08/82	2.80
389	T4-P4 24.08.82	0.00
390	T5-P11 24/08/82	0.00
391	T4-P1 24/08/82	0.38
392	T3-P5 26/08/82	0.00

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
393	T1-P3 26/08/82	0.00
394	T2-P4 26-08-82	0.00
395	T4-P3 24/08/82	0.18
396	T6-P7 25/08/82	0.00
397	T4 P11 24-08-82	0.05
398	T1-P1 26-08-82	0.00
399	T2-P2 26-08-82	0.00
400	T4-P10 24/08/82	0.00
401	T6-P4 25/08/82	0.00
402	T5-P-10 24/08/82	0.00
403	T2 P6 13-05-82	0.16
404	T5-P3 24-08-82	3.51
405	T5-P-12 24/08/82	0.60
406	T1P1 12-05-82	0.00
407	T1-P2 26/08/82	0.00
408	T3-P5 13-05-82	0.00
409	T6-P8 25/08/82	0.00
410	T1P4 12-05-82	0.00
411	T6-P6 25/08/82	0.00
412	T2-P2 13-05-82	0.00
413	T4-P2 24/08/82	0.00

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	Lead as Pb (mg/Litre)
414	T3-P4 26/08/82	0.00
415	T2-P1 26/08/82	0.00
416	T4-P7 24/08/82	0.00
417	T5-P7 24/08/82	3.38
418	T1-P4 26/08/82	0.00
419	T5-P4 24/08/82	4.21
420	T3-2 13-05-82	0.00
421	T2-P3 26/08/82	0.00
422	T5-P8 24/08/82	4.80
423	T6-P2 25/08/82	1.93
424	T4-P8 24-08-82	0.72
425	T4-P12 24-08-82	0.00
121	T7-P1 13-05-82	0.00
131	T2-P3 13-05-82	0.00
133	T8-P2 14-05-82	0.00
139	T8-P4 14-05-82	0.00
142	T1-P2 12-05-82	0.00
148	T2P7 13-05-82	0.98
152	T3 P4 12-05-82	0.12

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
524	U.W. 25-P1 16/08/82	0.00*
527	U.W. 8 P6 20-08-82	0.00*
530	U.W-10-P2 20/08/82	0.00*
533	U.W.10 P4 20/08/82	0.00*
536	UW8 - P3 20/08/82	0.00*
539	U.W.8-P1 20/08/82	0.00*
120	U.W.26 P1 17/08/82	0.08

Result of Analyses for Lead in Water Samples

Our Serial #	Your Sample #	*Lead as Pb (mg/Litre)
119	UW-7 P2 23/08/82	0.0C*
426	UW-7 Bundle ¢ 23-08-82	0.00*
428	UW3 P5 18.08.82	1.75
431	UW7-P4 23/08/82	0.00*
432	UW3 P6 18.08.82	0.00*
440	U.W.3P1 18-08-82	0.00*
446	U-W.7.P5 23/08/82	1.10
448	UW3-P2 18/08/82	0.29
454	U.W.7 P3 23/08/82	0.00*
456	U.W10-P5 20/08/82	0.00*
467	UW-7 Bundle #1 23-08-82	0.00*
469	UW-7 Bundle #5 23-08-82	0.00*
475	U.W-3 Bundle #1 18.08.82	0.17
481	U.W.-7 Bundle #2 23-08-82	0.00*
484	U.W8 P7 20-08-82	0.94
487	UW3 P3 18/08/82	0.00*
491	UW8-P2 20/08/82	0.13
493	UW7-P1 23/08/82	0.00*
509	U.W.8.P4 20/08/82	0.00*
517	U.W.7 P6 23-08-82	0.20
518	U.W10.P1 20-08-82	0.00*
521	U.W.10 P3 20-08-82	0.00*

* The values 0.00 indicate less than 0.001 ppm.

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
415	T2-P1 26/08/82	4.95
416	T4-P7 24/08/82	2.90
417	T5-P7 24/08/82	960.
418	T1-P4 26/08/82	0.00
419	T5-P4 24/08/82	1565.
420	T3-2 13-05-82	0.25
421	T2-P3 26/08/82	0.20
422	T5-P8 24/08/82	595.
423	T6-P2 25/08/82	375.
424	T4-P8 24/08/82	27.8
425	T4 P12 24-08-82	0.15

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
393	T1-P3 26/08/82	0.00
394	T2-P4 26-08-82	0.00
395	T4-P3 24/08/82	85.
396	T6-P7 25/08/82	0.0
397	T4 P11 24-08-82	0.15
398	T1-P1 26-08-82	0.10
399	T2-P2 26-08-82	0.00
400	T4-P10 24/08/82	0.35
401	T6-P4 25/08/82	10.05
402	T5-P-10 24/08/82	4.40
403	T2-P6 13-05-82	39.10
404	T5-P3 24-08-82	790.
405	T5-P-12 24/08/82	925.
406	T1P1 12-05-82	0.00
407	T1-P2 26/08/82	0.00
408	T3-P5 13-05-82	0.25
409	T6-P8 25/08/82	0.00
410	T1P4 12-05-82	0.00
411	T6-P6 25/08/82	0.00
412	T2-P2 13-05-82	0.50
413	T4-P2 24/08/82	0.70
414	T3-P4 26/08/82	0.65

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
371	T1 bundle P1 26.08	0.10
372	T-4 Bundle ℄ 25-08-82	0.15
373	T-3 Bundle P-4 26-08	0.00
374	Bundle T-4 P-5 24-08-82	0.00
375	T4-P5 25-08-82	0.10
376	T4-P13 24/08/82	0.00
377	T5-P9 24/08/82	25.2
378	T2-P1 13-05-82	0.20
379	T7-P1 27-08-82	0.30
380	T6-P5 25/08/82	2.20
381	T2-P5 13-05-82	2.60
382	T5-P1 24/08/82	0.60
383	T1-main 12-05-82	2.10
384	T3-1 13-05-82	0.30
385	T1 P6 12-05-82	55.0
386	T4-P6 24-08-82	0.30
387	T5-P2 24-08-82	297.5
388	T6-P3 25/08/82	305.0
389	T4-P4 24.08.82	0.20
390	T5-P11 24/08/82	0.0
391	T4-P1 24/08/82	87.5
392	T3-P5 26/08/82	0.30

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
349	T-8 East bundle E 27/08	4.2
350	Bundle T-4 P1 25.08	0.0
351	T8-East Bundle centre27.08.82	3.0
352	T-3 Bundle #2 26-08	0.0
353	T-5 Bundle ¢ 24-08-82	19.6
354	Bundle T-4 P-7 24-08-82	0.0
355	T2-P4 13-05-82	0.0
356	T-7 Bundle P-7 27-08	0.30
357	T-3 Bundle P-3 26-08	0.00
358	T-7 Bundle P1 26.08	0.00
359	T-3 Bundle P-5 26-08	0.10
360	Bundle T-4 P3 25-08	0.00
361	T-4 Bundle #2 24-08-82	0.00
362	T10-P1 02.09.82	0.10
363	T1 P5 26.08	0.00
364	Bundle T-4 P-6 24-08-82	0.10
365	T8-P2 02.09.82	0.15
366	T8.P4 02.09.82	0.15
367	T-9 P-2 26-08	0.20
368	T-8 West Bundle P-3 27/08	1.20
369	T-3 Bundle P-6 26-08	0.00
370	T-8 P1 02.09.82	0.20

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
328	T7-P2 14-05-82	56.90
329	T3-Main 13-05-82	0.50
330	T1P5 12-05-82	0.25
331	T8-P1 14-05-82	0.30
332	T8-P3 14-05-82	0.50
333	T1P3 12-05-82	0.15
334	T1-P1 12-05-82	0.30
335	T7-P3 14-05-82	41.0
336	T7-P5 14-05-82	0.40
337	T3-4 13-05-82	0.20
338	T3P2 13-05-82	27.30
339	T1-P7 12-05-82	264.
340	T3-5 13-05-82	0.40
341	T3-3 13-05-82	0.60
342	T3P3 13-05-82	0.70
343	T9.P1 26-08	0.70
344	Bundle T4 P4 25.08	0.30
345	T-3 Bundle #1 26-08	0.00
346	T-9 P-3 26-08	0.20
347	T-4 P-9 24-08-82	35.20
348	T-1 bundle centre 26-08	0.1

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
307	M20-P2 31.08.82	0.25
308	M27-P5 01.09.82	0.00
309	M-9 ¢ 31-08	0.20
310	M13.P2 07/09	0.30
311	M11.P1 01.09.82	0.15
312	M10.¢ 01.09.82	0.10
313	M8 center 31.08.82	0.30
314	M14-¢ 07/09	0.25
315	M11.P6 01.09.82	0.25
316	M27-P6 01.09.82	0.50
317	M 16-P2 31.08	50.8
318	M11.P4 01.09.82	0.10
319	M12.P6 02.09	0.50
320	M-17 P-6 31-08	2.65
321	M-10 P-5 01-09	0.60
322	M8.P2 31.08	0.60
323	M17-4 17.05.82	0.70
325	M-1 #4 14/05/82	210.
326	M18-4 17-05-82	0.60
327	M17-1 17-05-82	47.50

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
237	M-17 P-8 31-08	48.60
238	M-14 P-7 07/09	0.15
239	M20-P5 31-08	115.
240	M11-P7 01.09.82	0.10
241	M16.P1.5 31.08	63.0
242	M12.P4 02.09.82	0.0
243	M14 P6 07/09	0.30
244	M8 P3 31.08	0.00
245	M12.P5 02.09	0.30
246	M-1-P-7 31.08	141.
248	M-27 ¢ 01.09.82	0.10
249	M-17 P-2 31-08	0.30
250	M-18 P-4 31-08	0.25
251	M14.P4 07/09	0.00
252	02.09 M12.P7	0.20
300	M10.P6 01.09.82	0.30
301	M12.P3 02.09.82	0.10
302	M16.P3.5 31.08	0.40
303	M8-9 17-05-82	68.0
304	M1-P2 31.08	0.30
305	M8P6 31.08	84.
306	M-9 P-7 31.08	1.20

Result of Analyses for Aluminum in Water Samples

Our Serial #	Your Sample #	Aluminum as Al (mg/Litre)
200	M 13.P1 07/09	0.20
201	M-17 P-4 31-08	0.30
202	M20.P4 31-08	100.50
204	M14-P8 07/09	0.30
212	M12 ¢ 02.09	0.10
213	M18 P-5 31-08	0.25
214	M13-P4 07/09	0.20
215	M27-Main May 18/82	0.15
218	M14.P1 07/09	0.30
220	M-19#2 May 18/82	10.30
221	M16-P45 31-08-82	0.25
224	M20-6 14-05-82	36.10
226	M1-9 14-05-82	12.90
227	M17-9 17-05-82	48.30
228	M1-main 14-05-82	0.00
229	M8 P4 31.08.82	0.50
230	M-17 P-g 31-08	60.0
231	M-19 P-3 31-08	1.50
232	M-1 P-3 31-08	109.
234	M-1 Bundle ¢ 31.08	0.80
235	M-9 P-4 31-08	0.60
236	M-1- P1 31-08-82	0.25

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
57	30% 19-26/01/82	52.8
61	10% 19/01/82 to 26/01/82	39.6
63	0% 23-29/12/81	26.4
68	20% 15-22/12/81	66.0
37	10% 05-12/08/82	26.4
35	30% 13-04-82	33.0
55	0% 18-21/12/81	26.4
58	20% 12-19/01/82	39.6
52	30% 08-15/12/81	237.6
53	0% 20-04-82 to 27-04-82	26.4
72	0% 13-20/04/82	26.4
64	30% 05-12/01/82	46.2
59	20% 08-15/12/81	158.4
56	20% 02-08/12/81	554.4
44	10% 08-15/12/81	105.6
48	10% 29-12-81 to 05-01-82	26.4
47	20% 29-12-81 to 05-01-82	39.6
42	20% 02-09/03/82	26.4
62	0% 17-18/12/81	33.0
29	20% 23/02/82 to 02-03-82	26.4
36	0% 15-16/12/81	33.0
38	20% 13-04-82	92.4
46	10% 08-15/12/81	99.0

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
114	50% 05-12/01/82	66.00
115	50% 26-01-82 to 02-02-82	105.60
116	50% 09-03 -82 to 06-04-82	75.24
117	50% 02-09/03/82	84.48
40	0% 09-16/08/82	19.8
54	30% 16-23/02/82	26.4
69	10% 09-02-82 to 16-02-82	19.8
34	30% 02/12/81 to 08/12/81	514.8
32	0% 06-04-82 to 13-04-82	26.4
39	0% 21-22/12/81	26.4
67	30% 09-03-82 to 06-04-82	19.8
50	20% 08-15/12/81	132.0
51	0% 02-09/02/82	19.8
41	30% 23-29/12/81	79.2
43	20% 09-03-82 to 06-04-82	26.4
70	20% 19-26/01/82	26.4
33	30% 29/12/81 to 05-01/82	66.0
30	10% 15-22/12/81	52.8
31	10% 23-29/12/82	46.2
49	20% 02-09/02/82	26.4
60	30% 12-19/01/82	39.6
65	10% 09-03-82	23.75
66	20% 26/01/82 to 02/02/82	26.4
71	20% 16-23/02/82	26.4

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
73	10% 02/12/81 to 8/12/81	382.8
74	30% 15-22/12/81	108.2
75	0% 23-02-82 to 01-03-82	5.28
76	10% 02-02-82 to 09-02-82	3.96
77	30% 02-09/03/82	11.22
78	0% 16-23/02/82	2.64
79	20% 23-29/12/81	35.64
80	30% 09-16/02/82	17.16
81	10% 16-23/02/82	5.94
82	20% 05-12/01/82	22.44
83	0% 19-01-82 to 26-01-82	3.30
103	50% 02-09/02/82	5.68
104	50% 23-29/12/81	92.40
105	50% 12-19/01/82	126.16
106	50% 19-26/01/82	116.16
107	50% 02-08/12/81	96.36
108	50% 08-15/12/81	113.52
109	50% 13-04-82	55.44
110	50% 16-23/02/82	93.72
111	50% 29-12-81 to 05-01-82	66.00
112	50% 15-22/12/81	105.60
113	50% 09-16/02/82	97.68

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
84	D-15	29.70
85	D-19	11.22
86	D-17	51.48
87	D-1	3.96
88	D-6	2.64
89	D-10	2.64
90	D-3	1.32
91	D-18	44.88
92	D-16	14.52
93	D-7	3.96
94	D-14	2.64
95	D-9	1.32
96	D-8	3.94
97	D-5	5.28
98	D-2	2.64
99	D-4	3.30
100	D-12	3.94
101	D-13	3.94
102	D-11	2.64

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
118	M17-8 17-05-82	140.45
122	M20-4 14-05-82	448.80
123	M-10 #7 May 18/82	369.60
124	M-10 #6 May 18/82	435.60
125	M-10#2 May 18/82	356.40
126	M16-Main 17-05-82	382.80
127	M16-5 17-05-82	475.20
128	M11 #5 19/05/82	514.80
129	M16-3.5 17/05/82	475.20
130	M-10 #1 May 18.82	435.60
132	M12-Main 20-05-82	237.60
134	M20-Main 14-05-82	468.60
135	M12-#6 May 19,82	495.00
136	M11-#2 May 19,82	242.88
137	M-27#4 May 18,82	481.80
138	M1#6 14-05-82	501.60
140	M12-#3 May, 19,82	211.20
141	N-27 #7 May 18,81	217.80
143	M1-2 14-05-82	402.6
144	M20-2 14-05-82	330.00
145	M9-Main 18-05-82	250.8
146	M-9 #3 May 18,82	330.0
147	M16-2 17-05-82	316.8

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
149	M11#6 19-05-82	396.0
150	M11 #7 19-05-82	382.8
151	M11#7 19-05-82	369.6
153	M18-5 17-05-82	330.0
154	M8-1 17-05-82	343.2
155	M11-#3 May 19,82	290.4
156	M11 Main 19,05,82	356.4
157	M-27#2 May 18,82	237.6
158	M-10 #4 May 18,82	382.8
159	M12-#4 May 19/82	409.2
160	M8-8 17-05-82	369.6
161	M16-2-5 17-05-82	396.0
162	M13.P8 07/09	316.8
163	M12-#2 May 19/82	250.8
164	M18-2 17-05-82	343.2
165	M18-3 17-05-82	330.0
166	M-9 P-5 31-08	330.0
167	M17-5 17-05-82	356.4
168	M9-8 18-05-82	343.2
169	M-27 May 18/82	382.8
170	M-9-6 18-05-82	356.4

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
171	M-10 Main May 18/82	303.6
172	M8-2 17-05-82	343.2
173	M9-4 18-05-82	330.0
174	M16-3 17-05-82	382.8
176	M12-#5 May 19/82	264.0
177	M16-1-5 17-05-82	303.6
178	M-16-1 17-05-82	330.0
179	M11-#1 May 19/82	237.6
180	M8-4 17-05-82	396.0
181	M-27 #6 May 18/82	356.4
182	M-11 #9 19/05/82	158.4
183	M20-3 14-05-82	382.8
184	M17-6 17-05-82	316.8
185	M-27 #8 May 18/82	118.8
186	M17-7 17-05-82	343.2
187	M12-#7 19.82	448.8
188	M8-7 17-05-82	356.4
189	M27-P1 01-09-82	330.0
190	M11 #4 19/05/82	409.2
191	M-10 P-4 01-09	356.4
192	M-19 #3 May 18/82	316.8
193	M-10 #8 May 18/82	39.6
194	M8-Main 17-05-82	356.4

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
195	M20 #1 14-05-82	382.8
196	M-27#1 May 18/82	290.4
197	M16#4.5 17-05-82	343.2
198	M1-7 14-05-82	237.6
199	M11-P5 01-09-82	409.2
203	M9-7 18-05-82	369.6
205	M-17-31-08	316.8
206	M1-3-14-05-82	396.0
207	M8-3 17-05-82	422.4
208	M-10 #5 May 18/82	369.6
209	M9-5 18-05-82	356.4
210	M20.P6 31.08	132.0
211	M12-#8 May 19/82	422.4
216	M-9#2 May 18/82	356.4
217	M13Ø 07/09/82	92.4
219	M8-5 17-05-82	369.6
222	M18-1 17-05-82	52.8
223	M17-Main 17-05-82	330.0
225	M1-8 14-05-82	85.8
233	M-19 P-2 31-08	211.2
247	M-18 P-3 31-08	330.0

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
324	M-1 #5 14-05-82	435.6
253	M11.P2 01.09.82	316.8
254	M1.P8 31.08.82	132.0
255	M14.P3 07/09	66.0
256	M16 P2.5 31.08	382.8
257	M16.P4 31.08.82	356.4
258	M20.P1 31.08	422.4
259	M-17 P-3 31-08	343.2
260	M13-P3 07/09	145.2
261	M11.P3 01.09.82	422.4
262	M27.P4 01.09.82	396.0
263	M17 P-7 31.08	330.0
264	M1-P4 31.08	402.6
265	M20.P3 31.08.82	462.0
266	M13.P6 07/09	198.0
267	M14.P2 07/09	92.4
268	M16.P1 31.08.82	290.4
269	M16-P5 31.08.82	382.8
270	M-9 P-2 31-08	422.4
271	M12.P1 02.09	396.0
272	M16.P3 31.08	343.2
273	M8P5 31.08.82	356.4

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
274	M11#8 19/05/82	382.8
275	M17-2 17-05-82	356.4
276	M20-5 14-05-82	396.0
277	M9-1 17-05-82	356.4
278	M-1 P-6 31-08	382.8
279	M-17 P-5 31-08	382.8
280	M-9 P-6 31-08	316.8
281	M-20 Bundle ¢ 31-08	435.6
282	M-10 P-3 01-09	264.0
283	M-6 ¢ 31.08	369.6
284	M13 07/09	290.4
285	M1-P5 31-08	422.4
286	M16-4 17-05-82	435.6
287	M17-3 17-05-82	409.2
288	M13.P5 07/09	52.8
289	M-18 P-2 31-08	343.2
290	M8P1 31.08	422.4
291	M-9 P-1 31-08	448.8
292	M27-P3 01-09-82	409.2
293	M10-P1 01/09/82	402.6
294	M11-¢ 01.09.82	396.0
295	M14-P5 07/09	72.6

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
490	UW1-P4 18/08/82	580.8
491	UW8-P2 20/08/82	303.6
492	UW11-P1 17-08-82	409.2
494	UW.15P1 16-08-82	435.6
495	UW.15-P2 16/08/82	382.8
496	U-W.15P3 16-08-82	528.0
497	U-W-16P2 18-08-82	303.6
498	UW-1 P1 18-08-82	528.0
499	U.W.18 P2 18/08/82	52.8
500	U.W.11 P2 17/08/82	541.2
508	U.W.20-P2 17/08/82	488.4

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
121	T7-P1 13-05-82	495.00
131	T2-P3 13-05-82	168.96
133	T8-P2 14-05-82	633.60
139	T8-P4 14-05-82	140.45
142	T1-P2 12-05-82	633.60
148	T2P7 13-05-82	52.8
152	T3 P4 12-05-82	158.4

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
119	UW-7 P2 23/08/82	514.80
120	U.W.26 P1 17/08/82	184.80

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
296	M12.P2 02.09	343.2
297	M11 P8 01.09.82	422.4
298	M27.P2 01.09.82	264.0
299	M10.P2 01/09/82	396.0

Results of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
175	M10 #3 May18/82	224.4
526	I/W/ 18 P1 17-08-82	39.6
525	U.W.8 P5 20/08/82	660.0
529	U.W 12-P1 18/08/82	250.8
520	U.W.11.P5 17-08-82	52.8
528	U.W-1-P3 18/08/82	554.4
532	U.W.6P3 16-08-82	27.72
531	U.W. 52 18-08-82	488.4
541	M12-9 20/05/82	79.2
534	U.W. 2 P3 18/08/82	488.4
540	U.W5- P5 17/08/82	303.6
537	U.W. 16 P1 18/08/82	481.8
519	U.W2.P6 18.08.82	514.8
535	UW 5-P2 17/08/82	475.2
538	U.W 13-P2 20/08/82	52.8
542	T-8 East D 27/08	224.4
503	U.W. 19 P1 17-08-82	105.6
500	U.W. 11 P2 17/08/82	554.4
501	UW 5 -P4 17/08/82	330.0
504	U.W6-P7 16/08/82	264.0
505	UW 5- P7 17/08/82	26.4
510	U.W.-5 P3 17-08-82	435.6
515	U.W.2 P2 16/08/82	554.4

Results of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
513	U.W.19 P4 17/08/82	171.6
506	U.W12-P2 18/08/82	39.6
516	U.W. 12 P4 18/08/82	118.8
512	U.W 23 P1 19/08/82	290.4
507	U.W6-P5 16/08/82	303.6
511	U.W.6 P4 16-08-82	475.2
514	U.W5-P6 17/08/82	468.6
496	U-W.15 P3 16-08-82	514.8
497	U-W-16 P2 18-08-82	277.2
498	UW-1 P1 18-08-82	528.0
499	U.W.18 P2 18/08/82	33.0
508	U.W.20-P2 17/08/82	534.6
509	U.W.8 P4 20/08/82	554.4
522	U.W.13 P4 20-08-82	79.2
523	U.W.6 P1 16-08-82	264.0

Result of Analyses for Magnesium in Solid Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
565 & 573	K-14	2.376
562 & 567	K-35	0.825
564 & 566	K-21	0.99
568 & 577	K-31	2.772
558 & 559	K-10	3.036
574 & 576	K-19	1.221
551 & 602	K-25	0.132
557 & 601	K-37	0.495
569 & 570	K-33	1.518
552 & 589	K-17	1.023
554 & 555	K-16	1.551
560 & 563	K-15	0.627
595	K-5	0.009
581	K-9	0.013
578 & 585	K-29	0.034
550	K-26	0.047
584	K-7	0.047
586	K-39	0.043
600	K-1	0.004
592	K-6	0.008
598	K-4	0.003

Result of Analyses for Magnesium in Solid Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
579 & 583	K-18	0.019
591	K-8	0.076
597	K-3	0.009
588	K-27	0.030
587	K-38	0.019
582 & 590	K-12	0.111
593	K-2	0.008
549	K-28	0.014
548	K-32	0.024
547	K-36	0.098
546	K-24	0.016
545	K-30	0.013
544	K-34	0.244
543	K-22	0.422

Results of Analyses for Maganesium in Solid samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
603	T1K	0.277
604	T1E	0.185
605	T1.M	0.244
606	T.1.V.	0.40
607	T1B	0.073
608	T1Q	0.271
609	T2 25' 6"- 26'	0.396
610	T 2. J	0.099
611	T2. 32'2" - 32' 3" (-48)	1.056
612	T2. 31' 7" - 31' 8"	2.059
613	T2. 31' 11" - 32'	1.98
614	T2. - P. (S).	0.092
615	T2. L.	0.066
616	T2 - C	0.092
617	T2-A	0.086
618	T2. H	0.106
619	T2. 27' 6" - 28'	0.528
620	T2. 22'6" - 23' (-48)	0.231
621	T2. 24' - 24' 6"	0.244
622	T3-R	0.079
623	T3-A	0.218
624	T3 26' 2" - 26' 3"	1.367

Results of Analyses for Magnesium in Solid samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
625	T3 26' 6" - 26' 7"	2.112
626	T3 - 25' - 25' 6"	2.138
627	T5 42'6" - 43' (-48)	1.795
628	UW 8B	0.053
629	T7 25' 10" 25' 11"	0.251
630	T5 18' - 18' 6"	0.079
631	T2. 19' 6" 20' (-48)	0.264
632	T5. A	0.053
633	T1.P.	0.396
634	T5-C	0.026
635	T5 14' 6" - 15' (Dry Sandy)	0.118
636	T5. 27' - 27' 6"	0.132
637	T8-C	0.026
638	T2 21' 6" - 22'	0.158
639	T7F (-48)	0.125
640	T8 37' 8" - 37' 9" (-48)	0.792
641	T5 23' - 23' 6"	0.099
642	T8 Q	0.125
643	T8 37' 6" - 37' 7" (-48)	1.146
644	T8 W	0.099
645	T3P	0.191

Results of Analyses for Magnesium in Solid samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
646	T7.M.	0.092
647	T8 35' - 35'6"	0.594
648	T7P	0.112
649	T7H	0.139
650	T7A	0.046
651	T8N	0.066
652	T5 16' - 16; 6"	0.073
653	UW - 16 6' 6" - 7'	0.053
654	T8 - Y	0.112
655	T8 - U	0.066
656	T8 33' - 33'6"	0.488
657	T7C	0.073
658	T8 - L	0.092
659	T8 - AA	0.139
660	T8 - S	0.086
661	T8 34' - 34' 6"	0.792
662	T8 36' - 36' 6"	1.610
663	T7Y	0.172
664	T8 - A	0.224
665	T8 J	0.073
666	T8 31' - 31'-6"	0.152

Results of Analysis for Magnesium in Solid samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
667	T8-G	0.548
668	T5-E	0.039
669	T8. 37' - 37' 6"	0.369
670	T8 38' 4" - 38' 8"	0.607
671	UW -3 18' - 18' 6"	0.475
672	T7A. 25' - 25' 6"	0.369
673	UW-8 SLOUGH 29' 6" -31'-6"	0.792
674	T8 - E	0.039
675	T7 - D1	0.125
676	T-3-H-48	0.132
677	T-3-N	0.165
678	T8 28' - 28' 6"	0.172
679	T2F	0.105
680	T3 26' 3" - 26' 4" (48)	2.376
681	T7 25' 8" - 25' 9"	0.277
682	T5 20' 6" - 21'	0.257
683	T3 24' - 24' 6"	3.280
684	T3 23' - 23'-6"	1.460
685	T3-B	0.125
686	UW-16 A	0.092
687	T3 21' - 21' 6"	0.416
688	UW3-A	1.716
689	T7 25' 6" - 25' 7"	0.907

Result of Analyses for Magnesium in Solid samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
690	UW 14-A	0.628
691	T7-K	0.145
692	UW-8 13' - 13' 6"	0.323
693	T7T	0.191
694	T5 17' - 17' 6"	0.119
695	U.W.3 14' - 14'6"	1.478
696	UW-14E	0.053
697	UW.8. 17' - 17' 6"	4.356
698	T3 - 20'6" - 21'	0.758
699	T8 27' 6" - 28'	0.369
700	T5 19' - 19' 6"	0.125
701	T7-R	0.165
702	T8- 38' - 38' 1"	0.665
703	T5 26' 6" - 27'	0.132
704	T8 37' 10" - 37' 11"	0.905
705	UW3 - 5' 6" - 6'	0.066
706	T8 32' - 32' 6"	0.521
707	UW.3 29' - 29' 3"	0.739
708	UW - 16 17' - 17' - 6"	3.828
709	UW - 14 9' - 6" - 10'	0.059
710	UW-8-A	0.066

Result of Analysis for Magnesium in Solid samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/g)
711	UW-14 7' 6" - 8'	0.053
712	UW-16 15'-15'6"	0.055
713	UW-16. 11' - 11' 6"	0.554
714	UW - 14 19' 6" - 20' A	0.118
715	UW - 14 12' - 12' 6"	0.039
716	UW - 14 11' - 11' 6"	0.046
717	UW - 16 22' 1' - 22' 2"(-48)	8.778
718	UW - 14 13' - 13'6"	0.059
719	UW - 14 17' 6" - 18'	0.066
720	UW-16 8' - 8'6"	0.118
721	UW.3 14' 6" - 15'	0.554
722	UW-3 15' 6" - 16'	1.386
723	UW-16 5' - 5' 6"	0.152
724	UW - 16 9' 6" - 10'	0.244
725	UW - 16 21' - 21' 6"	3.96
726	UW-14-C	0.092
727	U-W-14 15' - 15' 6"	0.066
728	UW-16 13' - 13' 6"	1.164
729	UW-16 13' 1" -35' 3"	4.818
730	Solid Diffusion (31-05-82)	0.702
731	Westnor Lake Line 5 Center Surface 29.10.82	1.145
732	Westnor Lake Line 16 Center Surface 29.10.82	1.108

Liquid Samples (mg/Litre)

Result of Analyses for Magnesium in Liquid samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
733	Flow End of Tank 22.10.82	0.092
734	Flow Middle of Tank22.10.82	0.092
735	Low Head Diffusion Test. Middle of Tank 14.10.82	0.106
736	Low Head Diffusion End of Tank 14.10.82	0.086
737	Diffusion Test. Middle of Tank. 19.10.82	0.211

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
471	U.W5 bundle centre 17/08/82	80.0
472	bundle UW6 P1 16/08/82	260.0
473	Bundle UW6 P5 16/08/82	185.0
474	Bundle UW23 P4 19.08.82	350.0
475	U.W.-3 Bundle #1 18.08.82	60.0
476	U.W12 P3 (P-3) 18.08.82	70.0
477	U.W-9 P-3 23-08-82	25.0
478	U.W.17 P1 19.08.82	975.0
479	Bundle UW6-P3 16/08/82	335.0
480	UW23 Bundle P2 19.08	75.0
481	U.W-7 Bundle #2 23-08-82	140.0
482	Bundle UW6 P4 16/08/82	220.0
483	Bundle U.W 23 centre 19.08.82	535.0
484	U.W8 P7 20-08-82	345.0
485	U.W.1 P6 18-08-82	320.0
486	U.W.17 P3 19/08/82	55.0
487	UW3 P3 18/08/82	165.0
488	U.W.1 P2 18-08-82	1820.0
489	UW19.P2 17.08.82	75.0
491	UW8-P2 20/08/82	265.0
493	UW7-P1 23/08/82	110.0
509	U.W.8.P4 20/08/82	640.0

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
449	UW21-P4 23-08-82	1645.0
450	U.W15-P4 16/08/82	125.0
451	U.W.26 P2 17/08/82	115.0
452	U.W.14 P5 19/08/82	55.0
453	U.W15-P6 16/08/82	140.0
454	U.W.7 P3 23/08/82	710.0
455	U.W-9 P2 23-08-82	150.0
456	U.W10-P5 20/08/82	160.0
457	UW14.P4 19.08.82	115.0
458	U.W.14 P1 19.08.82	70.0
459	U.W.51 18-08-82	140.0
460	U.W.24 P2 20-08-82	3145.0
461	UW9-P1 23/08/82	505.0
462	UW21-P5 23/08/82	145.0
463	UW11-P4 17/08/82	990.0
464	Bundle UW P6 16/08/82	145.0
465	UW-23 bundle P3 19.08	435.0
466	UW13 P1 20/08/82	70.0
467	UW-7 Bundle #1 23 08-82	165.0
468	UW23 P1 19.08.82	100.0
469	UW-7 Bundle #5 23-08-82	155.0
470	Bundle UW6 P2 16/08/82	110.0

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
426	UW-7 Bundle ¢ 23-08-82	135.0
427	UW-S3 23/08/82	230.0
428	UW3 P5 18.08.82	75.0
429	UW24 P3 20.08.82	805.0
430	UW21-P3 23/08/82	540.00
431	UW7-P4 23/08/82	835.0
432	UW3 P6 18.08.82	315.0
433	UW4	330.0
434	UW22 P1 24/08/82	360.0
435	UW24-P1 20/08/82	140.0
436	UW15.P4 16/08/82	130.00
437	U.W.16 P5 18-08-82	1475.0
438	U.W.16 P5 18-08-82	1660.0
439	U.W.6 P2 16.08.82	165.0
440	U.W.3P1 18-08-82	600.0
441	U.W.2P1 18-08-82	2985.0
442	U.W.22-P2 24/08/82	270.0
443	U.W.21-P2	2810.0
444	U.W.13 P3 20-08 82	90.0
445	UW21-P1 23/08/82	100.0
446	U-W.7.P5 23/08/82	435.0
447	UW20.P1 17/08/82	345.0
448	UW3-P2 18/08/82	345.0

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
414	T3-P4 26/08/82	90.
415	T2-P1 26/08/82	260.
416	T4-P7 24/08/82	75.
417	T5-P7 24/08/82	140.
418	T1-P4 26/08/82	182.5
419	T5 P4 24/08/82	157.5
420	T3-2 13-05-82	370.
421	T2-P3 26/08/82	167.5
422	T5-P8 24/08/82	67.5
423	T6-P2 25/08/82	70.
424	T4-P8 24-08-82	36.8
425	T4-P12 24-08-82	350.

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
393	T1-P3 26/08/82	895.0
394	T2-P4 26-08-82	75.
395	T4-P3 24/08/82	530.
396	T6-P7 25/08/82	755.
397	T4 P11 24-08-82	175.
398	T1-P1 26-08-82	225.
399	T2.P2 26-08-82	1180.
400	T4-P10 24/08/82	135.
401	T6-P4 25/08/82	283.0
402	T5-P-10 24/08/82	820.
403	T2 P6 13-05-82	25.0
404	T5-P3 24-08-82	112.5
405	T5-P-12 24/08/82	540.
406	T1P1 12-05-82	215.
407	T1-P2 26/08/82	560.
408	T3-P5 13-05-82	590.
409	T6-P8 25/08/82	860.
410	T1 P4 12-05-82	250.
411	T6-P6 25/08/82	290.
412	T2-P2 13-05-82	1160.
413	T4-P2 24/08/82	450.

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
349	T-8 East Bundle E 27/08	218.
350	Bundle T-4 P1 25.08	200.
351	T8-East Bundle centre 27.08.82	65.
352	T-3 Bundle #2 26-08	383.5
353	T-5 Bundle ¢ 24-08-82	307.5
354	Bundle T-4 P-7 24-08-82	350.
355	T2-P4 13-05-82	57.5
356	T-7 Bundle P-7 27.08	127.5
357	T-3 Bundle P-3 26.08	385.
358	T-7 Bundle P1 26.08	378.
359	T-3 Bundle P-5 26-08	480.
360	Bundle T-4 P3 25-08	438.
361	T-4 Bundle #2 24-08-82	292.5
362	T10-P1 02.09.82	365.
363	T1-P5 26.08	75.
364	Bundle T-4 P-6 24-08-82	187.5
365	T8-P2 02.09.82	790.
366	T8.P4 02.09.82	162.5
367	T-9 P-2 26-08	715.
368	T-8 West Bundle P-3 27/08	760.
369	T-3 Bundle P-6 26-08	515.
370	T-8 P1 02.09.82	387.5
371	T1 Bundle P1 26.08	492.5

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
372	T-4bundle ¢ 25.08.82	387.5
373	T-3 Bundle P-4 26-08	365.
374	Bundle T-4 P-5 24-08-82	375.
375	T4 -P5 25-08-82	395.
376	T4-P13 24/08/82	850.
377	T5-P9 24/08/82	477.5
378	T2-P1 13-05-82	290.
379	T7-P1 27.08.82	210.
380	T6-P5 25/08/82	650.
381	T2-P5 13-05-82	36.4
382	T5-P1 24/08/82	405.
383	T1-Main 12-05-82	492.5
384	T3-1 13-05-82	350.
385	T1 P6 12-05-82	100.
386	T4-P6 24-08-82	250.
387	T5-P2 24-08-82	302.5
388	T6-P3 25/08/82	38.4
389	T4-P4 24.08.82	430.
390	T5-P11 24/08/82	490.
391	T4-P1 24/08/82	87.5
392	T3-P5 26/08/82	565.

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
328	T7-P2 14-05-82	72.5
329	T3-Main 13-05-82	352.5
330	T1P5 12-05-82	65.0
331	T8-P1 14-05-82	440.
332	T8-P3 14-05-82	200.
333	T1P3 12-05-82	815.
334	T1-P1 12-05-82	450.
335	T7-P3 14-05-82	150.
336	T7-P5 14-05-82	265.
337	T3-4 13-05 82	260.
338	T3 P2 13-05-82	260.
339	T1-P7 12-05-82	87.5
340	T3-5 13-05-82	470.
341	T3-3 13-05-82	300.
342	T3 P3 13-05-82	175.
343	T9.P1 26-08	337.5
344	Bundle T4 P4 25.08	365.
345	T-3 Bundle #1 26-08	365.
346	T-9 P-3 26-08	650.
347	T-4 P-9 24-08-82	188.
348	T-1 Bundle centre 26.08	503.

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
327	M17-1 17-05-82	75.0

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
305	M8P6 31.08	390.
306	M-9 P-7 31-08	365.
307	M20-P2 31.08.82	450.
308	M27-P5 01.09.82	425.
309	M-9 ¢ 31-08	435.
310	M13.P2 07/09	100.
311	M11.P1 01.09.82	275.
312	M10.¢ 01.09.82	340.
313	M8 centre 31.08.82	400.
314	M14-¢ 07/09	75.
315	M11-P6 01.09.82	335.
316	M27-P6 01.09.82	315.
317	M16-P2 31.08	277.5
318	M11.P4 01.09.82	405.
319	M12.P6 02.09	390.
320	M-17 P-6 31-08	275.
321	M-10 P-5 01-09	365.
322	M 8.P2 31.08	340.
323	M17-4 17-05-82	375.
325	M-1 #4 14/05/82	402.5
326	M18-4 17-05-82	335.

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
235	M-9 P-4 31-08	327.5
236	M1-P1 31-08-82	412.5
237	M-17 P-8 31-08	190.
238	M-14 P7 07/09	117.5
239	M20-P5 31-08	370.0
240	M11-P7 01.09.82	390.
241	M16.P1.5 31.08	327.5
242	M12.P4 02.09.82	382.5
243	M14 P6 07/09	165.
244	M8 P3 31.08	370.
245	M12.P5 02.09	410.
246	M-1-P-7 31.08	340
247	M-18 P-3 31-08	
248	M-27 ¢ 01.09.82	400.
249	M-17 P-2 31-08	350.
250	M-18 P-4 31-08	300.
251	M14.P4 07/09	25.2
252	02.09 M12.P7	470.
300	M10.P6 01.09.82	385
301	M12.P3 02.09.82	410.
302	M16.P3.5 31.08	340
303	M8-9 17-05-82	390.
304	M1-P2 31.08	465.

Result of Analyses for Magnesium in Water Samples

Our Serial #	Your Sample #	Magnesium as Mg (mg/Litre)
200	M13.P1 07/09	68.75
201	M-17 P-4 31-08	362.5
202	M20.P4 31-08	360.0
203	M9-7 18-05-82	369.6
204	M14-P8 07/09	87.50
212	M12 ¢ 02.09	243.75
213	M18 P-5 31-08	320.
214	M13-P4 07/09	15.2
215	M27-Main May 18/82	232.5
218	M14.P1 07/09	66.25
220	M - 19#2 May 18/82	216.25
221	M16-P45 31-08-82	357.5
224	M20 -6 14-05-82	145.
226	M1-9 14-05-82	21.2
227	M17-9 17-05-82	145.
228	M1-Main 14-05-82	395.0
229	M8 P4 31.08.82	205.
230	M-17 P-g 31-08	195.
231	M-19 P-3 31-08	327.5
232	M-1 P-3 31-08	370.
234	M-1 Bundle ¢ 31-08	385.0

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
1	0% 02-09/03/82	0.1	< 0.1
2	0% 07-08/12/81	0.4	0.3
3	0% 24-3 31/03/82	0.1	< 0.1
4	0% 03-12-81	0.9	0.7
5	0% 11-14/12/81	0.3	0.1
6	0% 06-12/01/82	0.1	< 0.1
7	0% 31-03-82 to 06-04-82	0.1	0.1
8	0% 12-04-82	0.6	0.2
9	0% 16-23/03/82	0.1	0.1
10	0% 27-04-82 to 04-05-82	0.1	< 0.1
11	0% 04-07/12/81	0.5	0.1
12	0% 29-12-81 to 05-01-82	0.1	0.1
13	0% 09-10/12/81	0.4	0.1
14	0% 16-17/12/81	0.3	0.1
15	0% 14-15/12/81	0.3	< 0.1
16	0% 10-11/12/81	0.3	0.1
17	0% 08-09/12/81	0.4	0.1
18	0% 26-01-82	0.1	0.1
19	10% 26-01-82 to 02-02-82	0.1	< 0.1
20	10% 02-09/02/82	0.1	0.1
21	10% 12-19/01/82	0.1	0.1
22	0% 09-16/02/82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
23	30% 02-09/02/82	0.1	0.1
24	10% 23-02-82 to 02-03-82	0.1	0.1
25	30% 26-01-82 to 02-02-82	0.1	0.1
26	30% 23/02/82 to 02-03-82	0.1	0.1
27	20% 09-16/02/82	0.1	0.1
28	0% 12-19/01/82	0.1	0.1
29	20% 23/02/82 to 02-03-82	0.1	0.1
30	10% 15-22/12/81	0.1	0.1
31	10% 23-29/12/82	0.1	0.1
32	0% 06-04-82 to 13-04-82	0.1	0.1
33	30% 29/12/81 to 05-01-82	0.1	0.1
34	30% 02/12/81 to 08/12/81	0.1	0.1
35	30% 13-04-82	0.1	0.1
36	0% 15-16/12/81	0.2	0.1
37	10% 05-12/08/82	0.1	0.1
38	20% 13-04-82	0.1	0.1
39	0% 21-22/12/81	0.2	0.1
40	0% 09-16/08/82	0.1	0.1
41	30% 23-29/12/81	0.1	0.1
42	20% 02-09/03/82	0.1	0.1
43	20% 09-03-82 to 06-04-82	0.1	0.1
44	10% 08-15/12/81	0.1	0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
45	10% 13-04-82	0.1	< 0.1
46	10% 08-15/12/81	0.1	0.1
47	20% 29-12-81 to 05-01-82	0.1	0.1
48	10% 29-12-81 to 05-01-82	0.1	0.1
49	20% 02-09-82	0.1	0.1
50	20% 08-15/12/81	0.1	< 0.1
51	0% 02-09/02/82	0.1	0.1
53	0% 20-04-82 to 27-04-82	0.1	0.1
52	30% 08-15/12/81	0.1	0.1
54	30% 16-23/02/82	0.1	0.1
55	0% 18-21/12/81	0.2	0.1
56	20% 02-08/12/81	0.1	< 0.1
57	30% 19-26/01/82	0.1	0.1
58	20% 12-19/01/82	0.1	0.1
59	20% 08-15/12/81	0.1	0.1
60	30% 12-19/01/82	0.1	0.1
61	10% 19/01/82 to 26/01/82	0.1	0.1
62	0% 17-18/12/81	0.1	0.2
63	0% 23-29/12/81	0.1	< 0.1
64	30% 05-12/01/82	0.1	0.1
65	10% 09-03-82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
66	20% 26/01/82 to 02/02/82	0.1	< 0.1
67	30% 09-03-82 to 06-04-82	0.1	0.1
68	20% 15-22/12/81	0.1	0.1
69	10% 09-02-82 to 16-02-82	0.1	0.1
70	20% 19-26/01/82	0.1	0.1
71	20% 16-23/02/82	0.1	< 0.1
72	0% 13-20/04/82	0.1	0.1
73	10% 02/12/81 to 8/12/81	0.1	0.2
74	30% 15-22/12/81	0.1	0.1
75	0% 23-02-82 to 01-03-82	0.1	0.1
76	10% 02-02-82 to 09-02-82	0.1	0.1
77	30% 02-09/03/82	0.1	< 0.1
78	0% 16-23/02/82	0.1	0.1
79	20% 23-29/12/81	0.1	0.1
80	30% 09-16/02/82	0.1	0.1
81	10% 16-23/02/82	0.1	0.1
82	20% 05-12 01-82	0.1	0.1
83	0% 19-01-82 to 26-01-82	0.1	0.1
103	50% 02-09/02/82	0.1	0.1
104	50% 23-29/12/81	0.1	0.1
105	50% 12-19/01/82	0.1	0.1
106	50% 19-26/01/82	0.1	0.1
107	50% 02-08/12/81	0.1	< 0.1

Result of Analysis of Your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
108	50% 08-15/12/81	0.1	< 0.1
109	50% 13-04-82	0.1	0.1
110	50% 16-23/02/82	0.1	0.1
111	50% 29-12-81 to 05-01-82	0.1	0.1
112	50% 15-22/12/81	0.1	0.1
113	50% 09-16/02/82	0.1	< 0.1
114	50% 05-12/01/82	0.1	0.1
115	50% 26-01-82 to 02-02-82	0.1	0.1
116	50% 26-01-82 to 02-02-82	0.1	0.1
117	50% 02-09/03/82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Your Sample #	Uranium (ppm)	Thorium (ppm)
84		D-15	0.2	< 0.1
85		D-19	0.1	0.1
86		D-17	0.5	0.2
87		D-1	0.1	0.1
88		D-6	0.2	0.1
89		D-10	0.1	0.1
90		D-3	0.1	< 0.1
91		D-18	0.3	0.1
92		D-16	0.1	0.1
93		D-7	0.1	0.1
94		D-14	0.1	0.1
95		D-9	0.1	0.1
96		D-8	0.1	< 0.1
97		D-5	0.1	0.1
98		D-2	0.1	0.1
99		D-4	0.1	0.1
100		D-12	0.1	0.1
101		D-13	0.1	0.1
102		D-11	0.1	< 0.1

Result of Analysis of Your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
118	M17-8 17-05-82	0.1	< 0.1
122	M20-4 14-05-82	1.1	0.1
123	M-10 #7 May 18/82	0.1	0.1
124	M-10 #6 May 18/82	0.1	0.1
125	M-10#2 May 18/82	0.1	0.1
126	M16-Main 17-05-82	0.1	0.1
127	M16-5 17-05-82	0.6	< 0.1
128	M11 #5 19/05/82	0.1	0.1
129	M16-3.5 17/05/82	0.1	0.1
130	M-10 #1 May 18,82	0.1	0.1
132	M12-Main 20-05-82	0.1	0.1
134	M20-Main 14-05-82	0.1	0.1
135	M12-#6 May 19,82	0.1	< 0.1
136	M11-#2 May 19,82	0.1	0.1
137	M-27#4 May 18,82	0.1	0.1
138	M1#6 14-05-82	4.2	0.2
140	M12-#3 May 19,82	0.1	0.1
141	M-27#7 May 18,81	0.1	0.1
143	M1-2 14-05-82	1.1	0.1
144	M20-2 14-05-82	0.1	0.1
146	M-9 #3 May 18-05-82	0.1	0.1
145	M9-Main 18-05-82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
147	M16-2 17-05-82	0.4	< 0.1
149	M11#6 19-05-82	0.1	0.2
150	M-27#5 May 18,82	0.1	0.1
151	M11#7 19-05-82	0.1	0.1
153	M18-5 17-05-82	0.1	0.1
154	M8-1 17-05-82	0.1	0.2
155	M11-#3 May 19,82	0.1	0.2
156	M11 Main 19.05.82	0.1	0.1
157	M-27#2 May 18,82	0.1	0.1
158	M-10#4 May 18,82	0.1	0.2
159	M12-#4 May 19/82	0.1	< 0.1
160	M8-8 17-05-82	0.2	0.1
161	M16-2-5 17-05-82	0.1	0.1
162	M13.P8 07/09	0.1	0.1
163	M12-#2 May 19/82	0.1	0.1
164	M18 2 17-05-82	0.1	0.1
165	M18-3 17-05-82	0.4	0.1
166	M-9 P-5 31-08	0.1	< 0.1
167	M17-5 17-05-82	0.3	0.1
168	M9-8 18-05-82	0.1	0.1
169	M-27 May 18/82	0.1	0.1
170	M-9-6 18-05-82	0.1	0.1
171	M-10 Main May 18/82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
172	M8-2 17-05-82	0.1	< 0.1
173	M9-4 18-05-82	0.1	0.1
174	M16-3 17-05-82	0.1	0.1
175	M10-#3 May 18/82	0.1	0.1
176	M12-#5 May 19/82	0.1	0.2
177	M16-1-5 17-05-82	0.3	0.3
178	M-16-1 17-05-82	0.2	< 0.1
179	M11-#1 May 19/82	0.1	0.1
180	M8-4 17-05-82	0.1	0.1
181	M-27#6 May 18/82	0.1	< 0.1
182	M-11#9 19/05/82	0.1	0.1
183	M20-3 14-05-82	0.1	0.1
184	M17-6 17-05-82	0.6	0.1
185	M-27 #8 May 18/82	0.1	0.1
186	M17-7 17-05-82	0.1	0.1
187	M12-#7 19-82	0.1	0.2
188	M8-7 17-05-82	0.3	< 0.1
189	M27-P1 01-09-82	0.1	0.1
190	M11 #4 19/05/82	0.1	0.2
191	M-10 P-4 01-09	0.1	0.1
192	M-19 #3 May 18/82	0.1	0.1
193	M-10 #8 May 18/82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
194	M8-Main 17-05-82	0.1	< 0.1
195	M20 #1 14-05-82	0.1	0.1
196	M-2731 May 18/82	0.1	0.2
197	M16#4.5 17-05-82	0.1	0.1
198	M1-7 14-05-82	1.7	0.1
199	M11-P5 01-09-82	0.1	0.1
200	M13.P1 07/09	0.1	< 0.1
201	M-17 P-4 31-08	0.4	0.1
202	M20.P4 31-08	1.0	0.1
203	M9-7 18-05-82	0.1	0.2
204	M14-P8 07-09	0.1	0.1
205	M-17-31-08	0.1	0.2
206	M1-3-14 05-82	1.8	< 0.1
207	M8-3 17-05-82	0.1	0.1
208	M-10 #5 May 18/82	0.1	0.1
209	M9-5 18-05-82	0.1	0.1
210	M20.P6 31.08	0.3	0.2
211	M12-#8 May 19/82	0.1	< 0.1
212	M12 Ø 02-09	0.1	0.1
213	M18 P-5 31-08	0.1	0.1
214	M13-P4 07/09	0.1	0.1
215	M27.Main May 18/82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
216	M-9#2 May 18/82	0.1	< 0.1
217	M13 ℄ 07/09/82	0.1	0.1
218	M14.P1 07/09	0.1	0.1
219	M8-5 17-05-82	0.2	0.2
220	M-19#2 May 18/82	0.1	0.1
221	M16-P45 31-08-82	0.1	0.1
222	M18-1 17-05-82	0.1	0.1
223	M17-Main 17-05-82	0.1	0.1
224	M20-6 14-05-82	0.1	0.1
225	M1-8 14-05-82	0.1	0.1
226	M1-9 14-05-82	0.3	0.1
227	M17-9 17-05-82	0.1	< 0.1
228	M1-Main 14-05-82	0.1	0.1
229	M8 P4 31-08-82	0.1	0.1
230	M-17 P-g 31-08	0.1	0.1
231	M-19 P-3 31-08	0.1	0.1
232	M-1 P-3 31-08	1.4	< 0.1
233	M-19 P-2 31-08	0.1	0.1
234	M-1 Bundle ℄ 31-08	0.1	0.1
235	M-9 P-4 31-08	0.1	0.1
236	M1-P1 31-08-82	0.1	0.1
237	M-17 P-3 31-08	0.1	0.1
238	M-14 P7 07/09	0.1	< 0.1
239	M20-P5 31-08	1.0	0.2

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
240	M11-P7 01.09.82	0.1	0.2
241	M16.P1.5 31.08	0.2	< 0.1
242	M12.P4 02.09.82	0.1	0.1
243	M14 P6 07/09	0.1	0.1
244	M8 P3 31.08	0.1	0.1
245	M12.P5 02.09	0.1	0.1
246	M-1-P-7 31.08	2.1	0.2
247	M-18 P-3 31-08	0.4	< 0.1
248	M-27 P 01.09.82	0.1	0.1
249	M-17 P-2 31-08	0.1	0.1
250	M-18 P-4 31-08	0.1	0.1
251	M14.P4 07/09	0.1	0.1
252	02.09 M12.P7	0.1	0.1
253	M11.P2 01.09.82	0.1	< 0.1
254	M1.P831.08.82	0.4	0.1
255	M14.P3 07/09	0.1	0.1
256	M16 P2.5 31.08	0.1	0.1
257	M16.P4 31.08.82	0.1	0.1
258	M20.P1 31.08	0.1	0.1
259	M-17 P-3 31-08	0.4	0.1
260	M13-P3 07/09	0.1	0.1
261	M11.P3 01.09.82	0.1	0.1
262	M27.P4 01.09.82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
263	M17 P-7 31-08	0.1	< 0.1
264	M1-P4 31.08	1.8	0.1
265	M20.P3 31.08.82	0.1	0.1
266	M13.P6 07/09	0.1	0.1
267	M14.Pz 07/09	0.1	0.1
268	M16.P1 31.08.82	0.1	0.1
269	M16-P5 31.08.82	0.4	0.1
270	M-9 P-2 31-08	0.1	0.1
271	M12.P1 02.09	o.1	0.1
272	M16.P3 31.08	0.1	< 0.1
273	M8P5 31.08.82	0.3	0.1
274	M11#8 19/05/82	0.1	0.1
275	M17-2 17-05-82	0.1	0.1
276	M20-5 14-05-82	1.7	0.1
277	M9-1 17-05-82	0.1	0.2
278	M-1 P-6 31-08	2.6	0.2
279	M-17 P-5 31-08	0.1	0.1
280	M-9 P-6 31-08	0.1	< 0.1
281	M-20 Bundle ℄ 31.08	0.1	0.1
282	M-10 P-3 01.09	0.1	0.1
283	M-6 ℄ 31.08	0.2	0.1
284	M13 07/09	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
285	M1-P5 31-08	1.9	< 0.1
286	M16-4 17-05-82	0.1	0.1
287	M17-3 17-05-82	0.4	0.1
288	M13.P5 07/09	0.1	0.1
289	M-18 P-2 31-08	0.1	0.1
290	M8 P1 31.08	0.1	0.2
291	M-9 P-1 31-08	0.1	0.1
292	M27-P3 01-09-82	0.1	< 0.1
293	M10-P1 01/09/82	0.1	0.1
294	M11-P 01.09.82	0.1	0.1
295	M14-P5 07/09	0.1	0.1
296	M12.P2 02.09	0.1	0.1
297	M11 P8 01.09.82	0.1	0.1
298	M27.P2 01.09.82	0.1	< 0.1
299	M10.P2 01/09/82	0.1	0.1
300	M10.P6 01.09.82	0.1	0.1
301	M12.P3 02.09.82	0.1	0.1
302	M16.P3.5 31.08	0.5	0.1
303	M8-9 17-05-82	0.4	0.1
304	M1-P2 31.08	0.1	0.1
305	M8P6 31.08	0.3	0.1
306	M-9 P-7 31-08	0.1	0.1
307	M20-P2 31.08.82	0.1	< 0.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
387	T5-P2 24-08 82	128.	0.2
388	T6-P3 25/08/82	25.3	< 0.1
389	T4-P4 24.08.82	0.1	0.1
390	T5-P11 24/08/82	0.3	0.1
391	T4-P1 24/08/82	0.8	0.8
392	T3-P5 26/08/82	0.1	0.1
393	T1-P3 26/08/82	0.1	0.1
394	T2-P4 26-08-82	0.1	< 0.1
395	T4-P3 24/08/82	2.8	1.9
396	T6-P7 25/08/82	0.2	0.1
397	T4 P11 24-08-82	0.4	0.1
398	T1-P1 26-08-82	0.1	0.1
399	T2-P2 26-08-82	0.2	< 0.1
400	T4-P10 24/08/82	0.4	0.1
401	T6-P4 25/08/82	0.4	0.1
402	T5-P-10 24/08/82	0.9	0.1
403	T2-P6 13-05-82	1.3	0.1
404	T5-P3 24/08/82	14.5	2.4
405	T5-P-12 24/08/82	12.2	< 0.1
406	T1P1 12-05-82	0.1	0.1
407	T1-P2 26/08/82	0.1	0.1
408	T3-P5 13-05-82	0.1	0.2
409	T6-P8 25/08/82	0.5	< 0.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
364	Bundle T-4 P-6 24-08-82	0.2	< 0.1
365	T8 P2 02.09.82	0.2	0.1
366	T8.P4 02.09.82	0.1	0.1
367	T-9 P-2 26-08	0.2	0.1
368	T 8 West Bundle P-3 27/08	0.1	0.1
369	T-3 Bundle P-6 26-08	0.1	< 0.1
370	T-8 P1 02.09.82	0.1	0.2
371	T1 bundle P1 26.08	0.1	0.1
372	T-4 Bundle ¢ 25-08-82	0.1	0.1
373	T-3 Bundle P-4 26-08	0.1	0.2
374	Bundle T-4 P-5 24-08-82	0.1	< 0.1
375	T4-P5 25-08-82	0.3	0.1
376	T4-P13 24/08/82	0.6	0.1
377	T5-P9 24/08/82	1.0	0.1
378	T2-P1 13-05-82	0.1	0.1
379	T7-P1 27-08-82	0.1	< 0.1
380	T6-P5 25/08/82	0.4	0.1
381	T2-P5 13-05-82	0.1	0.1
382	T5-P1 24/08/82	0.4	0.1
383	T1-Main 12-05-82	0.2	0.8
384	T3-1 13-05-82	0.1	0.1
385	T1P6 12-05-82	0.7	21.0
386	T4-P6 24/08/82	1.0	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
342	T3P3 13-05-82	0.2	0.2
343	T9.P1 26-08	0.1	< 0.1
344	Bundle T4 P4 25.08	0.3	0.1
345	T-3 Bundle #1 26-08	0.1	0.1
346	T-9 P-3 26-08	0.1	0.1
347	T-4 P-9 24-08-82	1.0	0.9
348	T-1 bundle centre 26.08	0.2	0.1
349	T-8 East Bundle E 27/08	0.4	< 0.1
350	Bundle T-4 P1 25.08	0.2	0.1
351	T8 - East Bundle centre 27.08.	0.1	0.1
352	T-3 Bundle #2 26-08	0.1	0.1
353	T-5 Bundle ¢ 24-08-82	1.0	0.1
354	Bundle T-4 P-7 24-08-82	0.1	< 0.1
355	T2-P4 13-05-82	0.1	0.1
356	T-7 Bundle P-7 27-08	0.1	0.1
357	T-3 Bundle P-3 26-08	0.1	0.1
358	T-7 Bundle P1-26.08	0.1	0.1
359	T-3 Bundle P-5 26-08	0.1	< 0.1
360	Bundle T-4 P3 25 08	0.3	0.1
361	T-4 Bundle #2 24-08-82	0.4	0.1
362	T10-P1 02.09.82	0.2	0.1
363	T1-P5 26.08	0.1	< 0.1

Result of Analysis of Your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
121	T7-P1 13-05-82	0.1	< 0.1
131	T2-P3 13-05-82	0.1	0.1
133	T8-P2 14-05-82	0.1	0.1
139	T8-P4 14-05-82	0.1	0.2
142	T1-P2 12-05-82	0.1	0.2
148	T2 P7 13-05-82	13.6	0.3
152	T3 P4 12-05-82	0.1	0.1
542	T-8 East D 27/08	0.8	< 0.1
328	T7-P2 14-05-82	0.1	0.1
329	T3-Main 13-05-82	0.1	0.1
330	T1P5 12-05-82	0.1	0.1
331	T8-P1 14-05-82	0.1	0.2
332	T8-P3 14-05-82	0.1	0.1
333	T1P3 12-05-82	0.1	< 0.1
334	T1-P1 12-05-82	0.1	0.1
335	T7-P3 14-05-82	0.4	0.3
336	T7-P5 14-05-82	0.2	0.1
337	T3-4 13-05-82	0.1	0.1
338	T3P2 13-05-82	0.4	0.3
339	T1-P7 12-05-82	3.8	11.0
340	T3-5 13-05 82	0.1	0.6
341	T3-3 13-05-82	0.1	< 0.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
119	UW-7 P2 23/08/82	0.1	0.2
120	U.W.26 P1 17/08/82	0.1	< 0.1
426	UW-7 Bundle ¢ 23/08/82	0.2	0.1
427	UW-S3 23/08/82	0.3	0.1
428	UW3 P5 18/08/82	1.2	2.2
429	UW24 P3 20.08.82	15.3	0.7
430	UW21-P3 23/08/82	0.2	0.1
431	UW7-P4 23/08/82	0.2	0.1
432	UW# P6 18.08.82	0.2	< 0.1
433	UW4	32.2	0.1
434	UW22-P1 24/08/82	0.2	0.1
435	UW 24-P1 20/08/82	0.1	0.1
436	UW15.P4 16/08/82	0.2	< 0.1
437	U.W.16 P5 18/08/82	0.1	0.2
438	U.W2.P4 18-08-82	0.1	0.1
439	U.W.6 P2-16-08-82	0.8	0.1
440	U.W.3 P1 18-08-82	0.2	0.2
441	U.W.2P1 18-08-82	0.4	< 0.1
442	U.W.22-P2 24/08/82	0.2	0.1
443	U.W.21-P2	0.2	0.1
444	U.W.13 P3 20-08-82	2.2	4.4
445	UW21-P1 23/08/82	0.1	< 0.1
446	U-W.7.P5 23/08/82	4.0	1.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
447	UW20-P1 17/08/82	4.0	1.1
448	UW3-P2 18/08/82	0.2	< 0.1
449	UW21-P4 23-08-82	0.3	0.1
450	U.W15-P4 16/08/82	0.4	0.1
451	U.W.26 P2 17/08/82	0.4	0.2
452	U.W.14 P5 19/08/82	3.4	2.6
453	U.W 15-P6 16/08/82	0.2	< 0.1
454	U.W.7 P3 23/08/82	0.4	0.1
455	U.W-9 P2 23.08.82	28.1	6.8
456	U.W10-P5 20/10/82	0.2	0.2
457	UW 14.P4 19.08.82	4.5	6.0
458	U.W.14 P1 19.08.82	3.5	8.0
459	U.W.51 18-08-82	0.2	0.1
460	U.W.24 P2 20-08-82	0.2	< 0.1
461	UW9-P1 23/08/82	3.5	0.5
462	UW 21-P5 23/08/82	0.2	0.1
463	UW11-P4 17/08/82	0.3	0.1
464	Bundle UW6 P6 16/08/82	0.1	0.1
465	UW-23 Bundle P3 19.08	0.1	0.1
466	UW13 P1 20/08/82	0.6	0.4
467	UW-7 Bundle #1 23-08-82	0.1	< 0.1
468	UW23 P1 19.08.82	0.3	0.4

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
469	UW-7 Bundle #5 23-08-82	0.1	< 0.1
470	Bundle UW6 P2 16/08/82	0.1	0.1
471	U.W5 bundle centre 17/08/82	0.1	0.1
472	bundle UW6 P1 16/08/82	0.1	0.1
473	Bundle UW6 P5 16/08/82	0.2	0.1
474	Bundle UW 23 P4 19.08.82	0.2	< 0.1
475	U.W.3 Bundle #1 18.08.82	0.1	0.1
476	U.W12 P3 (P-3) 18.08.82	1.2	0.1
477	U.W-9 P-3 23-08 82	1.6	0.1
478	U.W17 P1 19.08.82	0.1	0.1
479	Bundle UW6-P3 16/08/82	0.1	0.1
480	UW 23 Bundle P2 19.08	0.2	< 0.1
481	U.W-7 Bundle #2 23-08-82	0.2	0.1
482	Bundle UW6 P4 16/08/82	0.1	0.1
483	Bundle U.W 23 centre 19.08.82	0.2	0.1
484	U.W8 P7 20-08-82	22.5	0.1
485	U.W.1 P6 18-08-82	0.3	0.1
486	U.W.17 P3 19/08/82	0.1	< 0.1
487	UW3P3 18/08/82	< 0.1	0.1
488	U.W.1 P2 18-08-82	0.6	0.1
489	UW19.Pz 17.08.82	0.3	0.1
490	UW1-P4 18/08/82	0.3	0.1
491	UW8-P2 20/08/82	0.3	< 0.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
492	UW11-P1 17-08-82	0.3	< 0.1
493	UW7-P1 23/08/82	0.4	0.1
494	UW.15 P1 16-08-82	0.7	0.1
495	UW.15-P2 16/08/82	0.7	0.1
496	U-W.15 P3 16-08-82	0.4	0.1
497	U-W-16 P2 18-08-82	0.2	0.1
498	UW-1 p1 18-08-82	0.4	< 0.1
499	U.W.18 P2 18/08/82	0.2	0.1
500	U.W.11 P2 17/08/82	0.3	0.1
501	UW.52 18/08/82	0.6	0.1
502	U.W.19 P1 17-08-82	0.2	0.1
503	U.W6-P7 16/08/82	0.2	0.1
504	U.W6-P7 16/08/82	0.2	< 0.1
505	UW5 -P7 17/08/82	0.2	0.1
506	U.W12-P2 18/08/82	7.0	0.1
507	U.W6-P5 16/08/82	5.8	0.1
508	U.W.20-P2 17/08/82	0.3	0.1
509	U.W.8.P4 20/08/82	0.1	0.1
510	U.W.-5 P3 17/08/82	0.6	0.1
511	U.W.6 P4 16-08-82	0.4	0.1
512	U.W23 P1 19/08/82	0.4	0.1
513	U.W.19 P4 17/08/82	0.2	< 0.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
514	U.W5-P6 17/08/82	0.3	< 0.1
515	U.W.2 P2 16/08/82	0.3	0.1
516	U.W.12 P4 18/08/82	0.2	0.1
517	U.W.7 P6 23-08-82	0.1	0.1
518	U.W10 P1 20-08-82	0.2	0.1
519	U.W2.P6 18/08/82	0.3	< 0.1
520	U.W.11.P5 17-08-82	0.1	0.1
521	U.W.10 P3 20-08-82	0.1	0.1
522	U.W.13 P4 20-08-82	0.5	0.1
523	U.W.6 P1 16-08-82	0.3	0.1
524	UW 25-P1 16/08/82	0.1	0.1
525	U.W.8 P5 20/08/82	0.2	0.1
526	U.W.18 P1 17-08-82	0.1	< 0.1
527	U.W.8 P6 20-08-82	0.2	0.1
528	U.W-1-P3 18/08/82	0.4	0.1
529	U.W12-P1 18/08/82	0.2	0.1
530	U.W-10-P2 20/08/82	0.2	0.1
531	U.W.52 18/08/82	0.2	0.1
532	U.W.6P3 16-08-82	1.0	0.1
533	U.W.10P4 20/08/82	0.1	0.1
534	U.W.2P3 18/08/82	0.2	0.1
535	UW5-P2 17/08/82	0.8	< 0.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
536	UW8-P3 20/08/82	0.4	< 0.1
537	U.W.16 P1 18/08/82	0.1	< 0.1
538	U.W13-P2 20/08/82	0.4	< 0.1
539	U.W.8-P1 20/08/82	0.4	< 0.1
540	U.W5-P5 17/08/82	0.1	< 0.1

Result of Analysis of your samples by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
308	M27-P5 01.09.82	0.1	0.2
309	M-9 ℄ 31.08	0.1	< 0.1
310	M13.P2 07/09	0.1	0.1
311	M11.P1 01.09.82	0.1	0.1
312	M10.℄ 01.09.82	0.1	0.1
313	M8 centre 31.08.82	0.1	0.1
314	M14-℄ 07/09	0.1	0.1
315	M11.P6 01.09.82	0.1	< 0.1
316	M27-P6 01.09.82	0.1	0.1
317	M16-P2 31.08	0.1	0.1
318	M11.P4 01.09.82	0.1	0.1
319	M12.P6 02.09	0.1	0.1
320	M-17 P-6 31-08	0.2	0.1
321	M-10 P-5 01-09	0.1	< 0.1
322	M8.P2 31.08	0.1	0.1
323	M17-4 17-05-82	0.6	0.1
324	M-1 #5 14/05/82	3.3	0.1
325	M-1 #4 14/05/82	3.3	0.5
326	M18-4 17-05-82	0.1	0.2
327	M17-1 17-05-82	0.1	0.2
541	M12-9 20/05/82	0.1	< 0.1

Result of Analysis of your sample by Neutron Activation Method for U and Th

Our Serial #	Your Sample #	Uranium (ppm)	Thorium (ppm)
410	T1 P4 12-05-82	0.1	< 0.1
411	T6-P6 25/08/82	0.2	0.1
412	T2-P2 13-05-82	0.4	0.1
413	T4-P2 24/08/82	0.2	< 0.1
414	T3-P4 26/08/82	0.1	0.1
415	T2-P1 26/08/82	0.1	0.1
416	T4-P7 24/08/82	0.1	< 0.1
417	T5-P7 24/08/82	23.3	2.8
418	T1-P4 26/08/82	0.2	< 0.1
419	T5-P4 24/08/82	10?	2.2
420	T3-2 13-05-82	0.1	0.1
421	T2-P3 26/08/82	0.2	0.2
422	T5-P8 24/08/82	91.8	0.9
423	T6-P2 25/08/82	12.9	0.5
424	T4-P8 24/08/82	2.0	< 0.1
425	T4-P12 24-08-82	0.3	< 0.1

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
200	M13.P1 07/09	2.5
201	M-17 P-4 31-08	102.5
202	M20.P4 31-08	88.
204	M14-P8 07/09	28.75
212	M12 ¢ 02.09	15.75
213	M18 P-5 31-08	95.50
214	M13-P4 07/09	0.77
215	M27 Main May 18/82	66.25
218	M-14.P1 07/09.	2.78
220	M-19#2 May 18/82	45.25
221	M16-P45 31-08-82	107.
224	M20-6 14-05-82	43.25
226	M1-9 14-05-82	5.50
227	M17-9 17-05-82	23.50
228	M1-Main 14-05-82	103.
229	M8 P4 31.08.82	108.
230	M-17 P-g 31-08	36.
231	M-19 P-3 31-08	95.
232	M-1 P-3 31-08	88.25
234	M-1 Bundle ¢ 31-08	99.0
235	M-9 P-4 31-08	97.5
236	M1 P1 31-08-82	110.
237	M-17 P-8 31-08	47.5

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
238	M-14 P7 07/09	20.25
239	M20-P5 31-08	87.50
240	M11-P7 01.09.82	95.
241	M16.P1.5 31.08	78.75
242	M12.P4 02.09.82	84.50
243	M14 P6 07/09	26.75
244	M8 P3 31.08	110.75
245	M12.P5 02.09	89.50
246	M-1-P-7 31.08	76.50
248	M-27 ¢ 01.09.82	95.
249	M-17 P-2 31-08	105.
250	M-18 P-4 31-08	84.50
251	M14.P4 07/09	0.98
252	02.09 M12.P7	110.
300	M10.P6 o1.09.82	92.50
301	M12.P3 02.09.82	87.25
302	M16.P3.5 31.08	85.50
303	M8-9 17-05-82	98.75
304	M1-P2 31.08	116.25
305	M8P6 31.08	85.
306	M-9 P-7 31-08	86.5
307	M20-P2 31.08.82	110.

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
308	M27-P5 01.09.82	77.50
309	M-9 ℄ 31-08	100.
310	M13.P2 07/09	3.44
311	M11.P1 01.09.82	71.50
312	M10. ℄ 01.09.82	73.75
313	M8 centre 31.08.82	98.50
314	M14- ℄ 07/09	2.30
315	M11.P6 01.09.82	96.
316	M27-P6 01.09.82	91.75
317	M16-P2 31.08	70.
318	M11.P4 01.09.82	83.75
319	M12.P6 02.09	98.25
320	M-17 P-6 31-08	87.50
321	M-10 P-5 01-09	83.75
322	M8.P2 31.08	90.
323	M17-4 17-05-82	88.75
325	M-1 #4 14/05/82	78.
326	M18-4 17-05-82	87.50
327	M17-1 17-05-82	12.50

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
328	T7-P2 14-05-82	42.0
329	T3-Main 13-05-82	82.5
330	T1P5 12-05-82	16.50
331	T8-P1 14-05-82	82.50
332	T8-P3 14-05-82	59.0
333	T1P3 12-05-82	80.
334	T1-P1 12-05-82	81.25
335	T7-P3 14-05-82	75.50
336	T7-P5 14-05-82	83.
337	T3-4 13-05-82	72.50
338	T3P2 13-05-82	40.
339	T1 - P7 12-05-82	5.50
340	T3-5 13-05-82	85.50
341	T3-3 13-05-82	68.75
342	T3P3 13-05-82	70.
343	T9.P1 26-08	46.25
344	Bundle T4 P4 25.08	50.
345	T-3 Bundle #1 26-08	75.50
346	T-9 P-3 26-08	49.
347	T-4 P-9 24-08-82	12.
348	T-1 bundle centre 26-08	90.75

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
349	T-8 East Bundle E 27/08	59.
350	Bundle T-4 P1 25.08	30
351	T8 - East Bundle centre 27.08.82	33.75
352	T-3 Bundle #2 26-08	70.50
353	T-5 Bundle #2 26-08	115.75
354	Bundle T-4 P-7 24-08-82	47.25
355	T2-P4 13-05-82	71.25
356	T-7 Bundle P-7 27-08	63.75
357	T-3 Bundle P-3 26-08	97.50
358	T-7 Bundle P1 26.08	95.50
359	T-3 Bundle P-5 26-08	119.5
360	Bundle T-4 P3 25-08	41.75
361	T-4 Bundle #2 24-08-82	32.5
362	T10-P1 02.09.82	92.75
363	T1-P5 26.08	19.0
364	Bundle T-4 P-6 24-08-82	61.50
365	T8-P2 02.09.82	117.25
366	T8.P4 02.09.82	80.25
367	T-9 P-2 26-08	51.25
368	T-8 West Bundle P-3 27/08	119.
369	T-3 Bundle P-6 26-08	117.25
370	T-8 P1 02.09.82	100.25

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
371	T1 bundle P1 26.08	87.25
372	T-4 Bundle ¢ 25-08-82	43.75
373	T-3 Bundle P-4 26-08	90.25
374	Bundle T-4 P-5 24-08-82	72.25
375	T4-P5 25-08-82	168.
376	T4-P13 24/08/82	164.5
377	T5-P9 24/08/82	133.
378	T2-P1 13-05-82	57.25
379	T7-P1 27-08-82	78.
380	T6-P5 25/08/82	190.
381	T2-P5 13-05-82	22.5
382	T5-P1 24/08/82	103.75
383	T1-main 12-05-82	86.25
384	T3-1 13-05-82	82.50
385	T1P6 12-05-82	9.75
386	T4-P6 24-08-82	98.75
387	T5-P2 24-08-82	124.25
388	T6-P3 25/08/82	70.5
389	T4-P4 24.08.82	96.25
390	T5-P11 24/08/82	135.
391	T4-P1 24/08/82	30.75

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
392	T3-P5 26/08/82	110.
393	T1-P3 26/08/82	92.5
394	T2-P4 26-08-82	24.25
395	T4-P3 24/08/82	134.5
396	T6-P7 25/08/82	152.50
397	T4 P11 24-08-82	9.0
398	T1-P1 26-08-82	38.25
399	T2-P2 26-08-82	145.
400	T4-P10 24/08/82	73.75
401	T6-P4 25/08/82	113.25
402	T5-P-10 24/08/82	215.
403	T2 P6 13-05-82	13.25
404	T5-P3 24-08-82	164.5
405	T5-P-12 24/08/82	170.
406	T1P1 12-05-82	35.0
407	T1-P2 26/08/82	73.25
408	T3-P5 13-05-82	90.25
409	T6-P8 25/08/82	137.5
410	T1P4 12-05-82	35
411	T6-P6 25/08/82	127.75
412	T2-P2 13-05-82	147.5

Result of Analyses for Potassium in Water Samples

Our Serial #	Your Sample #	Potassium as K (mg/Litre)
413	T4-P2 24/08/82	106.75
414	T3-P4 26/08/82	57.25
415	T2-P1 26/08/82	50.25
416	T4 -P7 24/08/82	39.25
417	T5-P7 24/08/82	265.
418	T1-P4 26/08/82	36.
419	T5-P4 24/08/82	109.
420	T3-2 13-05-82	81.5
421	T2-P3 26/08/82	118.5
422	T5-P8 24/08/82	103.75
423	T6-P2 25/08/82	134.
424	T4-P8 24-08-82	36.25
425	T4-P12 24-08-82	182.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	* Potassium as K (mg/L)	* Aluminum as Al (mg/L)
0% 02-09/03/82		4.9	0.10
0% 07-08/12/81		62.2	0.20
0% 24-31/03/82		8.0	0.10
0% 03-12-81		128.0	0.23
0% 11-14/12/81		100.0	0.04
0% 06-12/01/82		15.0	0.03
0% 31-03-82 to 06-04-82		125.0	0.04
0% 12-04-82		145.0	0.08
0% 16-23/03/82		310.0	0.02
0% 27-04-82 to 04-05-82		20.0	0.23
0% 04-07/12/81		16.5	0.25
0% 29-12-81 to 05-01-82		50.3	0.28
0% 09-10/12/81		20.0	0.30
0% 16-17/12/81		70.0	0.25
0% 14-15/12/81		145.0	0.01
0% 10-11/12/81		68.0	0.02
0% 08-09/12/81		26.5	0.05
0% 26-01-82		30.3	0.02
10% 26-01-82 to 02-02-82		16.0	0.10
10% 02-09/02/82		110.0	0.20
10% 12-19/01/82		120.0	0.25
0% 09-16/02/82		300.	0.03
30% 02-09/02/82		100.0	0.03

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	* Potassium as K (mg/L)	* Aluminum as Al (mg/L)
10% 23-02-82 to 02-03-82		210.0	0.20
30% 26-01-82 to 02-02-82		310.0	0.04
30% 23/02/82 to 02-03-82		212.0	0.02
20% 09-16/02/82		410.0	0.01
0% 12-19/01/82		30.0	0.05
20% 23/02/82 to 02-03-82		2.50	0.03
10% 15-22/12/81		6.8	0.30
10% 23-29/12/82		4.6	0.20
0% 06-04-82 to 13-04-82		3.8	0.04
30% 29/12/81 to 05-01-82		6.5	0.01
30% 02/12/81 to 08/12/81		51.5	0.04
30% 13-04-82		10.3	0.02
0% 15-16/12/81		3.8	0.43
10% 05-12/08/82		2.8	0.01
20% 13-04-82		9.4	2.2
0% 21-22/12/81		5.4	3.2
0% 09-16/08/82		3.8	0.02
30% 23-29/12/81		26.2	0.03
20% 02-09/03/82		3.8	0.01
20% 09-03-82 to 06-04-82		2.6	0.02
10% 08-15/12/81		10.5	3.50

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	* Potassium as K (mg/L)	* Aluminum as Al (mg/L)
10% 13-04-82		3.4	0.04
10% 08-15/12/81		30.3	3.88
20% 29-12-81 to 05-01-82		9.5	0.02
10% 29-12-81 to 05-01-82		6.6	0.50
20% 02-09/02/82		7.8	0.20
20% 08-15/12/81		13.2	10.0
0% 02-09/02/82		9.8	1.04
30% 08-15/12/81		100.3	10.20
0% 20-04-82 to 27-04-82		5.6	0.10
30% 16-23/02/82		2.6	0.04
0% 18-21/12/81		8.5	0.21
20% 02-08/12/81		54.5	0.04
30% 19-26/01/82		5.3	0.03
20% 12-19/01/82		4.2	0.01
20% 08-15/12/81		15.8	0.05
30% 12-19/01/81		4.0	0.02
10% 19/01/82 to 26/01/82		3.8	0.10
0% 17-18/12/81		23.0	0.30
0% 23-29/12/81		6.4	0.28
30% 05-12/01/82		4.2	0.09
10% 09-03-82		2.4	0.10
20% 26/01/82 to 02/02/82		2.4	0.01
30% 09-03-82 to 06-04-82		2.8	0.01

Part of the results entered here for convenience, see separate result sheets for not listed here

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	* Potassium as K (mg/L)	* Aluminum as Al (mg/L)
20% 15-22/12/81		6.0	0.05
10% 09-02-82 to 16-02-82		4.8	0.20
20% 19-26/01/82		2.6	0.10
20% 16-23/02/82		2.8	0.01
0% 13-20/04/82		2.9	0.04
10% 02/12/81 to 8/12/81		111.0	10.0
30% 15-22/12/81		23.8	0.02
0% 23-02-82 to 01-03-82		2.3	0.10
10% 02-02-82 to 09-02-82		4.0	0.05
30% 02-09/03/82		2.5	0.09
0% 16-23/02/82		2.5	0.12
20% 23-29/12/81		3.5	0.02
30% 09-16/02/82		3.2	0.01
10% 16-23/02/82		2.4	0.20
20% 05-12/01/82		5.0	0.00
0% 19-01-82 to 26-01-82		3.3	0.05
D-15		2.9	
D-19		3.2	
D-17		5.2	
D-1		1.5	
D-6		2.2	
D-10		2.2	

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	* Potassium as K (mg/L)	* Aluminum as Al (mg/L)
D-3		0.2	
D-18		4.8	
D-16		1.3	
D-7		0.78	
D-14		0.50	
D-9		0.40	
D-8		0.20	
D-5		0.20	
D-2		0.40	
D-4		0.80	
D-12		50.0	
D-13		1.2	
D-11		0.20	
50% 02-09/02/82		0.50	0.08
50% 23-29/12/81		10.4	0.02
50% 12-19/01/82		17.2	0.00
50% 19-26/01/82		11.6	0.01
50% 02-08/12/81		10.6	0.01
50% 08-15/12/81		40.3	0.01
50% 13-04-82		16.0	0.01
50% 16-23/02/82		15.8	0.01
50% 29-12-81 to 05-01-82		18.6	0.01
50% 15-22/12/81		30.3	0.02
50% 09-16/02/82		30.8	0.02

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Sample

Your Sample #	* Lead as Pb (mg/L)	* Potassium as K (mg/L)	* Aluminum as Al (mg/L)
50% 05-12/01/82		26.0	0.02
50% 26-01-82 to 02-02-82		23.6	0.01
50% 09-03-82 to 06-04-82		15.2	0.11
50% 02-09/03/82		20.5	
M17-8 17-05-82		14.0	45.0
UW-7 P2 23/08/82		114.8	3.0
U.W. 26 P1 17/08/82		18.8	40.0
T7-P1 13-05-82		149.5	200.4
M 20-4 14-05-82		144.5	0.20
M-10 #7 May 18/82		123.0	43.4
M-10 #6 May 18/82		135.6	25.6
M-10 #2 May 18/82		158.4	13.0
M 16-Main 17-05-82		138.8	100.3
M 16-5 17-05-82		113.2	105.7
M 11 #5 19/05/82		151.8	103.8
M 16-3.5 17/05/82		125.0	50.8
M-10 # 1 May 18/82		135.6	17.8
T2-P3 13-05-82		58.7	6.8
M12-Main 20-05-82		127.6	0.80
T8-P2 14-05-82		133.6	0.60
M20-Main 14-05-82		123.0	0.40
M12-#6 May 19/82		133.0	0.50
M11-#2 May 19/82		58.0	0.40

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M-27 #4 May 18/82		181.8	0.30
M1 #6 14-05-82		101.6	0.20
T8-P4 14-05-82		42.5	0.60
M12-#3 May 19/82		60.2	0.6
M-27 #7 May 18/81		65.8	
T1-P2 12-05-82		234.6	0.60
M1-2 14-05-82		105.6	
M20-2 14-05-82		33.0	0.60
M9-Main 18-05-82		28.9	0.10
M-9 #3 May 18,82		110.0	0.20
M16-2 17-05-82		115.2	50.4
T2 P7 13-05-82		5.8	0.05
M11 #6 19-05-82		119.0	0.10
M-27 #5 May 18/82		112.0	0.08
M11 #7 19-05-82		110.9	0.06
T3 P4 12-05-82		53.4	0.02
M18-5 17-05-82		33.0	0.70
M8-1 17-05-82		34.0	70.0
M11-#3 May 19/82		31.0	0.50
M11 Main 19,05,82		35.0	0.11
M-27 #2 May 18,82		27.6	0.10
M-10 #4 May 18/82		28.8	0.10
M12-#4 May 19/82		40.9	0.10
M8-8 17-05-82		49.6	0.60
M16-2-5 17-05-82		58.6	0.50

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M13 P8 07/09		56.8	0.28
M12 #2 May 19/82		49.8	0.1
M18-2 17-05-82		110.0	0.70
M18-3 17-05-82		112.0	0.70
M-9 P-5 31-08		113.0	1.54
M17-5 17-05-82		106.0	48.4
M9-8 18-05-82		106.0	0.20
M-27 #3 May 18/82		132.8	0.40
M-9-6 18-05-82		131.0	0.18
M-10 Main May 18/82		132.0	0.10
M8-2 17-05-82		108.0	0.20
M9-4 18-05-82		115.0	0.10
M16-3 17-05-82		106.0	0.48
M10-#3 May 18,82		70.8	0.10
M12-#5 May 19, 82		76.4	0.20
M16-1-5 17-05-82		85.6	0.18
M-16-1 17-05-82		88.0	0.25
M11-#1 May 19/82		72.0	0.18
M8-4 17-05-82		110.0	0.80
M-27 #6 May 18/82		110.0	0.40
M-11 #9 19/05/82		52.0	0.60
M20-3 14-05-82		90.2	0.50
M17-6 17-05-82		75.0	39.8
M-27 #8 May 18/82		27.0	0.38

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M17-7 17-05-82		90.0	0.80
M12-#7 19-82		110.0	0.09
M8-7 17-05-82		101.0	0.35
M27-P1 01-09-82		111.0	0.62
M11 #4 19/05/82		102.0	0.18
M-10 P-4 01-09		120.0	0.20
M-19 #3 May 18/82		102.0	0.10
M-10 # 8 May 18/82		13.0	0.20
M8 -Main 17-05-82		120.0	0.60
M 20 #1 14-05-82		122.4	0.80
M-27 #1 May 18/82		93.6	0.97
M16 #4.5 17-05-82		111.2	0.25
M1-7 14-05-82		72.2	0.10
M11-P5 01-09-82		133.1	0.60
M13 P1 01/09			
M-17 P4 31-08			
M20 P4 31-08			
M9-7 18-05-82		121.2	0.15
M14-P8 07/09			
M-17-31-08		105.2	38.8
M1-3-1405-82	0.00	142.2	0.10
M8-3 17-05-82		133.4	0.20
M-10 #5 May 18/82	0.00	124.2	0.18
M9-5 18-05-82		115.2	0.18

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M20 P6 31.08	0.00	62.0	0.10
M12 #8 May 19/82		107.2	0.08
M12 02.09			
M18 P-5 31-08			
M13 -P4 07/09			
M27-Main May 18/82			
M-9#2 May 18/82		68.4	0.06
M13 07/09/82			0.29
M14 P1 07/09/82		29.4	
M8-5 17-05-82		124.0	0.10
M-19#2 May 18/82			
M16-P45 31-08-82			
M18-1 17-05-82		13.3	0.80
M17-Main 17-05-82		102.0	0.16
M20-6 14-05-82			
M1-8 14-05-82		17.2	0.06
M1-9 14-05-82			0.05
M17-9 17-05-82			
M1-Main 14-05-82			
M8P4 31/08/82			
M-17 p-g 31-08			
M-19 p-3 31-08			
M-1 P-3 31-08			
M-19 P-2 31-08		66.8	
M-1 Bundle 31-08			

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M-9 P-4 31-08			1.40
M1-P1 31-08-82			
M-17 P-8 31-08			
M-14 P707/09			
M20-P5 31-08			
M11-P7 01.09.82			
M16-P1.5 31-08			
M12 P4 02-09-82			
M14 P6 07/09			
M8P3 31/08			
M12 P5 02-09			
M-1-P-7 31.8			
M-18 P-3 31-08		110.0	
M-27 01.09.82			
M-17 P2 31-08			
M-18 P-4 31-08			
M14 P4 07/09			
02.09 M12 P7			
M11 P2 01.09.82		96.4	
M1 P8 31.0882		45.0	0.20
M14 P3 07/09		23.0	0.50
M16 P2.5 31.08		122.8	0.30
M16 P4 31.08.82		123.4	0.18
M20 P1 31.08		122.4	0.30

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead ad Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M13 P3 31.08.82		123.0	0.14
M14 Pz 07/09		30.4	0.02
M16 P1 31.08.82		72.5	0.22
M16-P5 31.08.82		90.5	0.00
M-9 P-2 31.08	0.00	98.4	1.62
M12 P1 02.09		93.0	0.03
M16 P3 31.08		95.2	0.15
M8 P5 31.08.82		118.2	0.20
M11 # 8 19/05/82		120.8	0.10
M17-2 17-05-82		122.4	0.14
M20-5 14-06-82		125.4	0.68
M9-1 17-05-82		145.0	0.15
M-1 P-6 31.08		93.2	0.34
M-17 P-5 31-08		93.8	0.16
M-9 P-6 31.08	0.00	105.2	0.18
M-20 Bundle 31-08		109.2	0.12
M-10 P-3 01-09		93.2	0.10
M-6 31.08		92.4	0.16
M13 07/09		72.5	0.03
M1-P5 31-08		107.2	0.08
M16-4 17-05-82		142.2	0.10
M17-3 17-05-82		145.7	49.4
M13 P5 07/09		13.2	0.38
M-18 P-2 31.08		86.0	0.16
M8 P1 31.08	0.00	105.6	0.12

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M-9 P-1 31.08		112.2	1.82
M27-P3 01-09-82		102.0	0.48
M10-P1 01/09/82		113.2	0.04
M11- 01.09/82		132.0	0.02
M14-P5 07/09		24.8	0.03
M12 P2 02.09		114.0	0.07
M11 P8 01.09.82		140.2	0.05
M27 P2 01.09.82		88.0	0.02
M10 P2 01/09/82		94.0	0.01
M10 P6 01.09.82			
M12 P3 02.09.82			
M16 P3.5 31.08			
M8-9 17-05-82			
M1-P2 31.08			
M8P6 31.08			
M-9 P-7 31-08			
M20-P2 31.08.82			
M27-P5 01.09.82			
M-9 31-08			
M13 P2 07/09			
M11 P1 01.82			
M10 01.09.82			
M8 centre 31.08.82			
M14-ç 07/09			

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Results of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
M11 P6 01.09.82			
M27-P6 01.09.82			
M16-P2 31.08			
M11.P4 01.09.82			
M12 P6 02.09			
M-17 P-6 31.08			
M-10 P-5 01.09			
M8 P2 31.08			
M17-4 17-05-82			
M-1 #5 14/05/82	0.00		
M-1 #4 14/05/82			
M18-4 17-05-82			
M17-1 17-05-82			
T7-P2 14-05-82			
T3-Main 13-05-82			
T1P5 12-05-82			
T8-P1 14.-5-82			
T8-P3 14-05-82			
T1 P3 12-05-82			
T1-P1 12-05-82			
T7-P3 14-05-82			
T7-P5 14-05-82			
T3-4 13-05-82			
T3P2 13-05-82			

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Results of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T1-P7 12-05-82			
T3-5 13-05-82			
T3-3 13-05-82			
T3P3 13-05-82			
T9.P1 26-08			
Bundle T4 P4 25.08			
T-3 Bundle # 1 26-08			
T-9 P-3 26-08			
T-4 P-9 24-08-82			
T-1 Bundle centre 26-08			
T-8 East Bundle 27/08			
Bundle T-4 P1 25.08			
T8- East Bundle centre 27.08.82			
T-3 Bundle #2 26-08			
T-5 Bundle 24-08-82			
Bundle T-4 P-7 24.08.82			
T2-P4 13-05-82			
T-7 bundle P-7 27-08			
T-3 bundle P-3 26-08			
T-7 bundle P1 26-08			
T-3 bundle P-5 26-08			
bundle T-4 P3 25-08			
T-4 bundle #2 24-08-82			
T10-P1 02.09.82			

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T1 P5 26.08			
bundle T4 P-6 24-08-82			
T8-P2 02.09.82			
T8 P4 02.09.82			
T-9 P-2 26-08			
T-8 west bundle P-3 27/08			
T-3 bundle P-6 26-08			
T-8 P1 02.09.82			
T1 bundle P1 26.08			
T-4 bundle ç 25.08.82			
T-3 bundle P-4 26-08			
Bundle T-4 P-5 24-08-82			
T4-P5 25-08-82			
T4-P13 24/08/82			
T5-P9 24/08/82			
T2-P1 13-05-82			
T7-P1 27-08.82			
T6-P5 25/08/82			
T2-P5 13-05-82			
T5-P1 24/08/82			
T1-Main 12-05.82			
T3-1 13-05-82			
T1P612-05-82			
T4 P6 24-08-82			
T5 P2 24-08-82			

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Results of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T6 P3 25/08/82			
T4 P4 24/08/82			
T5 P11 24/08/82			
T4 P1 24/08/82			
T3 P5 26/08/82			
T1 P3 26/08/82			
T2 P4 26-08-82			
T4-P3 24/08/82			
T6 P7 25/08/82			
T4 P11 24/08/82			
T1 P1 26-08-82			
T2 P2 26-08-82			
T4 P10 24-08-82			
T6 P4 25/08/82			
T5 P10 24/08/82			
T2 P6 13/05/82			
T5 P3 24/08/82			
T5 P12 24.08.82			
T1P1 12-05-82			
T1 P2 26/08/82			
T3 P5 13-05-82			
T6 P8 25/08/82			
T1 P4 12-05-82			
T6 P6 25/08/82			
T2-P2 13-05-82			

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T4 P2 24/08/82			
T3 P4 26/08/82			
T2 P1 26/08/82			
T4 P7 24/08/82			
T5 P7 24/08/82			
T1 P4 26/08/82			
T5 P4 24/08/82			
T3-2 13-05-82			
T2 P3 26/08/82			
T5 P8 24/08/82			
T6 P2 25/08/82			
T4-P8 24/08/82			
T4-P12 24-08-82			0.02
UW-7 bundle ç 23-08-82		108.2	0.03
UW-S3 23/08/82	0.00	68.0	0.01
UW 3 18.08.82		28.2	0.06
UW 24 P3 20.08.82	0.00	271.2	0.08
UW 21 P3 23/08/82	0.00	189.4	0.01
Uw7 -P4 23/08/82		272.4	0.01
UW3 P6 18.08.82		111.2	0.02
UW4	0.00	108.4	0.18
UW 22-P1 2408/82	0.00	122.2	0.01
UW 24-P1 20/08/82	0.01	48.2	0.02
UW 15 P4 16/08/82	0.00	103.2	0.07

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
U.W.16 P5 18-08 -82	0.01	492.0	0.08
U.W2 P4 18-08-82	0.00	552.2	0.09
UW6 P2 16-08-82	0.00	168.2	0.01
U.W.3 P1 18-08-82		201.2	0.20
U.W 2P1 18-08-82	0.00	905.2	0.01
U.W 22-P2 24/08/82	0.01	71.2	0.20
U.W.21-P2	0.00	902.2	0.03
U.W 13 P3 20-08-82	0.00	30.4	0.15
UW21-P1 23/08/82	0.00	30.8	0.02
U-W 7 P5 23/08/82		135.2	0.20
UW20 P1 17/08/82	0.01	132.4	0.02
UW3-P2 18/08/82		135.4	0.20
UW21-P4 23-08-82	0.00	542.0	0.01
UW 15 P4 16/08/82	0.00		0.10
U.W 26 P2 17/08/82	0.00	35.0	0.03
UW 14 P5 19/08/82	0.01	28.0	0.20
U.W 15-P6 16/08/82	0.00	34.0	0.24
UW 7 P3 28/08/82		235.0	0.01
U.W 9 P2 23/08/82	0.00	50.4	0.48
UW 10 P5 20/08/82		54.2	0.24
UW 14 P4 19.08/82	0.00	37.0	0.27
UW 14P1 19/08/82	0.00	35.0	0.38
UW 51 18-08-82	0.00	39.2	0.03
UW 24 P2 20-08-82	0.00	315.0	0.01
UW9 - P1 23/08/82	0.01	345.0	0.28

*Part of the results entered here for convenience, see separate result sheet for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
UW 21 P5 23/08/82	0.00	45.0	0.08
UW 11 P4 17/08/82	0.00	90.0	0.01
Bundle UW 6 16/08/82	0.00	45.0	0.02
UW 23 bundle P3 19.08	0.00	125.0	0.01
UW 13 P1 20/08/82	0.00	28.0	0.04
UW-7 bundle #1 23-08-82		55.0	0.01
UW 23 P1 19.08.82	0.00	32.4	0.02
UW-7 bundle #5 23-08-82		35.4	0.03
bungle UW6 P2 16/08/82	0.01	29.4	0.01
UW5 bundle centre 17/08/82	0.00	25.0	0.00
bundle UW6 P1 16/08/82	0.00	80.0	0.01
bundle UW 6 P5 16/08/82	0.00	68.0	0.01
bundle UW 23 P4 19.08.82	0.00	120.0	0.01
U-W-3 bundle #1 18.08.82		20.5	0.00
IW 12 P3 (P-3) 18.08.82	0.00	15.0	0.02
UW-9 P-3 23-08-82	0.00	2.8	0.08
UW 17 P1 19.08.82	0.00	185.4	0.00
bundle UW6 P3 16.08.82	0.00	112.0	0.01
UW 23 bundle P2 19.08	0.00	25.0	
U.W 7 bundle #2 23.08.82		39.0	0.01
bundle UW6 P4 16/08/82	0.00	70.0	0.01
bundle UW 23 centre 19.08.82	0.00	107.4	0.00
UW 8 P7 20-08-82		115.4	0.15
UW- P6 18-08-82	0.00	108.6	0.02

*Part of the results entered here for convenience, see separate result sheet for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L
UW 17 R3 19/08/82	0.00	18.4	0.01
UW3 P3 18/08/82		18.5	0.08
UW1 P2 18-08-82	0.00	420.0	0.04
UW19Pz 17-08-82	0.00	16.0	0.01
UW1 Pu 18/08/82	0.00	160.2	0.04
UW8 Pz 20/08/82		16.0	0.00
UW 11-P1 17-08-82	0.01	133.2	0.02
UW 7-P1 23/08/82		33.0	0.01
UW 15 P1 16-08-82	0.01	109.2	0.00
UW 15-P2 16/08/82	0.00	124.2	0.07
U-W 15 P3 16-08-82	0.00	314.8	0.18
U-W 16 Pz 18 -08 82	0.00	101.8	0.25
UW-1 P1 18-08-82	0.00	107.0	0.18
U W 18 P2 18/08/82	0.01	13.5	0.01
U W 11 P2 17/08/82	0.01	142.0	0.10
U.W 5 P4 17/08/82	0.00	90.4	0.00
UW 52 18/08/82	0.00	150.2	0.01
U W 19 P1 17-08-82	0.00	27.5	0.02
UW 6 P7 16/08/82	0.00	110.4	0.02
UW5 P7 17/08/82	0.00	2.50	0.01
UW 12 Pz 18/08/82	0.00	4.0	0.01
UW 6 P5 16/08/82	0.00	110.2	0.01
UW 20/Pz 17/08/82	0.00	163.2	0.01
UW 8 P4 20/08/82		213.4	0.00

*Part of the results entered here for convenience, see separate result sheet for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
UW 5 P3 17/08/82	0.00	113.4	0.01
U W 6 P4 16-08-82	0.00	111.4	0.02
U W 03 P1 19/08/82	0.01	72.5	0.01
U W 19 P4 17/08/82	0.00	42.8	0.01
U W 5 P6 17/08/82	0.01	128.5	0.00
U W 2 P2 16/08/82	0.00	134.4	0.02
U W 12 P4 18/08/82	0.00	38.4	0.01
UW 7 P6 23-08-82		96.0	0.00
U W 10 P1 20-08-82		16.8	0.16
UW 2 P6 18-08-82	0.00	117.2	0.01
UW 11 P5 17-08-82	0.00	13.8	0.01
UW 10 P3 20-08-82		475.0	0.03
UW 13 P4 20-08-82	0.01	23.2	0.03
UW 6 P1 17-08-82	0.00	92.4	0.01
U W 25 P1 16/08/82		102.0	0.04
U W 8 P5 20/08/82	0.00	235.4	0.04
UW 18 P1 17.08.82	0.00	4.2	0.03
U W 8 P6 20-08-82		350.2	0.18
U W 1 P3 18-08-82	0.00	254.4	0.01
U W 12 P1 19/08/82	0.00	24.8	0.01
U W 10 P2 20/08/82	0.01	245.2	0.00
U W S 2^1 18-08-82	0.00	122.2	0.01
U W 6P3 16-08-82	0.00	92.4	0.01
U W 10 P4 20/08/82		172.0	0.80
U W 2 P3 18/08/81	0.00	162.8	0.01

*Part of the results entered here for convenience, see separate result sheet for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
UW 5 P2 17/08/82	0.00	175.2	0.00
UW 8 P3 20/08/82		248.0	0.00
UW 16 P1 18/08/82	0.00	160.2	0.01
U W 13 Pz 20/08/82	0.00	2.8	0.01
U W 8 P1 20/08/82		32.0	0.03
U W 5 P5 17/08/82	0.01	70.4	0.03
M12-9 20/05/82	0.00	27.2	0.15
T-8 East D 27/08	0.00	56.2	0.10
K-22	0.00		
K-34	0.00		
K-30	0.00		
K-24	0.01		
K-36	0.00		
K-32	0.00		
K-28	0.00		
K-26	0.00		
K-25			
K-17	0.01		
K-11	0.00		
K-16	0.00		
K-16	0.00		
K-23	0.00		
K-37	0.00		
K-10	0.01		
K-10	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
K-15	0.00		
K-23	0.00		
K-35	0.00		
K-15	0.00		
K-21	0.00		
K-14	0.00		
K-21	0.01		
K-35	0.00		
K-31	0.00		
K-33	0.00		
K-33	0.00		
K-20	0.00		
K-20	0.01		
K-14	0.00		
K-19	0.00		
K-13	0.00		
K-19	0.01		
K-21	0.00		
K-29	0.00		
K-18	0.00		
K-13	0.00		
K-9	0.00		
K-12	0.00		
K-18	0.00		
K-7	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
K-29	0.00		
K-39	0.00		
K-38	0.00		
K-27	0.00		
K-17	0.00		
K-12	0.01		
K-8	0.00		
K-6	0.00		
K-2	0.00		
K-11	0.00		
K-5	0.00		
K-27	0.00		
K-3	0.00		
K-4	0.01		
K-38	0.00		
K-1	0.01		
K-37	0.00		
K-25	0.00		
T1K	0.00		
T1E	0.00		
T1M	0.00		
T1N	0.00		
T1B	0.00		
T1Q	0.00		
T2	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T2J	0.00		
T2	0.00		
T2	0.00		
T2	0.01		
T2-P	0.00		
T2-L	0.00		
T2-C	0.00		
T2-A	0.00		
T2-H	0.00		
T2	0.00		
T2	0.00		
T2	0.01		
T3-R	0.00		
T3-A	0.00		
T3	0.01		
T3	0.01		
T3	0.00		
T5	0.00		
UW	0.00		
T7	0.00		
T5	0.00		
T2	0.00		
T5 A	0.00		
T1P	0.00		
T5-C	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T5	0.00		
T5	0.00		
T8-C	0.00		
T2	0.00		
T7 F	0.00		
T8	0.00		
T5	0.00		
T8 Q	0.00		
T8	0.00		
T8W	0.01		
T3P	0.00		
T7M	0.00		
T8	0.00		
T7 P	0.00		
T7 H	0.00		
T7 A	0.00		
T8 N	0.00		
T5	0.01		
UW-16	0.00		
T8-Y	0.00		
T8-U	0.00		
T8	0.00		
T7-C	0.00		
T8-L	0.00		
T8-AA	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	*Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T8-S	0.00		
T8	0.00		
T8	0.00		
T7	0.00		
T8-A	0.01		
T8J	0.00		
T8	0.00		
T8- G	0.00		
T5-E	0.00		
T8	0.00		
T8	0.00		
UW-3	0.00		
T7A	0.01		
UW-8	0.00		
T8-E	0.00		
T7-D1	0.00		
T-3-H-48	0.00		
T-3-N	0.00		
T8	0.00		
T2 F	0.00		
T3	0.01		
T7	0.00		
T5	0.00		
T3	0.00		
T3	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
T3-B	0.00		
UW-16-A	0.00		
T3	0.00		
UW3-A	0.00		
T7	0.00		
UW 14-A	0.00		
T7-K	0.00		
UW -8	0.01		
T7T	0.00		
T5	0.00		
UW-3	0.00		
UW-14E	0.00		
UW 8	0.00		
T3	0.00		
T8	0.01		
T5	0.00		
T7-R	0.00		
T8	0.00		
T5	0.00		
T8	0.00		
UW3	0.00		
T8	0.00		
UW-3	0.01		
UW-16	0.00		
UW-14	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of Analyses for Your Samples

Your Sample #	* Lead as Pb (mg/L)	*Potassium as K (mg/L)	*Aluminum as Al (mg/L)
UW-16	0.00		
UW-16	0.00		
UW-14	0.00		
UW-14	0.00		
UW-14	0.00		
UW-16	0.00		
UW-14	0.01		
UW-14	0.00		
UW-16	0.00		
UW-3	0.00		
UW-3	0.00		
UW-16	0.00		
UW-16	0.00		
UW-16	0.01		
UW-14	0.00		
UW-14	0.00		
UW-16	0.00		
UW-3	0.00		

*Part of the results entered here for convenience, see separate result sheets for not listed here.

Result of pH Measurement of Your Sample

Serial No.	Sample No.	pH	Serial No.	Sample No.	pH
551	K-25	5.37	573	K-14	5.93
602	K-25	5.37	565	K-14	5.93
589	K-17	5.93	577	K-31	4.73
552	K-17	5.93	568	K-31	4.73
555	K-16	6.35	570	K-33	5.32
554	K-16	6.35	569	K-33	5.32
594	K-11	6.22	572	K-20	5.69
553	K-11	6.22	571	K-20	5.69
559	K-10	5.26	576	K-19	6.29
558	K-10	5.26	574	K-19	6.29
567	K-35	4.63	580	K-13	6.10
562	K-35	4.63	575	K-13	6.10
563	K-15	5.53	585	K-29	5.54
560	K-15	5.53	578	K-29	5.54
566	K-21	5.89	583	K-18	5.75
564	K-21	5.89	579	K-18	5.75
561	K-23	5.16	581	K-9	5.44
556	K-23	5.16	590	K-12	5.71
601	K-37	5.40	557	K-37	5.40
584	K-7	6.77	586	K-39	3.57
599	K-38	5.45	587	K-38	5.45
596	K-27	4.95	588	K-27	4.95
591	K-8	4.38	592	K-6	3.23
593	K-2	3.71	595	K-5	5.76
597	K-3	5.65	598	K-4	5.83
600	K-1	4.12	543	K-22	4.92

Result of pH Measurement of Your Sample

Serial No.	Sample No.	pH	Serial No.	Sample No	pH
544	K-24	4.70	545	K-30	4.72
546	K-34	4.31	547	K-36	4.19
548	K-26	4.70	549	K-28	4.37
550	K-32	4.64	617	T2A	5.86 -
603	T1.K.	4.34	618	T2H	4.41
604	T1.E.	4.21	619	T2	4.32
605	T1.M.	4.30	620	T2	4.09
606	T1.V.	4.51	621	T2	4.07
607	T1.B.	4.63	622	T3-R	4.41
608	T1.Q.	4.24	609	T2	4.12
623	73-A	3.71	610	T2J.	4.20
624	T3	5.29	611	T2	4.67
625	T3	5.50	612	T2	6.24
626	T3	5.75	613	T2	6.34
614	T2-P(S)	4.33	627	T5	5.16
615	T2 L	4.35	628	UW8B	3.10
616	T2C	4.29	629	T7	3.62
630	T5	3.96	645	T3-P	4.30
631	T2	4.14	646	T7-M	4.23
632	T5-A	3.58	633	T1.P.	2.74
647	T8	6.05	634	T5.C	3.86
648	T7-P	4.00	635	T5	4.38
649	T7-H	4.07	636	T5	5.86
650	T7-A	4.97	651	T8-N	3.80
637	T8-C	3.64	652	T5	4.29
638	T2	4.07	653	M.W.16	4.12

Result of pH Measurement of Your Sample

Serial No.	Sample No.	pH	Serial No.	Sample No.	pH
639	T7-F	4.74	654	T8-Y	3.97
640	T8	4.92	655	T8-4	4.08
641	T5	4.08	656	T8	3.72
642	T8-Q	3.45	643	T8	5.37
657	T7-C	4.63	644	T8-W	4.07
658	T8-L	4.43	659	T8-AA	3.84
674	T8-E	3.42	660	T8-S	4.06
675	T7-D1	6.31	661	T8	3.84
676	T3-H	4.67	663	T7-Y	3.39
662	T8	6.29	677	T3-N	4.02
664	T8-A	5.20	678	T8	4.02
665	T8-S	3.88	679	T2-F	3.50
666	T8	3.73	680	T3	6.37
681	T7	3.92	667	T8-G	4.00
682	T5	3.71	668	T5-E	3.49
683	T3	5.39	669	T8	5.93
684	T3	6.55	670	T8	4.61
685	T3-B	4.09	671	UW3	4.05
686	UW16-A	4.92	672	T7	3.97
687	T3	4.54	673	UW8	3.38
688	UW3-A	4.32	689	T7	3.63
703	T5	2.73	690	UW14-A	5.10
704	T8	4.71	691	T7-K	3.65
705	UW3	3.69	692	UW8	4.22
706	T8	3.84	693	T7-T	3.81
707	UW3	4.17	694	T5	3.72

Result of pH Measurement of Your Sample

Serial No.	Sample No.	pH	Serial No.	Sample No.	pH
708	UW 16	5.69	695	U-W-3	3.81
709	UW14	3.44	696	UW 14E	3.10
710	UW8	4.38	697	UW8	5.96
711	UW14	3.90	698	T3	4.25
712	UW16	4.31	699	T8	4.01
713	UW16	4.21	700	T5	3.70
701	T7-R	3.69	714	UW.14	3.22
702	T8	5.21	715	UW.14	3.78
716	UW.14	4.03	717	U.W.16	4.65
731	centre surface	1.56	718	UW.14	3.91
732	16 centre	1.65	719	U.W.14	3.66
733	Flow end	1.57	720	U.W.16	4.09
734	Flow middle	1.75	721	U.W.3	4.06
735	Middle of tank	5.46	722	U.W.2	4.04
736	End of tank	1.42	723	U.W. 16	3.83
737	middle of tank	1.44	724	U.W.6	4.14
725	U.W. 16	5.89	726	U.W.14.C	3.90
727	U.W. 14	3.74	728	U.W. 16	4.13
729	U.W. 3	J.10	730	Solid diffusion	6.20
703	T5	2.73			